



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

ARTHUR STOKES'
SYLLABUS
OF
TRIGONOMETRY.

Price 3s.



the 1990s, the number of people in the UK who are employed in the public sector has increased by 1.5 million, from 2.5 million in 1980 to 4 million in 1995. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has also become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.

The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy. The public sector has become a major employer in the UK, and its growth has been a major factor in the overall growth of the economy.



A SYLLABUS OF TRIGONOMETRY.

CAMBRIDGE:
PRINTED BY W. METCALFE, GREEN STREET.

A SYLLABUS
OF
TRIGONOMETRY.

BY
ARTHUR STOKES, B.A.,
LATE SCHOLAR OF TRINITY HALL, CAMBRIDGE.



Cambridge :
W. METCALFE, 12, TRINITY STREET ;
London : LONGMANS, GREEN, READER, AND DYER.
1868.

183. g 30.

PREFACE.

THE following pages are not intended to supersede oral instruction, but they contain, I hope, all that will be found necessary for mastering the elementary parts of Trigonometry. I have endeavoured to avoid introducing anything not fundamental, while attention has been paid to those points in which I have found by practical experience that beginners usually err. I presuppose that the Student has a Tutor, and put this short summary forward simply as a text-book. I have appended a system of examples, with references to the articles which they are framed to illustrate; in addition to which I have in most cases worked out one as a sample. It will, I think, be found sufficient to meet the requirements of the Honour

Little-Go, and be of use in classes of schools, as preparatory to fuller treatises.

In conclusion, I take this opportunity of thanking the Rev. H. Latham, for kindly suggesting amendments, and to H. B. Buckley, B.A., for revising the work when in manuscript.

A. STOKES.

TRINITY HALL,
CAMBRIDGE, 1868.

CONTENTS.

CHAPTER I.	
The Measurement of Angles by Degrees and Grades . . .	PAGE 1
CHAPTER II.	
Circular Measure	4
CHAPTER III.	
The Trigonometrical Functions	8
CHAPTER IV.	
Certain Relations among the Ratios	14
CHAPTER V.	
The Ratios of Certain Angles	17
CHAPTER VI.	
Application of Algebraical Signs	21
CHAPTER VII.	
On Tracing the Changes of the Trigonometrical Functions . .	30

CHAPTER VIII.

Angles with given Trigonometrical Ratios . . .	PAGE 37
--	------------

CHAPTER IX.

Trigonometrical Functions of Two Angles . . .	44
---	----

CHAPTER X.

Logarithms	55
----------------------	----

CHAPTER XI.

Relations between the Sides and Angles of Triangles . .	61
---	----

CHAPTER XII.

Solution of Right-Angled Triangles	67
--	----

CHAPTER XIII.

To Solve Oblique-Angled Triangles	70
---	----

CHAPTER XIV.

Properties of Triangles	75
-----------------------------------	----

CHAPTER XV.

On the Circle	81
-------------------------	----

Examples	85
--------------------	----

Answers	108
-------------------	-----

A SYLLABUS OF TRIGONOMETRY.

CHAPTER I.

THE MEASUREMENT OF ANGLES BY DEGREES AND GRADES.

1. *Plane Trigonometry* comprises investigations relating to *plane* angles (Euc. I. Def. 8), such investigations being made by the aid of algebraical symbols and formulæ.

2. To compare angles we must of course have some means of measuring them. In order to measure quantities of the same denomination we must have a standard of reference or *unit*, which may be thus defined :

Def. A unit is the quantity in terms of which all other quantities of the same kind are expressed.


Thus in money matters we fix upon a certain weight of gold, and say that it shall be called one pound sterling; double that weight of gold will then be called two pounds sterling, and so on; the weight of gold therefore which we chose is our *unit*.

3. In measuring *angles* there are three methods in use; each of course having a different *unit*. They are

- (i) The English or *sexagesimal* method.
- (ii) The French or *centesimal* method.
- (iii) The method of Circular measure.

The first two only will be treated of in this chapter, the third being reserved for separate discussion.

4. (i) By Euc. I. Def. 10, a right angle is defined thus :
 "When a straight line standing upon another straight line makes the adjacent angles equal, each of them is called a right angle."



Thus, if $\angle AOB = \angle A'OB$, each is a right angle, and by Euc. I. 15, Cor. 1,

$$\angle AOB + \angle BOA' + \angle A'OB' + \angle B'OA = 4 \text{ right angles.}$$

The English method divides a right angle into 90 equal divisions, called *degrees*, each *degree* again into 60 *minutes*, each *minute* again into 60 *seconds*; one *degree* being considered the unit of this system.

An angle of *eighty-four degrees, fifteen minutes, and thirty-eight seconds* is thus written :

$$84^{\circ} 15' 38'',$$

$^{\circ}$ to the right of 84 signifying *degrees*, $'$ *minutes*, $''$ *seconds*.

This method derives its name *sexagesimal* from the Latin *sexaginta*, meaning *sixty*.

5. (ii) The French method divides a right angle into 100 equal parts called *grades*, each *grade* into 100 *minutes*, each *minute* into 100 *seconds*; one *grade* being considered the unit in this system.

An angle of *ninety-seven grades, eighty minutes, and nineteen seconds* would be written thus :

$$97^{\circ} 80' 19'',$$

$^{\circ}$ standing for *grades*, $'$ for *minutes*, $''$ for *seconds*.

This method derives its name *centesimal* from the Latin *centum*, meaning a *hundred*.

The advantage of this system is that any angle can be at once written down as a decimal of a grade. The above, for instance, would become $97^{\circ}.8019$. So $83^{\circ} 71' 1''$ would be at once written $83^{\circ}.7101$.

6. *To find the number of grades in an angle expressed by degrees, and vice versa.*

Let D = the number of degrees in the angle,

G = the number of grades in the angle.

Then, since by what has been said above, 90 *degrees* are equal to 100 *grades*, each making up a right angle,

$$D : 90 :: G : 100,$$

or

$$100D = 90G;$$

therefore $G = \frac{100}{90} D = \frac{10}{9} D = D + \frac{D}{9},$

$$D = \frac{90}{100} G = \frac{9}{10} G = G - \frac{G}{10}.$$

Thus to transform an angle from degrees to grades, we must express the angle in degrees and decimal of a degree, and add one-ninth of such expression to itself. This will give the angle in grades and decimal of a grade; we can then express it in grades, minutes, and seconds.

To transform an angle from grades to degrees, we must express the given angle in grades and decimal of a grade, and subtract one-tenth of such expression from itself. This will give the angle in degrees and decimal of a degree, and we can then find its value in degrees, minutes, and seconds.


CHAPTER II.

CIRCULAR MEASURE.

7. In this chapter the third method of measuring angles will be considered.

It will be assumed that the circumferences of circles vary as their radii, and that if r be the radius of any circle, its circumference will be equal to $2\pi r$, where $\pi = 3.14159\dots$, that is, π is the number of times that the *diameter* of a circle is contained in the circumference.

8. Let ACB be a circle of any radius OA . Mark off along the circumference an arc $AB = OA$.



Let AC be any other arc. Join OB, OC . Then (by Euc. VI. 33), since angles at the centre vary as the arcs on which they stand,

$$\frac{\angle AOC}{\angle AOB} = \frac{\text{arc } AC}{\text{arc } AB}.$$

Let arc AC be denoted by l , and OA by r ; also $AB = r$ by the construction. Thus

$$\angle AOC = \frac{l}{r} \times (\angle AOB).$$

9. If now the angle AOB is an invariable angle, *i.e.* if the angle subtended by an arc = radius is invariable, whatever radius be taken, we may use it as our unit of circular measure.

$$\text{Now } \frac{\angle AOB}{4 \text{ right angles}} = \frac{\text{arc } AB}{\text{whole circumference}}.$$

$$\text{i.e. } \frac{\angle AOB}{360^\circ} = \frac{r}{2\pi r};$$

$$\text{therefore } \angle AOB = \frac{360^\circ}{2\pi} = \frac{180^\circ}{\pi} = 57^\circ.2957\dots$$

by division, and is therefore invariable.

10. We may therefore take as our *unit of circular measure* an angle of $57^\circ.2957\dots$, *i.e.*, an angle subtended by an arc = the radius.

We have then an expression for any angle AOB ,

$$\angle AOB = \frac{l}{r} = \frac{\text{arc}}{\text{radius}},$$

which is called the *circular measure* of $\angle AOB$; or if $AOB = \theta$, $\theta = \frac{l}{r}$; a general expression.

11. Of course if we wish to express in degrees an angle expressed in circular measure, we must multiply such an expression by the number of degrees in the unit of circular measure, *i.e.* by $57^\circ.2957\dots$

Thus, an angle represented in circular measure by 2 would be an angle of

$$2 \times (57^\circ.2957\dots) = 114^\circ.5914.$$

12. To express 30° , 45° , 60° , 90° , 120° , 135° , 180° , 210° , 270° , &c. in circular measure.

$$\theta = \frac{l}{r} \text{ is our general expression. (Art. 10).}$$

Now if $\theta = 180^\circ$, $l = \text{arc} = \frac{1}{2} \text{ circumference} = \frac{1}{2} 2\pi r = \pi r$;
therefore

$$\theta = \frac{\pi r}{r} = \pi.$$

That is, π is the circular measure of 180° ; therefore, since

$$\frac{180^\circ}{6} = 30^\circ,$$

$$\frac{\pi}{6} = \text{circular measure of } 30^\circ,$$

$$\frac{\pi}{4} = \dots\dots\dots 45^\circ,$$

$$\frac{\pi}{3} = \dots\dots\dots 60^\circ,$$

$$\frac{\pi}{2} = \dots\dots\dots 90^\circ,$$


$$\frac{2\pi}{3} = \dots\dots\dots 120^\circ,$$

$$\frac{3\pi}{4} = \dots\dots\dots 135^\circ,$$

$$\frac{7\pi}{6} = \dots\dots\dots 210^\circ,$$

$$\frac{3\pi}{2} = \dots\dots\dots 270^\circ.$$

To define the circular measure of an angle.



Let AB, AC be two straight lines meeting in A . With

centre A and any radius describe a circle cutting AB , AC in B , C . Then, if r = radius of this circle,

$$\text{circular measure of } \angle BAC = \frac{\text{arc } BC}{r}.$$

13. *To express in degrees an angle whose circular measure is known.*

Let θ be the known circular measure, x the number of degrees in the angle. Then

$$\frac{\theta}{\pi} = \frac{x}{180};$$

therefore
$$x = \frac{180}{\pi} \cdot \theta = (57.2957\dots) \theta,$$

as was noticed above. (Art. 11).

14. *To express in circular measure an angle which is given in degrees.*

The above formula will enable us to do this also.

Thus, using the same notation as before,

$$\theta = \pi \frac{x}{180},$$

whence x being known, θ is also known.

15. If y = the number of grades in an angle, θ its circular measure, we shall have in a similar manner

$$y = \frac{200}{\pi} \theta,$$


and

$$\theta = \frac{\pi}{200} y.$$

CHAPTER III.

THE TRIGONOMETRICAL FUNCTIONS.

16. Let $\angle AOB$ be any angle, A suppose. In OB take



any point P . Draw PM perpendicular to OA . Then OMP is a right-angled triangle. Now

(i) $\frac{PM}{OP} = \frac{\text{perpendicular}}{\text{hypotenuse}}$, is called the *sine* of $\angle AOB$; i.e. of A , and is written $\sin A$.

(ii) $\frac{OM}{OP} = \frac{\text{base}}{\text{hypotenuse}}$, is called the *cosine* of A , and is written $\cos A$.

(iii) $\frac{OP}{PM} = \frac{\text{hypotenuse}}{\text{perpendicular}}$, is called the *cosecant* of A , and is written $\operatorname{cosec} A$.

(iv) $\frac{OP}{OM} = \frac{\text{hypotenuse}}{\text{base}}$, is called the *secant* of A , and is written $\sec A$.

(v) $\frac{PM}{OM} = \frac{\text{perpendicular}}{\text{base}}$, is called the *tangent* of A , and is written $\tan A$.

(vi) $\frac{OM}{PM} = \frac{\text{base}}{\text{perpendicular}}$, is called the *cotangent*, and is written $\cot A$.

With centre O and radius OP describe a circle cutting OA in P' .

(vii) $1 - \frac{OM}{OP} = 1 - \frac{OM}{OP'} = \frac{OP' - OM}{OP'} = \frac{PM}{OP'}$, is called the *versine* of A , and is written $\text{vers} A$. The versine of A might have been defined as $1 - \cos A$.

(viii) $1 - \frac{PM}{OP}$, is called the *coversine* of A , and is written $\text{covers} A$; in other words, $\text{covers} A = 1 - \sin A$.

17. From (i) and (iii), we see that since

$$\frac{PM}{OP} \times \frac{OP}{PM} = 1, \quad \sin A \times \text{cosec} A = 1;$$

therefore $\sin A = \frac{1}{\text{cosec} A}$, and $\text{cosec} A = \frac{1}{\sin A}$.

From (ii) and (iv),

$$\cos A \times \sec A = 1;$$

therefore $\cos A = \frac{1}{\sec A}$; $\sec A = \frac{1}{\cos A}$.

From (v) and (vi),

$$\tan A \times \cot A = 1;$$


therefore $\tan A = \frac{1}{\cot A}$; $\cot A = \frac{1}{\tan A}$.

By Def. $\tan A = \frac{PM}{OM} = \frac{\frac{PM}{OP}}{\frac{OM}{OP}} = \frac{\sin A}{\cos A}$,

so $\cot A = \frac{\cos A}{\sin A}$.

18. *Def.* The *complement of an angle* is its defect from a right angle.

Thus, if A be any angle, $90^\circ - A$, $100^\circ - A$, $\frac{\pi}{2} - A$, will express the *complement of A* according to the three methods of measurement of angles.



By our Definition, if $\angle BOA = A$,

$$\sin A = \frac{PM}{OP}.$$

Similarly $\frac{PM}{OP} = \cos OPM = \cos(90^\circ - A)$; *vide* (ii)

therefore $\sin A = \cos(90^\circ - A)$.

That is, *The sine of an angle is the cosine of its complement.*

Similarly, *The cosine of an angle is the sine of its complement.*

The tangent of an angle is the cotangent of its complement.

The cotangent of an angle is the tangent of its complement.

These may be thus expressed,


$$\sin A = \cos(90^\circ - A); \quad \cos A = \sin(90^\circ - A);$$

$$\tan A = \cot(90^\circ - A); \quad \cot A = \tan(90^\circ - A).$$

19. *Def.* The *supplement of an angle* is its defect from two right angles.

Thus, $180^\circ - A$, $200^\circ - A$, $\pi - A$, express the supplement of A .

20. *The Trigonometrical ratios remain unchanged so long as the angle remains unchanged.*



Let BAC be any angle A . Take P, P_1 in AC , and draw PM, P_1M_1 at right angles to AB .

Also, taking P_2 in AC , draw P_2M_2 at right angles to it, meeting AB in M_2 .

Then, by our definition,

$$\sin A = \frac{PM}{AP}.$$

But, by similar triangles,

$$\frac{PM}{AP} = \frac{P_1M_1}{AP_1} = \frac{P_2M_2}{AP_2}.$$

That is, the *sine* of A is the same whether we form it from the triangle APM , or AP_1M_1 , or AP_2M_2 .

This of course holds good for the other Trigonometrical Ratios.

21. It may be as well here to point out the modes of writing the various powers of the ratios.

The *square* of $\sin A$ is written $(\sin A)^2$, or more usually $\sin^2 A$.

The *cube* of $\sin A$ similarly as $\sin^3 A$, and so on for higher powers, and for the other ratios.

The *square root* and *cube root* of $\sin A$, are written $(\sin A)^{\frac{1}{2}}$, $(\sin A)^{\frac{1}{3}}$, or more usually $\sqrt{\sin A}$, $\sqrt[3]{\sin A}$; sometimes also $\sin^{\frac{1}{2}} A$, $\sin^{\frac{1}{3}} A$.

$\sin^2 A$, $\sin^3 A$ must be carefully distinguished from $\sin 2A$, $\sin 3A$. $\sin 2A$ means the *sine* of an angle, which angle is twice as large as A .

Thus, if $A = 13^\circ$, $\sin 2A = \sin 26^\circ$.

Similarly, $\sin 3A$ would be $= \sin 39^\circ$.

It must also be remembered that each of the expressions $\sin A$, $\cos A$, etc., is a *ratio*, i.e. a *fraction*, and must be treated as an a or b would be treated in Algebra. Consequently $\sin A$ can never be written $A \sin$, for it would have no meaning, nor can $\sin 3A$ be written $3 \sin A$, except in the case where we have to deal with an angle which would satisfy the relation $\sin 3A = 3 \sin A$.

Again, $\sin^2 A$ cannot be written either as $A \sin^2$ or $A^2 \sin$; nor do $\sin^2 A^2$ and $A^2 \sin^2$ express what is meant by $(\sin A)^2$.

22. These remarks apply also to all the ratios besides the *sine*. If we have an expression such as

$$\sin^2 A = \sin^2 A,$$

we can divide by $\sin^2 A$, i.e. $(\sin A)^2$, and we have

$$1 = \sin^2 A.$$

This is evident if we write our expression as

$$(\sin A)^2 = (\sin A)^2,$$

which corresponds to an algebraical equation

$$a^2 = a^2 = a^2 a^2.$$

From this we see that we may write

$$\sin^2 A \cos^3 A + \cos^2 A \sin^4 A$$

as $\sin^2 A \cos^2 A (\cos A + \sin^2 A).$

23. We have seen above that

$$\frac{OM}{OP} = \cos A.$$

Hence $OM = OP \cos A$;


also that $\frac{PM}{OP} = \sin A$,

or $PM = OP \sin A$,

so $PM = OM \tan A$,

$OM = PM \cot A$, and so on.

This way of finding an expression for one side of a triangle in terms of one of the others and some one of the ratios, should be practised.



Ex. In the triangle ABK , where $B = 90^\circ$, if $\angle AKB = \theta$,

$$AB = BK \tan \theta,$$


$$KB \sec \theta = AK.$$

CHAPTER IV.

CERTAIN RELATIONS AMONG THE RATIOS.

24. To shew that, whatever angle A may be,

$$\sin^2 A + \cos^2 A = 1.$$



Let POM be any right-angled triangle with angle $OMP = 90^\circ$. Let $\angle POM = A$.

By Euclid I. 47,

$$OP^2 = PM^2 + MO^2;$$

$$\text{therefore } 1 = \frac{PM^2}{OP^2} + \frac{MO^2}{OP^2} = \left(\frac{PM}{OP}\right)^2 + \left(\frac{MO}{OP}\right)^2,$$

$$\text{or } 1 = \sin^2 A + \cos^2 A,$$

that is, whatever A may be, this relation always holds.

Whence $\sin^2 A = 1 - \cos^2 A$ } or $\sin A = \sqrt{1 - \cos^2 A}$,
and $\cos^2 A = 1 - \sin^2 A$ } or $\cos A = \sqrt{1 - \sin^2 A}$.

That is, if we know $\sin A$ we can find $\cos A$, and *vice versa*.

25. To shew that

$$\sec^2 A = 1 + \tan^2 A.$$

$$\text{As before, } OP^2 = OM^2 + MP^2;$$

therefore $\left(\frac{OP}{OM}\right)^2 = 1 + \left(\frac{MP}{OM}\right)^2,$

or $\sec^2 A = 1 + \tan^2 A,$

or, since $\cos^2 A = \frac{1}{\sec^2 A}$ (Art. 17),

$$\cos^2 A = \frac{1}{1 + \tan^2 A},$$

also $\sec A = \sqrt{1 + \tan^2 A}, \quad \cos A = \frac{1}{\sqrt{1 + \tan^2 A}}.$

Again, dividing by MP^2 ,


$$\left(\frac{OP}{MP}\right)^2 = \left(\frac{OM}{MP}\right)^2 + 1,$$

or $\operatorname{cosec}^2 A = 1 + \cot^2 A,$

and $\sin^2 A = \frac{1}{(1 + \cot^2 A)}.$

That is, $\operatorname{cosec} A = \sqrt{1 + \cot^2 A}$
and $\sin A = \frac{1}{\sqrt{1 + \cot^2 A}} \left. \vphantom{\begin{matrix} \operatorname{cosec} A \\ \sin A \end{matrix}} \right\}.$

26. Since $\sin^2 A = 1 - \cos^2 A,$



we have, from the above results,

$$\sin^2 A = 1 - \frac{1}{1 + \tan^2 A} = \frac{1 + \tan^2 A - 1}{1 + \tan^2 A},$$

or
$$\sin^2 A = \frac{\tan^2 A}{1 + \tan^2 A},$$

$$\sin A = \frac{\tan A}{\sqrt{(1 + \tan^2 A)}}.$$

We have thus expressed both $\sin A$ and $\cos A$ in terms of $\tan A$. We also know that

$$\cot A = \frac{1}{\tan A}, \quad \sec A = \frac{1}{\cos A}, \quad \operatorname{cosec} A = \frac{1}{\sin A}.$$

We have therefore only to express $\operatorname{versin} A$, $\operatorname{coversin} A$, in terms of $\tan A$, and we shall have expressed all the other ratios in terms of $\tan A$. The *coversine* is so seldom used that it will be enough to shew it for the *versine*,

$$\operatorname{versin} A = 1 - \cos A = 1 - \frac{1}{\sqrt{(1 + \tan^2 A)}}.$$

27. By similar methods, if we have any trigonometrical ratio given, we can find all the others from it. Thus, if

$$\sin \theta = \frac{1}{2},$$


$$\cos \theta = \sqrt{(1 - \sin^2 \theta)} = \sqrt{(1 - \frac{1}{4})} = \pm \frac{\sqrt{(3)}}{2};$$

$$\tan \theta = \frac{\sin \theta}{\cos \theta} = \frac{\frac{1}{2}}{\frac{\sqrt{(3)}}{2}} = \pm \frac{1}{\sqrt{(3)}}. \quad (\text{Art. 17}).$$

CHAPTER V.

THE RATIOS OF CERTAIN ANGLES.

28. *To find the Trigonometrical ratios for 30° , 45° , 60° ;*
that is, of $\frac{\pi}{6}$, $\frac{\pi}{4}$, $\frac{\pi}{3}$.



Let BAC be a right-angled triangle with right angle at B .

Let the angle $BAC = 45^\circ$; therefore also the angle $ACB = 45^\circ$ (Euc. I. 32), and

$$AB = BC.$$

By (Euclid I. 47)

$$AC^2 = AB^2 + BC^2 = 2AB^2,$$

whence

$$\left(\frac{AB}{AC}\right)^2 = \frac{1}{2},$$

or

$$\frac{AB}{AC} = \cos 45^\circ = \frac{1}{\sqrt{2}} = \cos \frac{\pi}{4}.$$

Similarly

$$AC^2 = 2BC^2,$$

and

$$\frac{BC}{AC} = \frac{1}{\sqrt{2}} = \sin 45^\circ = \sin \frac{\pi}{4}.$$

Hence $\tan 45^\circ = \tan \frac{\pi}{4} = \frac{\frac{1}{\sqrt{(2)}}}{\frac{1}{\sqrt{(2)}}} = 1,$

$$\cot 45^\circ = \frac{1}{\tan 45^\circ} = \frac{1}{1} = 1,$$

$$\sec 45^\circ = \frac{1}{\cos 45^\circ} = \frac{1}{\frac{1}{\sqrt{(2)}}} = \sqrt{(2)},$$

$$\operatorname{cosec} 45^\circ = \frac{1}{\sin 45^\circ} = \sqrt{(2)}.$$

29. Without a figure this may be shewn thus:

We know that if A be any angle,

$$\sin^2 A + \cos^2 A = 1.$$

Now we also know that

$$\sin A = \cos(90^\circ - A) \text{ (Art. 18),}$$

so that $\sin 45^\circ = \cos(90^\circ - 45^\circ) = \cos 45^\circ,$

and the above becomes

$$2 \sin^2 45^\circ = 1;$$

therefore $\sin 45^\circ = \frac{1}{\sqrt{(2)}} = \cos 45^\circ$ as before.

30. Let ABC be an equilateral triangle.

Each of its angles = 60° , i.e. $B = 60^\circ$.

Draw AD perpendicular to BC .

Then (by Euc. I. 26)


$$BD = DC = \frac{1}{2}AB,$$

since

$$AB = BC = AC.$$

Hence

$$\cos 60^\circ = \frac{BD}{AB} = \frac{\frac{1}{2}AB}{AB} = \frac{1}{2},$$



$$\sin 60^\circ = \sqrt{(1 - \cos^2 60^\circ)} = \sqrt{(1 - \frac{1}{4})} = \frac{\sqrt{(3)}}{2}.$$

Hence
$$\tan 60^\circ = \frac{\frac{\sqrt{(3)}}{2}}{\frac{1}{2}} = \sqrt{(3)}.$$

Now $\cos 60^\circ = \sin(90^\circ - 60^\circ) = \sin 30^\circ$ (Art. 18);

therefore
$$\sin 30^\circ = \frac{1}{2},$$

also $\cos 30^\circ = \sin(90^\circ - 30^\circ) = \sin 60^\circ$ (Art. 18);

therefore
$$\cos 30^\circ = \frac{\sqrt{(3)}}{2},$$

and
$$\tan 30^\circ = \frac{1}{\sqrt{(3)}}.$$

The sine, cosine, and tangent of 30° , 45° , 60° should be remembered.

In Art. 28 we found

$$\sin 45^\circ = \frac{1}{\sqrt{(2)}}.$$

This, if expressed as a decimal, would be

$$\sin 45^\circ = .70710, \text{ so } \cos 30^\circ = .86602.$$

Tables have been formed of all the Trigonometrical Functions, calculated to *five* places of decimals, and are called "Tables of Natural Sines, Cosines, &c." It is found that to five places of decimals the variation between the

natural sines, &c. of *angles differing only by one degree* is proportional to the variation in the angle.

Suppose we are asked to find $\sin 46^\circ 35' 0''$.

In the tables we have

$$\sin 46^\circ = .71934, \quad \sin 47^\circ = .73135.$$

The difference for 1° , i.e. $60'$, is therefore

$$.73135 - .71934 = .01201.$$

Let x be the required difference for $35'$; by what has been said, we have this proportion,

$$60' : 35' :: .01201 : x,$$

$$x = \frac{.01201 \times 35}{60} = \frac{.01201 \times 7}{12} = \frac{.08407}{12} = .007 \text{ nearly,}$$

and $\sin 46^\circ 35' = .71934 + .007 = .72634.$


CHAPTER VI.

APPLICATION OF ALGEBRAICAL SIGNS.

31. In Euclid we have to deal with angles less than two right angles.

In Trigonometry however we are not limited in any way as to the size of the angles. In order more conveniently to determine the various relations which we shall meet, certain conventions have been used.


32. Let O be a fixed point, MOM' a fixed line passing through it.



It is found convenient to call all lines measured to the *right* of O , i.e. from O to M , *positive*; those from O towards M' , *negative*.

Thus if OM represent a distance 2. OM' , if measured equal to OM , will be represented by -2 .

Again, through O draw a line NON' at right angles to MOM' .



We again, for convenience, shall call all lines measured from O *above* MOM' , *positive*; all *below*, *negative*.

Thus if we take points C, S, B within the angles $MON, NOM', M'ON'$ respectively, and complete the figure,

AC is + being *above* $M'OM$,


OA is + being to the *right* of NON' .

But OT is - being to the *left* of NON' ,

while ST is +.

Again, BR, OR are both negative.

33. These conventions we shall find sufficient for lines.
We shall now proceed to angles.



Suppose O a fixed point, draw $A'O'A, B'O'B$ at right angles to each other through it.

Let OP revolve from an initial position OA , and come to the position P , by revolving from *right to left*, i.e. in a direction *contrary* to the hands of a watch.

All angles generated by OP revolving from *right to left* we shall call *positive*; those by OP revolving in direction from A towards B , i.e. as the hands of a watch, *negative*.

Thus $\angle AOP$ is a positive angle.

If now OP revolves on through B, A', B' to P' , $\angle AOP$ the angle traced out will still be positive.

But if OP start from OA and revolve through P', A', B to P , then $\angle AOP$ is negative, as also the $\angle AOP (> 180^\circ)$.

It will be observed that each of the angles $\angle AOB, \angle BOA', \angle A'OB', \angle B'OA$ is a right angle, and thus the whole circle is

divided into four equal compartments. These are called *quadrants*, and are numbered in order according to their succession in the *positive* direction for angles, *i. e.*

AOB is the first quadrant,

BOA' is the second,

$A'OB'$ is the third,

$B'OA$ is the fourth.

Thus AOP is an angle in the *first quadrant*, AOT ($> 180^\circ$) an angle in the *third quadrant*.

34. We have said that we are not to be limited as to the size of our angles.

Hence if we call the angle AOP , A , and suppose OP to revolve from OA through all the quadrants round again to OP , moving always in the positive direction, we have an angle $(360^\circ + A)$.

If through two *revolutions* (*i. e.* twice through all the quadrants) and on to OP we have an angle $720^\circ + A$, and so on as large as we like.

So, again, if OP revolves from OA in the negative direction once round and beyond to OP' , we have an angle $-(360^\circ + A')$ if $OAP' = A'$.


35. Let OP , OQ be two positions of the revolving line.

Then
$$\sin POA = \frac{PM}{OP}.$$

If now OP revolve through 360° it will again be at OP , and we have

$$\sin(360^\circ + A) = \frac{PM}{OP}, \text{ as before,}$$

for OA is the original base, OP is the hypotenuse, PM is a perpendicular from any point in OP upon OA .



Similarly $\sin(720^\circ + A) = \frac{PM}{OP}.$

Now the fundamental triangle for the angle AOQ is found by dropping a perpendicular from Q upon AOA' the base produced. Hence

$$\cos AOQ = -\frac{ON}{OQ},$$

for ON is to the left of O , and therefore negative.

$$\text{So } \cos(360^\circ + AOQ) = -\frac{ON}{OQ} = \cos(720^\circ + AOQ).$$

Hence we see that *the values of the trigonometrical ratios recur after every complete revolution.*

36. A complete revolution is equivalent to moving through 360° , i. e. 2π , as expressed in circular measure, for the C. M. of 180° was shewn to be π (Art. 12); so

$$\text{C. M. of } 360^\circ + A = 2\pi + a, \text{ of } 720^\circ + A = 4\pi + a,$$

where a is the value of A expressed in C. M., i. e. *generally* $2n\pi + a$, where n is any positive integer or zero.

Hence from the last article

$$\sin a = \sin(2n\pi + a), \quad \cos a = \cos(2n\pi + a).$$

Similar results hold in the case of angles formed by revolutions in a negative direction. Thus

$$\cos a = \cos\{-(2n\pi + a)\}.$$

37. If therefore we know that an angle θ has a certain *sine, cosine, tangent, &c.*, we know that any angle given

by $\pm (2n\pi + \theta)$ will also have the same *sine*, *cosine*, *tangent*, &c. as θ .


38. We have shewn (Art. 18) that $\sin(90^\circ - A) = \cos A$ and that similar relations hold among other of the ratios. We will now show that

$$\sin A = \sin(180^\circ - A),$$

$$\cos A = -\cos(180^\circ - A).$$

Let the angle $POA = A$.

At the point O in $A'O$ make the angle $P'OA' = POA$.



Then $MOP = 180^\circ - A'OP = 180^\circ - A$.

Take any point P in OP , draw PM perpendicular to OA , and let OP revolve from right to left, i. e. in the *positive* direction, so that $OP' = OP$.

Draw $P'M'$ at right angles to OA' .

Then, by construction, the triangles POM , $P'OM'$ are equal in all respects (Euc. I. 26).

$$\text{Now } \sin(180^\circ - A) = \sin P'OA = \frac{P'M'}{OP'} = \frac{PM}{OP},$$

for OP the revolving line is considered to be always *positive*, and PM being measured above AOA' is *positive*, and equal in magnitude to PM . Hence

$$\sin(180^\circ - A) = \frac{PM}{OP} = \sin A.$$

Again, $\cos(180^\circ - A) = \frac{OM'}{OP}$.

Now $OP = OP$ as before, but OM' , though equal in magnitude to OM , is of different sign, being measured to the left of BOB' , and therefore *negative*. Hence

$$\cos(180^\circ - A) = -\frac{OM}{OP} = -\cos A.$$

39. From the last article we see that

$$\tan(180^\circ - A) = \frac{\sin(180^\circ - A)}{\cos(180^\circ - A)} = \frac{\sin A}{-\cos A} = -\tan A,$$

or we might prove this at once from the figure. Thus,

$$\tan(180^\circ - A) = \frac{P'M'}{OM'} = \frac{PM}{-OM} = -\tan A,$$


$$\text{so } \sec(180^\circ - A) = \frac{1}{\cos(180^\circ - A)} = \frac{1}{-\cos A} = -\sec A,$$

$$\text{cosec}(180^\circ - A) = \frac{1}{\sin(180^\circ - A)} = \frac{1}{\sin A} = \text{cosec } A,$$

$$\cot(180^\circ - A) = \frac{1}{\tan(180^\circ - A)} = \frac{1}{-\tan A} = -\cot A,$$

$$\text{versin}(180^\circ - A) = 1 - \cos(180^\circ - A) = 1 + \cos A.$$

40. To connect the trigonometrical ratios of an angle with those of the angle formed by adding 90° to it.



Let $POM = A$. Draw PM at right angles to OA .

Let OP revolve through 90° to OP' .

Then $P'OM = 90^\circ + A$.

Draw $P'M'$ at right angles to OA' .

Then, by Geometry,

$$OM' = PM, \quad P'M' = OM \text{ numerically.}$$

$$\text{Now} \quad \sin(90^\circ + A) = \frac{P'M'}{OP'} = \frac{+OM}{OP} = \cos A,$$

$$\cos(90^\circ + A) = \frac{OM'}{OP'}, \text{ and since } OM' \text{ is negative,}$$

$$= \frac{-PM}{OP} = -\sin A,$$

$$\tan(90^\circ + A) = \frac{\cos A}{-\sin A} = -\cot A,$$

$$\cot(90^\circ + A) = \frac{-\sin A}{\cos A} = -\tan A.$$


41. To connect the trigonometrical ratios of an angle and the angle formed by adding 180° to the angle.

Let $POM = A$.

Produce PO to P' .

Make $OP' = OP$.

Draw $P'M'$ at right angles to OA' .



Then the triangles POM , $P'OM'$ are equal in all respects, and $\angle OP' = 180^\circ + A$ measuring from right to left in the *positive* direction; and we have

$$\sin(180^\circ + A) = \frac{P'M'}{OP'} = \frac{-PM}{OP} = -\sin A,$$

$$\cos(180^\circ + A) = \frac{OM'}{OP'} = \frac{-OM}{OP} = -\cos A,$$

and similar relations may be shewn to hold good for the other ratios.

42. Suppose we meet with such an angle as $540^\circ + A$, and wish to connect its *sine* with that of A .

The angle may be thus written, $360^\circ + (180^\circ + A)$.

Now, by Art. 35, the ratios recur after every complete revolution, i. e. after every addition (or subtraction) of 360° .

Hence $\sin(540^\circ + A) = \sin(180^\circ + A) = -\sin A$ by the last article.

Consequently, when dealing with large angles we need only concern ourselves with finding how many complete revolutions, i. e. how many times 360° are contained in it, and then proceed to find the value of the required ratio of the remainder (if any). If there be no remainder, the trigonometrical ratio of an angle of 0° is the one required.

43. By continuing the proofs of the last three articles for the fourth quadrant, it will be seen that throughout the quadrants the *algebraical sign* of each ratio varies. Thus $\sin A$ in the first quadrant is *positive*.

$\sin(180^\circ + A)$ in the third = $\frac{P'M'}{OP'}$ (fig., Art. 41) and is *negative*, for $P'M'$ is negative.

Variations of this kind will be shewn to hold good in the case of the other ratios. At present we shall only remark that since we have

$$\sin^2 A = 1 - \cos^2 A,$$

$$\sin A = \pm \sqrt{1 - \cos^2 A},$$


we must have some guide in any particular case to shew us which *sign* is to be taken.

CHAPTER VII.

ON TRACING THE CHANGES OF THE TRIGONOMETRICAL
FUNCTIONS.

44. *To trace the change in sign and magnitude of the sine of an angle as the angle varies.*

Let AOA' , BOB' be our two lines mutually at right angles, dividing the plane of the paper into four quadrants.



Let OP start from OA and revolve in the positive direction.

Then
$$\sin POM = \frac{PM}{OP}.$$

In the *first quadrant* PM is positive, and therefore the *sine* is positive, for OP is of invariable sign.

As OP revolves from OA to OB , PM increases from 0 to OB , i. e. from 0 to OP .

Hence $\sin POM$ varies from $\frac{0}{OP}$ to $\frac{OP}{OP}$, i. e. from 0 to 1, and is *positive*.

In the *second quadrant* PM is still *positive*, and therefore the *sine* positive.

As OP revolves from OB to OA' , PM decreases from OP to 0.

Hence $\sin POM$ varies from $\frac{OP}{OP}$ to $\frac{0}{OP}$, i. e. from 1 to 0 and is *positive*.

In the *third quadrant* PM is *negative*, being below AOA' , and therefore the *sine* is *negative*.

As OP revolves from OA' to OB' , PM *increases* from 0 to OB' , i. e. from 0 to OP , being *negative*; so that we have $\sin POM$ varying from $\frac{0}{OP}$ to $-\frac{OP}{OP}$, i. e. from 0 to -1 and *negative*.

In the *fourth quadrant* PM is still *negative*, and therefore the *sine* is *negative*.

As OP revolves from OB' to OA , PM *decreases* from OB' , i. e. OP to 0, being *negative*, so that we have $\sin POM$ varying from $-\frac{OP}{OP}$ to $\frac{0}{OP}$, i. e. from -1 to 0, and *negative*.

45. These results may be thus tabulated:

The sine varies in quadrant

1	from 0 to + 1 and is positive,
2	from + 1 to 0
3	from 0 to - 1 and is negative,
4	from - 1 to 0

It may also be noticed that

$$\sin 0^\circ = 0,$$

$$\sin 90^\circ = \sin \frac{\pi}{2} = + 1,$$

$$\sin 180^\circ = \sin \pi = 0,$$

$$\sin 270^\circ = \sin \frac{3\pi}{2} = - 1,$$

$$\sin 360^\circ = \sin 2\pi = 0.$$

46. *To trace the change in sign and magnitude of the cosine as the angle varies.*

Using the same figure as in the proof for the *sine*, we have

$$\cos POM = \frac{OM}{OP},$$

and therefore depends on the sign, and magnitude of OM , since OP is of invariable sign and magnitude.

In the *first quadrant* OM is *positive*, and therefore the cosine is positive.

As OP revolves from OA to OB , OM decreases from OA , i. e. OP , to 0.

Hence $\cos POM$ varies from $\frac{OP}{OP}$ to $\frac{0}{OP}$, i. e. from 0 to 1 and *positive*.

In the *second quadrant* OM is *negative*, being measured to the left, and therefore the cosine *negative*.

As OP revolves from OB to OA' , OM increases from 0 to OA' , i. e. OP , being *negative*, so that we have $\cos POM$ varying from $\frac{0}{OP}$ to $-\frac{OP}{OP}$, i. e. from 0 to -1 and *negative*.

In the *third quadrant* OM is still *negative*, and the cosine therefore *negative*.

As OP revolves from OA' to OB' , OM decreases from OP to 0, being *negative*, so that we have $\cos POM$ varying from $-\frac{OP}{OP}$ to $\frac{0}{OP}$, i. e. from -1 to 0, and *negative*.

In the *fourth quadrant* OM is *positive*, and the cosine therefore *positive*.

As OP revolves from OB' to OA , OM increases from 0 to OA , i. e. OP , being *positive*, so that we have $\cos POM$ varying from $\frac{0}{OP}$ to $\frac{OP}{OP}$, i. e. from 0 to 1, and *positive*.

47. These results may be thus tabulated :

The cosine varies in quadrant

1	from + 1 to 0 and is positive,
2	from 0 to - 1 and is negative,
3	from - 1 to 0,
4	from 0 to + 1 and is positive.

The following results may also be noticed :

$$\cos 0^\circ = + 1,$$

$$\cos 90^\circ = \cos \frac{\pi}{2} = 0,$$

$$\cos 180^\circ = \cos \pi = - 1,$$

$$\cos 270^\circ = \cos \frac{3\pi}{2} = 0,$$

$$\cos 360^\circ = \cos 2\pi = + 1.$$

48. *To trace the change in sign and magnitude of the tangent as the angle varies.*

We shall only write down the results in this case, which is proved at length after the manner of the two preceding articles.

The tangent varies in quadrant

1	from 0 to + ∞ and is positive,
2	from + ∞ to 0 and is negative,
3	from 0 to ∞ and is positive,
4	from ∞ to 0 and is negative.

49. The appearance of the symbol for *infinity* may perhaps perplex the student, seeing that it does not occur with the *sine* and *cosine*. If however he will draw an angle very nearly 90° , he will see that by making the *base* small enough, the ratio of the *perpendicular* to the base may be

made as large as he pleases, i.e. the tangent of the angle (vide Def., Art. 16) is very large, and may be made indefinitely so, the nearer we approach to 90° . This is expressed by saying that

$$\tan 90^\circ = \infty.$$

In our figure

$$\tan POM = \frac{PM}{OM}.$$

Now, at 90° ,

$$OM = 0, \quad PM = OP,$$

$$\tan POM = \frac{OP}{0} = \infty,$$

according to the usual interpretation of that symbol.

We have

$$\tan 0^\circ = 0,$$

$$\tan 90^\circ = \tan \frac{\pi}{2} = +\infty,$$

$$\tan 180^\circ = \tan \pi = 0,$$

$$\tan 270^\circ = \tan \frac{3\pi}{2} = \infty,$$

$$\tan 360^\circ = \tan 2\pi = 0.$$

50. The *secant*, *cosecant*, *cotangent*, &c. may be treated in the same way, or derived from the preceding articles.

$$\text{Thus} \quad \sec 180^\circ = \frac{1}{\cos 180^\circ} = \frac{1}{-1} = -1,$$

$$\cot 90^\circ = \frac{1}{\tan 90^\circ} = \frac{1}{+\infty} = 0.$$

51. From what has been said it may be seen that the algebraical signs of the ratios vary in the different quadrants.

Consequently, if we know in which quadrant an angle lies, we can determine the *sign* to be given to its *sine*, *cosine*, &c., and thus, in such expressions as

$$\sin A = \pm \sqrt{1 - \cos^2 A},$$

we are no longer in doubt as to the proper *sign*.

If A lie in the third quadrant, $\sin A$ is negative ; therefore we write

$$\sin A = - \sqrt{1 - \cos^2 A}.$$

52. If the student will refer back to Arts. 44-50 he will see that we have the means of obtaining every result given in the following table :

	0	30°	45°	60°	90°	120°	135°	150°	180°
sine	0	$\frac{1}{2}$	$+\frac{1}{\sqrt{2}}$	$\frac{\sqrt{3}}{2}$	1	$\frac{\sqrt{3}}{2}$	$\frac{1}{\sqrt{2}}$	$\frac{1}{2}$	0
cosine	1	$\frac{\sqrt{3}}{2}$	$\frac{1}{\sqrt{2}}$	$\frac{1}{2}$	0	$-\frac{1}{2}$	$-\frac{1}{\sqrt{2}}$	$-\frac{\sqrt{3}}{2}$	-1
tangent	0	$\frac{1}{\sqrt{3}}$	1	$\sqrt{3}$	∞	$-\sqrt{3}$	-1	$-\frac{1}{\sqrt{3}}$	0
cotangent	∞	$\sqrt{3}$	1	$\frac{1}{\sqrt{3}}$	0	$-\frac{1}{\sqrt{3}}$	-1	$-\sqrt{3}$	∞
secant	1	$\frac{2}{\sqrt{3}}$	$\sqrt{2}$	2	∞	-2	$-\sqrt{2}$	$-\frac{2}{\sqrt{3}}$	-1
cosecant	∞	2	$\sqrt{2}$	$\frac{2}{\sqrt{3}}$	1	$\frac{2}{\sqrt{3}}$	$\sqrt{2}$	2	∞

It will be of great use to the student if he will verify some of those results in this table, which are new to him, with the help of this present chapter. The table is not intended to be remembered as a whole, it will be found

36 CHANGES OF THE TRIGONOMETRICAL FUNCTIONS.

sufficient to recollect the *sine* and *cosine* for 0° , 30° , 45° , 60° , 90° , the *tangent* will thus be known, and the other ratios easily deduced.

53. The following facts are worthy of notice :

The *sine* is positive in quadrants 1, 2 ; negative in 3, 4,

cosine 1, 4 ; 2, 3,

tangent 1, 3 ; 2, 4.

Also, that neither *sine* nor *cosine* are ever numerically greater than unity.

CHAPTER VIII.

ANGLES WITH GIVEN TRIGONOMETRICAL RATIOS.

54. From what has been shewn we know that all the values recur after one or more complete revolutions (Art. 35). Now if we have an equation

$$\sin A = \frac{1}{2},$$

we know that A may be 30° or 150° (Art. 38), and by what has just been said it may be

$$360^\circ + 30^\circ = 390^\circ \text{ or } 360^\circ + 150^\circ = 510^\circ,$$

$$\text{or} \quad 720^\circ + 30^\circ \text{ or } 720^\circ + 150^\circ,$$

or, by Art. 36, any angle given by the expression

$$2n\pi + \frac{\pi}{6}, \text{ or } 2n\pi + \left(\pi - \frac{\pi}{6}\right),$$

where n is any integer, positive or negative, or zero.

We shall now shew how we may find *one* formula to contain all the angles given by such an equation.

55. *To find a general expression for all angles having a given sine.*

Let BAC be the least *positive* angle having the given *sine*.

Let BAC expressed in circular measure be called a .

At A in AC' make $C'AB' = BAC$, then $CAB' = \pi - a$.

First, taking positive angles. Of such angles the only ones which satisfy the given *sine* are a , $\pi - a$, and angles formed by adding even multiples of π to these angles,

38 ANGLES WITH GIVEN TRIGONOMETRICAL RATIOS.



i. e. by adding complete revolutions. Such angles will be given by

$$2\pi + a, 2\pi + \pi - a,$$

and $2n\pi + a, (2n + 1)\pi - a \dots\dots\dots(i),$

where n is zero or a positive integer.

Again, taking *negative* angles. Of such angles the only ones having the given sine are

$$-(\pi + a), -(2\pi - a),$$

and angles formed by adding even multiples of π to these in a negative direction, *i. e.* angles given by

$$-2n\pi - (\pi + a), -2n\pi - (2\pi - a),$$

or $-(2n + 1)\pi - a, -2(n + 1)\pi + a \dots\dots(ii).$

From (i) and (ii) it will be seen that when we have an even multiple of π we have $+a$ following; where an odd multiple of π we have $-a$.

This therefore must be provided for in any general formula comprehending both. The formula

$$n\pi + (-1)^n a$$

will be found to do this, and on trial we shall find that it contains all the angles found above and no others, n being any integer, positive or negative, or zero.

56. In any case, therefore, where we have given the *sine* of any angle, we must find the least positive angle with the given sine, express this in circular measure (a), and all the angles will be given by the formula

$$n\pi + (-1)^n a.$$

This will also hold for the cosecant.

57. *To find an expression for all angles with the same cosine.*

Using the same figure, let BAC be the least positive angle with the given cosine, let its circular measure be denoted by a .

The only positive angles with the given cosine are a , $2\pi - a$, and any angles formed by adding even multiples of π to these, i. e. angles given by

$$2n\pi + a, \quad 2n\pi + 2\pi - a,$$

or $2n\pi + a, \quad 2(n+1)\pi - a \dots\dots\dots(i),$

where n is zero or a positive integer.

The only negative angles with the given cosine are $-a$, $-(2\pi - a)$, and angles formed by adding even multiples of π to such angles, i. e. angles given by

$$-2n\pi - a, \quad -2n\pi - (2\pi - a),$$

that is, $-2n\pi - a, \quad -2(n+1)\pi + a \dots\dots\dots(ii).$

From (i) and (ii) it will be seen that we have only even multiples of π , with both $+a$ and $-a$ following.

The formula

$$2n\pi \pm a,$$

where n is any integer, positive or negative, or zero, will be found to include all the angles found above, and no others.

This will also hold for the secant.

58. *To find an expression for all angles having a given tangent.*

Using the same figure as before, the only positive angles will be given by a , $\pi + a$, and even multiples of π added to these, i. e. by

$$2n\pi + a, \quad (2n+1)\pi + a \dots\dots\dots(i).$$

The only negative angles will, in like manner, be given by

$$-2n\pi - (\pi - a), \quad -2n\pi - (2\pi - a),$$

i. e. by $-(2n+1)\pi + a, \quad -2(n+1)\pi + a \dots\dots\dots(ii).$

40 ANGLES WITH GIVEN TRIGONOMETRICAL RATIOS.

Hence one formula must give odd and even multiples of π followed by $+a$. The formula

$$n\pi + a$$


will on trial be found to give the angles found above, and no others.

This holds for *the cotangent also*.

59. *To construct an angle with a given sine.*

Let the given sine = a .

Take AB to represent unity, and on AB describe a semi-circle ACB . With centre A and radius = a , describe a circle cutting the semi-circle in C .



(It must always cut it, since, by Art. 53, the sine can never be greater than unity, i.e. a can never be greater than AB). Join AC , CB .

Then ACB is evidently a right angle, Euc. III. 31,

$$\frac{AC}{AB} = a = \sin CAB,$$


and CAB is the required angle.

60. *To construct an angle having a given cosine.*

The same construction as above being used, the angle ABC will be the angle required.

61. *To construct an angle having a given tangent.*

Let the given tangent = a .



Take AB to represent unity.

Draw BC at right angles to AB and = a .

Join AC .


Then $\tan CAB = \frac{CB}{AB} = a$,

and CAB is the angle required.

If the cotangent were given = a , ACB would be the angle.

62. *To divide a given angle into two parts whose sines shall be in a given ratio.*

Let BAC be the angle, $\frac{m}{n}$ the given ratio.



Draw a straight line KF parallel to AB at a distance m from it, and a straight line LP parallel to AC at a distance n from it, P being the point of intersection of these lines.

Draw PM , PN at right angles to AB , AC .

42 ANGLES WITH GIVEN TRIGONOMETRICAL RATIOS.


Then
$$\frac{\sin PAM}{\sin PAN} = \frac{\frac{PM}{AP}}{\frac{PN}{AP}} = \frac{PM}{PN} = \frac{m}{n},$$

and PAM, PAN are the required parts.

63. *To divide a given angle into two parts whose cosines shall be in a given ratio.*

Let BAC be the given angle, $\frac{m}{n}$ the given ratio.

In AB make $AM = m$, and in AC , $AN = n$.



Draw perpendiculars to AB, AC through M, N , meeting in P . Join AP .

$$\frac{\cos PAM}{\cos PAN} = \frac{\frac{AM}{AP}}{\frac{AN}{AP}} = \frac{AM}{AN} = \frac{m}{n}.$$

64. *To divide a given angle into two parts whose tangents shall be in a given ratio.*


Let BAC be the given angle, $\frac{m}{n}$ the given ratio.

Take any straight line DE , divide it in F so that

$$DF : FE = m : n.$$

Upon DE describe a segment of a circle containing an angle = BAC .

Draw FG at right angles to DE , meeting the circumference in G . Join GD, GE .



At the point A make the angle $BAH = \text{angle } DGF$; therefore the remaining angle $HAG = \text{angle } FGE$, since $BAC = DFE$ by construction (Euc. III. 33).

$$\text{Now } \frac{\tan BAH}{\tan HAC} = \frac{\tan DGF}{\tan FGE} = \frac{\frac{FD}{FG}}{\frac{FE}{FG}} = \frac{FD}{FE} = \frac{m}{n}.$$

Hence BAH, HAC are the parts required.

65. If the cotangents were required to be in the ratio $\frac{m}{n}$, we should have

$$\frac{\cot FGE}{\cot FGD} = \frac{\frac{FG}{FE}}{\frac{FG}{FD}} = \frac{FD}{FE} = \frac{m}{n} = \frac{\cot HAC}{\cot BAH},$$

and HAC, BAH are the required parts.

66. Before proceeding to the expansions of sines, cosines, &c. of compound angles, it may be well to call the notice of the student to the fact, that in Trigonometry all algebraical devices and rules are allowable, provided that nothing be done contrary to what is stated in Arts. 21, 22. Hence, if we have an expression such as $\tan\{x + y - (z + x)\}$, it may be written as $\tan(x + y - z - x)$, i.e. $\tan(y - z)$; so $\tan x$ may be written $\tan\{(x - z) + z\}$, and so on.


$$\text{Thus } \cos(3a + 4a) = \cos 7a, \quad \cos\left(\frac{6a}{3}\right) = \cos 2a.$$

CHAPTER IX.

TRIGONOMETRICAL FUNCTIONS OF TWO ANGLES.

67. *To express the sine of the sum of two angles in terms of sines and cosines of the angles themselves.*

Let $\angle AOB = A$, $\angle BOC = B$.



Then $\angle AOC = A + B$.

In OC take any point P , draw PM , PN perpendiculars upon OA , OB respectively.

From N draw NQ , NR at right angles to OA , PM .

Then in the triangle PRN , since

$$\angle PRN = 90^\circ,$$

$$\angle RPN = 90^\circ - \angle PNR = \angle RNO = A.$$

Hence $RN = NP \sin RPN = NP \sin A$,

and $PR = NP \cos A$.

$$\text{Now } \sin(A + B) = \frac{PM}{OP} = \frac{PR + RN}{OP} = \frac{PR + NQ}{OP}.$$

But $PR = NP \cos A = OP \sin B \cos A$,

$$NQ = ON \sin A = OP \cos B \sin A;$$

$$\begin{aligned}\text{therefore } \sin(A + B) &= \frac{OP \sin A \cos B + OP \cos A \sin B}{OP} \\ &= \sin A \cos B + \cos A \sin B.\end{aligned}$$


68. To express in a similar manner the cosine of the sum of two angles.

Using the above figure

$$\begin{aligned}\cos(A + B) &= \frac{OM}{OP} = \frac{OQ - MQ}{OP} = \frac{OQ - RN}{OP} \\ &= \frac{ON \cos A - NP \sin A}{OP} \\ &= \frac{OP \cos B \cos A - OP \sin B \sin A}{OP} \\ &= \cos A \cos B - \sin A \sin B.\end{aligned}$$

69. To express the sine and cosine of the difference of two angles in a similar manner.

Let A and B be the given angles, and suppose A the greater.



Let $\angle AOB = A$, $\angle BOC = B$, then $\angle AOC = A - B$.

In OC take any point P , draw PM , PN at right angles to OA , OB , from N draw NQ at right angles to OA , and NR to MP produced.

In the triangle NPR , $\angle PRN = 90^\circ$.

The angle $NPR = 90^\circ - \angle PNR = \angle RNB = A$.

46 TRIGONOMETRICAL FUNCTIONS OF TWO ANGLES.

Hence $PR = PN \cos A$, $NR = PN \sin A$,

$$\begin{aligned}\sin(A - B) &= \frac{PM}{OP} = \frac{RM - PR}{OP} = \frac{NQ - PR}{OP} \\ &= \frac{ON \sin A - PN \cos A}{OP} \\ &= \frac{OP \cos B \sin A - OP \sin B \cos A}{OP} \\ &= \sin A \cos B - \cos A \sin B.\end{aligned}$$

$$\begin{aligned}70. \cos(A - B) &= \frac{OM}{OP} = \frac{OQ + NR}{OP} \\ &= \frac{ON \cos A + PN \sin A}{OP} \\ &= \frac{OP \cos B \cos A + OP \sin B \sin A}{OP} \\ &= \cos A \cos B + \sin A \sin B.\end{aligned}$$

71. In constructing the above figures, it will be of some help to the student, if he will remember that the point P is taken in the last line which is drawn, when the angles are drawn in order. Thus to form A we first draw OA , then OB , and, lastly, to form B , OC . Hence P must be taken in OC .

The student is advised to draw the figures for himself, and work out the cases in which the angle A is greater than 90° and less than 180° .

We give the four formulæ just proved, together, so that they may be committed to memory.

$$\sin(A + B) = \sin A \cos B + \cos A \sin B.....(1),$$

$$\sin(A - B) = \sin A \cos B - \cos A \sin B.....(2),$$

$$\cos(A + B) = \cos A \cos B - \sin A \sin B.....(3),$$

$$\cos(A - B) = \cos A \cos B + \sin A \sin B.....(4).$$

72. To express the sum or difference of the sines or cosines of two angles, in terms of the sines or cosines of the semi-sum or semi-difference of the angles.

In the above formula let

$$A + B = C, \quad A - B = D.$$

Then $A = \frac{C + D}{2}, \quad B = \frac{C - D}{2},$

and we have

$$\sin C = \sin \frac{C + D}{2} \cos \frac{C - D}{2} + \cos \frac{C + D}{2} \sin \frac{C - D}{2},$$

$$\sin D = \sin \frac{C + D}{2} \cos \frac{C - D}{2} - \cos \frac{C + D}{2} \sin \frac{C - D}{2},$$

$$\cos C = \cos \frac{C + D}{2} \cos \frac{C - D}{2} - \sin \frac{C + D}{2} \sin \frac{C - D}{2},$$

$$\cos D = \cos \frac{C + D}{2} \cos \frac{C - D}{2} + \sin \frac{C + D}{2} \sin \frac{C - D}{2}.$$

Adding and subtracting these, pair and pair,

$$\sin C + \sin D = 2 \sin \frac{C + D}{2} \cos \frac{C - D}{2} \dots\dots(5),$$

$$\sin C - \sin D = 2 \cos \frac{C + D}{2} \sin \frac{C - D}{2} \dots\dots(6),$$

$$\cos C + \cos D = 2 \cos \frac{C + D}{2} \cos \frac{C - D}{2} \dots\dots(7),$$

$$\cos D - \cos C = 2 \sin \frac{C + D}{2} \sin \frac{C - D}{2} \dots\dots(8).$$

These should be remembered; some such way as the following is easy:

sum of two sines = twice sin(semi-sum).cos(semi-diff.),

diff. of two cosines = twice sin(semi-sum).sin(semi-diff.).

48 TRIGONOMETRICAL FUNCTIONS OF TWO ANGLES.

73. It will be noticed that we write $\cos D - \cos C$, although we wrote $\sin C - \sin D$. The reason is this: C is greater than D , and as the angle increases from 0° to 90° , the sine increases (see Arts. 44, 46), but the cosine diminishes; consequently, $\cos D$ is greater than $\cos C$, and we write $\cos D - \cos C$, so that the left-hand side of (8) may be positive; that is, we put the cosine of the smaller angle first.

74. These formulæ may be used inversely.

Thus if we have such an expression as

$$\sin \theta \cos 2\theta,$$

and we wish to express it as the difference of two sines.

By (5) we have

$$2\theta = \frac{C + D}{2}, \quad \theta = \frac{C - D}{2},$$

$$C + D = 4\theta, \quad C - D = 2\theta,$$

whence

$$C = 3\theta, \quad D = \theta,$$

and by (5)

$$\sin \theta \cdot \cos 2\theta = \frac{1}{2} (\sin 3\theta - \sin \theta),$$

so

$$\sin 2\theta \cdot \cos \theta = \frac{1}{2} (\sin 3\theta + \sin \theta),$$

$$\cos 2\theta \cdot \cos \theta = \frac{1}{2} (\cos 3\theta + \cos \theta),$$

$$\sin \theta \cdot \sin 2\theta = \frac{1}{2} (\cos \theta - \cos 3\theta).$$

75. *To find the tangent of the sum or difference of two angles in terms of the tangents of the separate angles, i. e. to find $\tan(A \pm B)$ in terms of $\tan A$ and $\tan B$.*

$$\begin{aligned} \tan(A + B) &= \frac{\sin(A + B)}{\cos(A + B)} \\ &= \frac{\sin A \cos B + \cos A \sin B}{\cos A \cos B - \sin A \sin B}. \end{aligned}$$

Divide numerator and denominator by $\cos A \cos B$,

$$= \frac{\tan A + \tan B}{1 - \tan A \tan B} \dots\dots\dots (9),$$

so $\tan(A - B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}.$

Since $\cot \theta = \frac{1}{\tan \theta}$, $\cot(A \pm B)$ is known.

76. If $B = 45^\circ$. Then, since by Art. 28, $\tan 45^\circ = 1$,

$$\tan(A + 45^\circ) = \frac{\tan A + 1}{1 - \tan A},$$

$$\tan(A - 45^\circ) = \frac{\tan A - 1}{1 + \tan A}.$$

77. To express the sine, cosine, tangent, &c. of any angle in terms of the sine, cosine, &c. of half the angle.

If in (1) we put $A = B$,

$$\sin 2A = 2 \sin A \cos A \dots\dots\dots(10),$$

and if $A = B$ in (3),

$$\cos 2A = \cos^2 A - \sin^2 A \dots\dots\dots(11)$$

$$= (1 - \sin^2 A) - \sin^2 A$$

$$= 1 - 2 \sin^2 A \dots\dots\dots(12),$$

or

$$= \cos^2 A - (1 - \cos^2 A)$$

$$= 2 \cos^2 A - 1 \dots\dots\dots(13).$$

From (12) and (13),

$$1 - \cos 2A = 2 \sin^2 A,$$

$$1 + \cos 2A = 2 \cos^2 A,$$

whence $\tan^2 A = \frac{1 - \cos 2A}{1 + \cos 2A}.$

50 TRIGONOMETRICAL FUNCTIONS OF TWO ANGLES.

If in (9) we put $A = B$,

$$\tan 2A = \frac{2 \tan A}{1 - \tan^2 A} \dots\dots\dots(14),$$

$$\cot 2A = \frac{1 - \tan^2 A}{2 \tan A}.$$

Thus we have expressed the sine, cosine, tangent, &c. of an angle in terms of the ratios of half the angle.

Thus $\cos \theta$ may be written

$$\cos^2 \frac{\theta}{2} - \sin^2 \frac{\theta}{2}, \quad 2 \cos^2 \frac{\theta}{2} - 1, \quad \text{or} \quad 1 - 2 \sin^2 \frac{\theta}{2},$$

for our $\theta = 2A$; therefore $\frac{\theta}{2} = A$.

Similarly $\sin 4\theta = 2 \sin 2\theta \cos 2\theta$,

$$\tan 6\theta = \frac{2 \tan 3\theta}{1 - \tan^2 3\theta},$$

and so generally.

78. *To express the sine, cosine, &c. of an angle in terms of the sine, cosine, &c. of the third part of the angle.*

If in (1) we put $B = 2A$, we have

$$\begin{aligned} \sin 3A &= \sin A \cos 2A + \cos A \sin 2A \\ &= \sin A (1 - 2 \sin^2 A) + \cos A (2 \sin A \cos A) \text{ by (12) (10)} \\ &= \sin A - 2 \sin^3 A + 2 \sin A (1 - \sin^2 A) \\ &= 3 \sin A - 4 \sin^3 A \dots\dots\dots(15). \end{aligned}$$

From (3)

$$\begin{aligned} \cos 3A &= \cos 2A \cos A - \sin 2A \sin A \\ &= (2 \cos^2 A - 1) \cos A - 2 \sin A \cos A (\sin A) \text{ by (13) (10)} \\ &= 2 \cos^3 A - \cos A - 2 \cos A (1 - \cos^2 A) \\ &= 4 \cos^3 A - 3 \cos A \dots\dots\dots(16). \end{aligned}$$

79. From the preceding,

$$\sin A = 2 \sin \frac{A}{2} \cos \frac{A}{2},$$

and
$$1 = \cos^2 \frac{A}{2} + \sin^2 \frac{A}{2} \text{ (Art. 24),}$$

$$1 + \sin A = \left(\cos \frac{A}{2} + \sin \frac{A}{2} \right)^2,$$

$$1 - \sin A = \left(\cos \frac{A}{2} - \sin \frac{A}{2} \right)^2.$$

Taking the roots of both sides and adding,

$$2 \cos \frac{A}{2} = \sqrt{1 + \sin A} + \sqrt{1 - \sin A},$$

$$2 \sin \frac{A}{2} = \sqrt{1 + \sin A} - \sqrt{1 - \sin A}.$$

80. Thus if A be given we can find $\sin \frac{A}{2}$, $\cos \frac{A}{2}$, *provided that we know between what limits A lies.*

For a square root always supposes $\pm$ before it.

We have then a choice of four signs in the right hand of each of the above equations.

If we know between what limits A lies, we know within what limits $\frac{A}{2}$ lies; consequently, we know what sign the left hand should be, and can then effect this in the right hand by choosing the proper signs.

Suppose we are given that A lies between 450° and 630° , $\frac{A}{2}$ lies between 225° and 315° , i.e. either in the second or third quadrant.

52 TRIGONOMETRICAL FUNCTIONS OF TWO ANGLES.

Hence $\sin \frac{A}{2}$ is negative all the while, and $\sin \frac{A}{2}$ is numerically greater than $\cos \frac{A}{2}$ (see Table to Chap. VII.).

Therefore $\sin \frac{A}{2} - \cos \frac{A}{2}$ is negative all the while,

and $\sin \frac{A}{2} + \cos \frac{A}{2}$ is also negative all the while,

(since each of these expressions will take their sign from that of $\sin \frac{A}{2}$). Hence

$$\sin \frac{A}{2} - \cos \frac{A}{2} = -\sqrt{(1 - \sin A)},$$

$$\sin \frac{A}{2} + \cos \frac{A}{2} = -\sqrt{(1 + \sin A)},$$

$$\text{and} \quad 2 \sin \frac{A}{2} = -\sqrt{(1 + \sin A)} - \sqrt{(1 - \sin A)}.$$

81. *To find the sine, cosine, &c. of 18° .*

$$\text{Let} \quad 18^\circ = \theta.$$

$$\text{Then} \quad 2\theta = 36^\circ, \quad 3\theta = 54^\circ.$$

$$\text{Now} \quad 2\theta + 3\theta = 36^\circ + 54^\circ = 90^\circ,$$

$$\text{or} \quad 2\theta = 90^\circ - 3\theta,$$

$$\sin 2\theta = \cos 3\theta,$$

$$2 \sin \theta \cos \theta = 4 \cos^3 \theta - 3 \cos \theta.$$

Dividing by $\cos \theta$,

$$2 \sin \theta = 4 \cos^2 \theta - 3$$

$$= 4(1 - \sin^2 \theta) - 3$$

$$= 1 - 4 \sin^2 \theta,$$

$$4 \sin^3 \theta + 2 \sin \theta = 1,$$

$$\sin^2 \theta + \frac{1}{2} \sin \theta + \frac{1}{16} = \frac{1}{4} + \frac{1}{16} = \frac{5}{16},$$

or
$$\sin \theta = \frac{\pm \sqrt{(5) - 1}}{4}.$$

Now θ is in the first quadrant, and therefore $\sin \theta$ is positive. Hence we must take the positive sign, and

$$\sin 18^\circ = \frac{\sqrt{(5) - 1}}{4},$$

$$\cos 18^\circ = \sqrt{(1 - \sin^2 18^\circ)} = \frac{\sqrt{[(10 + 2\sqrt{(5)})]}}{4},$$

$$\tan 18^\circ = \frac{\sqrt{(5) - 1}}{\sqrt{[(10 + 2\sqrt{(5)})]}}.$$

Now
$$\sin 18^\circ = \cos 72^\circ,$$

and hence the trigonometrical ratios for 72° are known, also

$$\sin 54^\circ = \sin(3 \times 18^\circ),$$

and may be found, as also

$$\sin 36^\circ, \sin 9^\circ, \text{ and } \sin 81^\circ.$$

We give some of the results:

$$\sin 9^\circ = \cos 81^\circ = \frac{\sqrt{[(3 + \sqrt{(5)})] - \sqrt{[(5 - \sqrt{(5)})]}}}{4},$$

$$\cos 9^\circ = \sin 81^\circ = \frac{\sqrt{[(3 + \sqrt{(5)})] + \sqrt{[(5 - \sqrt{(5)})]}}}{4},$$

$$\sin 36^\circ = \cos 54^\circ = \frac{\sqrt{[(10 - 2\sqrt{(5)})]}}{4},$$

$$\cos 36^\circ = \sin 54^\circ = \frac{1 + \sqrt{(5)}}{4}.$$

82. A table is here given of the results that up to this point should be committed to memory.

54 TRIGONOMETRICAL FUNCTIONS OF TWO ANGLES.

$$D = G - \frac{G}{10}, \quad G = D + \frac{D}{9}, \quad \theta = \frac{\text{arc}}{\text{radius}},$$

π , circular measure of 180° ,

$$\sin^2 A + \cos^2 A = 1, \quad \sec^2 A = 1 + \tan^2 A,$$

$$\sin^2 A = \frac{\tan^2 A}{1 + \tan^2 A}, \quad \cos^2 A = \frac{1}{1 + \tan^2 A},$$

$$\sin 0^\circ = 0, \quad \sin 30^\circ = \frac{1}{2}, \quad \sin 45^\circ = \frac{1}{\sqrt{2}}, \quad \sin 60^\circ = \frac{\sqrt{3}}{2}, \quad \sin 90^\circ = 1,$$

$$\cos 0^\circ = 1, \quad \cos 30^\circ = \frac{\sqrt{3}}{2}, \quad \cos 45^\circ = \frac{1}{\sqrt{2}}, \quad \cos 60^\circ = \frac{1}{2}, \quad \cos 90^\circ = 0,$$

$$\tan 0^\circ = 0, \quad \tan 30^\circ = \frac{1}{\sqrt{3}}, \quad \tan 45^\circ = 1, \quad \tan 60^\circ = \sqrt{3}, \quad \tan 90^\circ = \infty.$$

$$\text{General expression for given } \begin{cases} \text{sine} & \theta = n\pi + (-1)^n a, \\ \text{cosine} & \theta = 2n\pi \pm a, \\ \text{tangent} & \theta = n\pi + a; \end{cases}$$

$$\sin(A \pm B) = \sin A \cos B \pm \cos A \sin B,$$

$$\cos(A \pm B) = \cos A \cos B \mp \sin A \sin B;$$

$$\sin A + \sin B = 2 \sin \frac{A+B}{2} \cos \frac{A-B}{2},$$

$$\sin A - \sin B = 2 \cos \frac{A+B}{2} \sin \frac{A-B}{2},$$

$$\cos A + \cos B = 2 \cos \frac{A+B}{2} \cos \frac{A-B}{2},$$

$$\cos B - \cos A = 2 \sin \frac{A+B}{2} \sin \frac{A-B}{2};$$

$$\sin 2A = 2 \sin A \cos A,$$

$$\cos 2A = \cos^2 A - \sin^2 A = 1 - 2 \sin^2 A = 2 \cos^2 A - 1,$$

$$\tan 2A = \frac{2 \tan A}{1 - \tan^2 A},$$

$$\sin 3A = 3 \sin A - 4 \sin^3 A, \quad \cos 3A = 4 \cos^3 A - 3 \cos A.$$

CHAPTER X.

LOGARITHMS.

83. *Def.* The *logarithm* of a number to a given base is the index of the power to which the base must be raised in order to equal the given number.

Thus if $a^x = m$, x is the index to which a has to be raised in order to equal m . Hence x is the logarithm of m to the base a .

This is written $x = \log_a m$. The figure written below the line is the base, and we read the equation thus: log of m to base a is equal to x .

84. Suppose now the base is 10, i. e. $a = 10$, we know that 10^1 is 10, or, by our notation, $\log_{10} 10 = 1$; hence $\log_{10} 15$ will be 1 + a decimal.

We have then this definition:

The integral part of a logarithm is called its characteristic, the decimal part its mantissa.

Ex. $\log 20 = 1.30103$. Here 1 is the characteristic, .30103 the mantissa.

85. *To find the logarithm of unity.*

Since $a^0 = 1$, $\log_a 1 = 0$, and a being arbitrary, the *logarithm of unity to any base is zero.*

86. *To find the logarithm of a number with itself for its base.*

$a^1 = a$. Hence $\log_a a = 1$ whatever a may be.

87. To shew that the logarithm of a product is equal to the sum of the logarithms of the factors, i. e. to shew

$$\log_a(mn) = \log_a m + \log_a n.$$

Let $\log_a m = x, \log_a n = y,$
 $m = a^x, \quad n = a^y.$

Hence $mn = a^{x+y},$

wherefore $\log_a(mn) = x + y = \log_a m + \log_a n.$

88. To shew that the logarithm of a quotient is equal to the difference of the logarithms of the dividend and divisor, i. e. to shew

$$\log_a\left(\frac{m}{n}\right) = \log_a m - \log_a n.$$

Let $\log_a m = x, \log_a n = y,$
 $m = a^x, \quad n = a^y,$
 $\frac{m}{n} = \frac{a^x}{a^y} = a^{x-y},$

whence $\log_a\left(\frac{m}{n}\right) = x - y = \log_a m - \log_a n.$

89. To find the logarithm of infinity to any base.

If a be an integer, $a^\infty = \infty$, and therefore $\log_a \infty = \infty$.

If a be a proper fraction, $\frac{1}{a^\infty} = \infty$, or $a^{-\infty} = \infty$, and $\log_a \infty = -\infty$.

90. To find the logarithm of zero to any base.

$$\log_a 0 = \log_a \frac{1}{\infty} = \log_a 1 - \log_a \infty = -\infty \text{ (by Art. 89),}$$

or, if a be a proper fraction,

$$\log_a 0 = \log_a \frac{1}{\infty} = \log_a 1 - \log_a \infty = \infty \text{ (by Art. 89).}$$

91. To shew that the logarithm of a number to any power is equal to the logarithm of the number, multiplied by the index of the power, i. e.

$$\log_a(m^r) = r \log_a m.$$

Let $\log_a m = x$, $a^x = m$, $a^{xr} = m^r$,
whence $\log_a(m^r) = xr = r \log_a m$.

92. To find a relation between the logarithms of the same number to different bases.

Let $\log_a m = x$, $\log_b m = y$,
 $a^x = m$, $b^y = m$,

whence $a^x = b^y$,

$$a^{\frac{x}{y}} = b, \text{ or } \log_a b = \frac{x}{y} = \frac{\log_a m}{\log_b m},$$

$$b^{\frac{y}{x}} = a, \quad \log_b a = \frac{y}{x} = \frac{\log_b m}{\log_a m}.$$

And we see that

$$\log_a m = \log_a b \log_b m,$$

$$\log_b m = \log_b a \log_a m,$$

and $\log_a b \times \log_b a = 1$.

93. There are two systems of logarithms in use. The first is called the *Napierian* system from its inventor. In this the base is 2.71828... which is called *e*. The other is the common system in which the base is 10. In treating of logarithms of the common system it is usual to omit the figure 10 below the line. Thus logarithm of eighteen in the common system is written $\log 18$.

This system has two great advantages which we will now explain.

94. *In the common system the characteristic may be determined by inspection.*

Since $10^0 = 1$, $10^1 = 10$, $10^2 = 100$, $10^3 = 1000$...,
we have $0 = \log 1$, $1 = \log 10$, $2 = \log 100$...

Now any number between 1 and 10 lies between 10^0 and 10^1 . Hence its logarithm (see Def.) must lie between 0 and 1, i.e. it will be a decimal.

So, again, any number between 100 and 1000, i.e. between 10^2 and 10^3 will have its logarithm between 2 and 3, i.e. 2 is the characteristic.

Let now N be a number, lying between 10^n and 10^{n+1} .

Then $\log N$ lies between n and $n+1$, i.e. it is n + a decimal. Hence n is the characteristic, i.e. the index of the highest power of n , which is less than the given number, is the characteristic.

Again, if N lie between $\frac{1}{10^n} \cdot \frac{1}{10^{n+1}}$, i.e. between 10^{-n} , $10^{-(n+1)}$, $\log N$ lies between $-n$ and $-(n+1)$.

Thus it would be $-(n + \text{decimal})$, i.e. $-n - \text{decimal}$.

Now it is usual always to have the mantissa a positive quantity, hence we must take the higher number $-(n+1)$ for our characteristic, and then the mantissa *must* be positive.

For $-n - \text{decimal} = -n-1 + (1 - \text{decimal}) = -(n+1) + a \text{ decimal}$.

95. We see then that the characteristic may be determined by inspection by the following rules:

If the given number be greater than unity, the characteristic is the index of the power of 10 next below the number.

If the given number be less than unity, the characteristic is the index of the power of 10 next above the number, and is negative.

Thus the characteristic of 756 is 2, since it lies between 10^2 and 10^3 .

That of .756 is - 1, for it lies between $\frac{1}{10^1} \cdot \frac{1}{10^0}$, i. e. between $10^{-1} \cdot 10^0$.

The above rules may be expressed more simply thus :

The characteristic of a number with integral figures is one less than the number of integral figures ; if there are no integral figures, the characteristic is one more than the number of cyphers to the right of the decimal point, and is negative.

96. The second advantage of the common system is this :

If we know the logarithm of any number, we can at once write down the logarithm of the number when multiplied or divided by any power of 10 ; in other words, the mantissa will remain the same, the alteration taking place only in the characteristic.

Let N be a number whose logarithm is known,

$$\begin{aligned}\log_{10}(N \times 10^n) &= \log_{10} N + \log_{10}(10^n) \text{ (Art. 87)} \\ &= \log_{10} N + n \log_{10} 10 \text{ (Art. 91)} \\ &= \log N + n \text{ (Art. 86)}.\end{aligned}$$

So $\log_{10}(N \div 10^n) = \log N - n.$

So that if the original number be multiplied by any multiple of 10, we have to *add* the index of that multiple to the known logarithm ; if divided, we have to *subtract* that index, always taking care that the mantissa shall be positive.

In other words, *if we write down any number whose logarithm is known, then we may add or prefix any number of cyphers, or mark off any number of decimal places, and the mantissa of the logarithm of the new number will remain the same as that of the original number, but the characteristic will be increased or diminished by n , as the case may be.*

Thus $\log 405 = 2.607455$,

$$\log 40500 = \log(405 \times 10^2) = 2 + 2.607455 \text{ by the above} \\ = 4.607455,$$

$$\log 4.05 = \log \frac{405}{100} = 2.607455 - 2 = .607455,$$

$$\log .0405 = \log \frac{4.05}{10^2} = -2 + .607455,$$

or, as it is written, $= \bar{2}.607455$.

97. For the construction and use of logarithmic tables, the reader is referred to Todhunter's *Plane Trigonometry*, Chap. XXI., being too long and difficult an explanation to be introduced here.

98. When we have an equation we may take logarithms of both sides to any base. Thus if $\frac{\sin A}{a} = \frac{\sin B}{b}$, and we wish to take logarithms to the base 10, we shall have

$$\log_{10} \frac{\sin A}{a} = \log_{10} \frac{\sin B}{b},$$

or, by previous rules, (Arts. 88, 93)

$$\log \sin A - \log a = \log \sin B - \log b.$$

99. The tabulated logarithms of sines, cosines, &c. are always increased by 10, and such logarithm is denoted by L , i.e.

$$\log \sin A + 10 = L \sin A.$$

These are called tabulated logarithms, and are always used.

The equation of Art. 98 will thus become

$$L \sin A - 10 - \log a = L \sin B - 10 - \log b,$$

$$\text{or} \quad L \sin A - \log a = L \sin B - \log b.$$


In any case of course when we have taken the logarithms of both sides, the rules still apply.

Thus $a^x = y$, $\log(a^x) = \log y$, or $x \log a = \log y$.

CHAPTER XI.

RELATIONS BETWEEN THE SIDES AND ANGLES OF
TRIANGLES.

100. Let ABC be a triangle, A, B, C the angles, the sides are usually denoted by the small letters corresponding to the angle opposite to them.



Thus $BC = a$, $AC = b$, $AB = c$.

101. To shew that in any triangle

$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c},$$

i.e. each side is proportional to the side of the opposite angle.

Draw AD at right angles to BC , or BC produced.

Then, in fig. ii, where C is an acute angle,

$$AD = AB \sin B, \quad AD = AC \sin C,$$

$$AB \sin B = AC \sin C,$$

$$c \sin B = b \sin C,$$

or

$$\frac{\sin B}{b} = \frac{\sin C}{c}.$$

In fig. iii, C is an obtuse angle,

$$\begin{aligned} AD &= AC \sin ACD = AC \sin(180^\circ - C) \\ &= AC \sin C, \end{aligned}$$

$$AD = AB \sin B,$$

whence $b \sin C = c \sin B,$

and
$$\frac{\sin B}{b} = \frac{\sin C}{c}.$$

In fig. i, where C is a right angle, C and D coincide, and we have

$$\sin B = \frac{b}{c} = \frac{\sin B}{\sin C}, \text{ for } \sin 90^\circ = 1 \text{ (Art. 45),}$$

the same result as before.

Similarly, by dropping perpendiculars from B on the opposite side, we may shew that in every case

$$\frac{\sin C}{c} = \frac{\sin A}{a}.$$

Hence we have always


$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}.$$

We shall find hereafter (Art. 121) that each of these ratios is equal to $\frac{1}{2R}$, where R is the radius of the circle circumscribing the triangle.

102. In a right-angled triangle we can express any of the sides in terms of a side and some ratio of one of the acute angles, by Art. 23.

103. To find an expression for the cosine of an angle in terms of the sides.

Let $\triangle ABC$ be a triangle; to find $\cos B$.



Draw AD at right angles to BC , or BC produced if necessary.

From fig. ii and Euc. II. 13,

$$\begin{aligned} AC^2 &= AB^2 + BC^2 - 2CB \cdot BD \\ &= AB^2 + BC^2 - 2CB \cdot AB \cos B. \end{aligned}$$

From fig. iii and Euc. II. 12,

$$\begin{aligned} AC^2 &= AB^2 + BC^2 + 2CB \cdot BD \\ &= AB^2 + BC^2 + 2CB \cdot AB \cos(180^\circ - C) \\ &= AB^2 + BC^2 - 2CB \cdot AB \cos C. \end{aligned}$$

In fig. i, D and C coincide, and we have

$$\begin{aligned} AC^2 &= AB^2 - BC^2 \\ &= AB^2 + BC^2 - 2BC^2 \\ &= AB^2 + BC^2 - 2BC \cdot AB \cos B. \end{aligned}$$

Hence in any case

$$b^2 = a^2 + c^2 - 2ac \cos B,$$

and

$$\cos B = \frac{a^2 + c^2 - b^2}{2ac},$$

so

$$\cos A = \frac{b^2 + c^2 - a^2}{2bc},$$

$$\cos C = \frac{a^2 + b^2 - c^2}{2ab}.$$

The symmetrical character of these formulæ will assist the memory.

104. To express $\sin \frac{B}{2}$, $\cos \frac{B}{2}$, &c. in terms of the sides.

By the last article

$$\cos B = \frac{a^2 + c^2 - b^2}{2ac}.$$

By Art. 77, $1 + \cos B = 2 \cos^2 \frac{B}{2}.$

$$\begin{aligned} \text{Now } 1 + \cos B &= 1 + \frac{a^2 + c^2 - b^2}{2ac} \\ &= \frac{2ac + a^2 + c^2 - b^2}{2ac} \\ &= \frac{(a + c)^2 - b^2}{2ac} \\ &= \frac{(a + c + b)(a + c - b)}{2ac}. \end{aligned}$$

Let $2s = \text{sum of sides} = a + b + c,$

$$2(s - b) = a + b + c - 2b = a + c - b.$$

$$\text{Whence } 1 + \cos B = \frac{2s \cdot 2(s - b)}{2ac} = \frac{2 \cdot s(s - b)}{ac},$$

$$\text{or } 2 \cos^2 \frac{B}{2} = 2 \cdot \frac{s(s - b)}{ac},$$

$$\cos \frac{B}{2} = + \sqrt{\left\{ \frac{s(s - b)}{ac} \right\}}.$$

The positive sign is used because since $A + B + C = 180^\circ$ always; therefore A, B, C are each less than 180° , and $\frac{A}{2}, \frac{B}{2}, \frac{C}{2}$ less than 90° , and their sines, cosines, &c. positive.

$$\begin{aligned}
 \text{Again, } 2 \sin^2 \frac{B}{2} &= 1 - \cos B \text{ (by Art. 77)} \\
 &= 1 - \frac{a^2 + c^2 - b^2}{2ac} \\
 &= \frac{2ac - a^2 - c^2 + b^2}{2ac} \\
 &= \frac{b^2 - (a - c)^2}{2ac} \\
 &= \frac{\{b - (a - c)\} \{b + (a - c)\}}{2ac} \\
 &= \frac{(b + c - a)(a + b - c)}{2ac} \\
 &= \frac{2(s - a) 2(s - c)}{2ac} \text{ (see former part),}
 \end{aligned}$$

$$\text{or } \sin^2 \frac{B}{2} = \frac{(s - a)(s - c)}{ac},$$

$$\text{and } \sin \frac{B}{2} = + \sqrt{\left\{ \frac{(s - a)(s - c)}{ac} \right\}}.$$

$$\text{Hence } \tan \frac{B}{2} = \frac{\sin \frac{B}{2}}{\cos \frac{B}{2}} = \sqrt{\left\{ \frac{(s - a)(s - c)}{s(s - b)} \right\}},$$

$$\text{so } \sin \frac{A}{2} = \sqrt{\left\{ \frac{(s - b)(s - c)}{bc} \right\}},$$

$$\cos \frac{A}{2} = \sqrt{\left\{ \frac{s(s - a)}{bc} \right\}},$$

$$\tan \frac{A}{2} = \sqrt{\left\{ \frac{(s - b)(s - c)}{s(s - a)} \right\}};$$

$$\sin \frac{C}{2} = \sqrt{\left\{ \frac{(s-a)(s-b)}{ab} \right\}},$$

$$\cos \frac{C}{2} = \sqrt{\left\{ \frac{s(s-c)}{ab} \right\}},$$

$$\tan \frac{C}{2} = \sqrt{\left\{ \frac{(s-a)(s-b)}{s(s-c)} \right\}},$$

where a certain symmetry may be observed.

105. Since $\sin A = 2 \sin \frac{A}{2} \cos \frac{A}{2}$ (Art. 77),

$$\sin A = \frac{2}{bc} \sqrt{\{s(s-a)(s-b)(s-c)\}},$$

which will be useful hereafter.

CHAPTER XII.

SOLUTION OF RIGHT-ANGLED TRIANGLES.


106. There are six *elements* in every triangle, the three angles and the three sides. Of these, if we know *three* we can determine the rest, unless they be the three angles, when we can only determine the *ratio* of the sides, since there may be drawn any number of triangles *equiangular* to a given triangle, whose sides are of different length to the original triangle.

It will be well to refer to Arts. 98, 99 at the end of the chapter on logarithms, for their use in what follows here.

The system here used will be that to the base 10, and our object is, *to find the remaining elements by the aid of those given us*. We shall first take right-angled triangles, C is supposed to be the right angle.

107. *To solve a right-angled triangle, having given the hypotenuse and an acute angle.*

Given $C = 90^\circ$, c , B . To find A , a , b .



$$A = 90^\circ - B,$$

$$a = c \cos B \text{ (Art. 23) and } a \text{ is known.}$$

Also $a = c \sin A \text{ (Art. 18),}$

$$\log a = \log c + L \sin A - 10 \text{ (Arts. 98, 99);}$$

68 SOLUTION OF RIGHT-ANGLED TRIANGLES.

$$b = c \sin B,$$

$$\log b = \log c + L \sin B - 10,$$

$L \sin B$ is found from the tables, since B is given.

Hence A , a , b are determined.

108. *To solve a right-angled triangle, having given the hypotenuse and a side.*

Given $C = 90^\circ$, c , a . To find A , B , b .

$$\sin A = \frac{a}{c}, \quad L \sin A - 10 = \log a - \log c,$$

and $L \sin A = \log a - \log c + 10.$

This gives A , and $B = 90^\circ - A$, and is therefore known.

Also $b = c \cos A,$

$$\log b = \log c + L \cos A - 10.$$

Thus A , B , and b are known.

109. *To solve a right-angled triangle, having given a side and an acute angle.*

Given $C = 90^\circ$, a , A . To find B , c , b .

$B = 90^\circ - A$ and is known.

$$\frac{a}{c} = \sin A, \quad \log a - \log c = L \sin A - 10,$$

$$\log c = \log a - L \sin A + 10,$$

$$\frac{a}{b} = \tan A,$$

$$\log b = \log a - L \tan A + 10.$$

Thus B , c , b are determined.

If a and B are given,

$$A = 90^\circ - B,$$

A is known, and then c , b are found by a similar method to the above.

110. *To solve a right-angled triangle, having given the two sides.*

Given $C = 90^\circ$, a , b . To find A , B , c .

$$\frac{a}{b} = \tan A,$$

$$L \tan A = \log a - \log b + 10, A \text{ is known,}$$

$$B = 90^\circ - A \text{ and is known ;}$$

$$\frac{a}{c} = \sin A,$$

$$\log c = \log a - L \sin A + 10.$$

Thus c is known.

CHAPTER XIII.

TO SOLVE OBLIQUE-ANGLED TRIANGLES.

111. *To solve a triangle, having given two angles and a side.*

Given A, C, b . To find B, a, c .

$$B = 180^\circ - A - C \text{ and is known,}$$

$$\frac{c}{\sin C} = \frac{b}{\sin B}, \quad \log c - L \sin C = \log b - L \sin B \text{ (Art. 99),}$$

$$\log c = \log b + L \sin C - L \sin B,$$

so also $\log a = \log b + L \sin A - L \sin B.$

Thus B, a, c are determined.

112. *To solve a triangle, having given two sides and the included angle.*

Given b, c, A . To find B, C, a .

$$\frac{\sin B}{\sin C} = \frac{b}{c},$$

$$\frac{\sin B - \sin C}{\sin B + \sin C} = \frac{b - c}{b + c},$$

Todhunter's *Algebra for Beginners* (Art. 367),

$$\text{or } \frac{2 \cos \frac{B+C}{2} \sin \frac{B-C}{2}}{2 \sin \frac{B+C}{2} \cos \frac{B-C}{2}} = \frac{\tan \frac{1}{2}(B-C)}{\tan \frac{1}{2}(B+C)} = \frac{b-c}{b+c} \text{ (Art. 72).}$$

Now $\frac{B+C}{2} = \frac{180^\circ - A}{2} = 90^\circ - \frac{A}{2}$ and is known.

Wherefore $\tan \frac{1}{2}(B + C) = \tan \left(90^\circ - \frac{A}{2}\right) = \cot \frac{A}{2}$ is known.

Hence $L \tan \frac{1}{2}(B - C) = \log(b - c) - \log(b + c) + L \cot \frac{A}{2}$.

This gives $\frac{1}{2}(B - C)$ and $\frac{1}{2}(B + C)$ is known;
therefore B and C are known.


$$\frac{a}{c} = \frac{\sin A}{\sin C},$$

$$\log a = \log c + L \sin A - L \sin C,$$

which gives a .

113. To solve a triangle, having given two sides and an angle opposite to one.

Given a, b, A . To find B, C, c .



The three figures above give every variety of triangles that can occur with the given conditions, viz:

$$CB = a, CA = b, CAB = A.$$

CD is a perpendicular upon c (produced if necessary).

BB' is a perpendicular upon c (produced if necessary). BB' is a circle with centre C and radius CB cutting AD produced in B' . Join CB' .

In fig. i CB and CD coincide or $CB = CD$.

In figs. ii and iii CD is always less than CB .

Hence CD is never greater than CB , in other words,

$b \sin A$ is never greater than a , or $\frac{b}{a} \sin A$ never greater than unity.

(α) If then our given parts be such as to make $\frac{b}{a} \sin A$ greater than unity, the triangle is impossible.

Our first condition is therefore $\frac{b}{a} \sin A$, *must not be greater than unity.*

(β) In fig. i $a = b \sin A$ or $\frac{b}{a} \sin A = 1$.

Hence when $\frac{b}{a} \sin A$ is unity the triangle is right-angled at B .

(γ) In fig. ii CAB is evidently a triangle satisfying the given conditions.

Now the triangle CAB' has $CA = b$, $CB' = a$, but the angle $CAB' = 180^\circ - CAB = 180^\circ - A$, and therefore does not satisfy the conditions.

We observe in this case that b is less than a , B an acute angle, and $\frac{CD}{CB}$, i. e. $\frac{b}{a} \sin A$ less than unity.

Hence, when $\frac{b}{a} \sin A$ is less than unity, and b less than a , there is only *one* triangle with the given parts, and that one is acute angled at B .

(δ) In fig. iii CAB satisfies the given conditions. But we see that CAB' does also, for $CA = b$, $CB' = a$, and CAB is the same angle as CAB' .

Hence there are two triangles in this case satisfying the given conditions.

We observe in this case that b is greater than a , $\frac{b}{a} \sin A$ less than unity, and B either acute or obtuse.

Hence, if $\frac{b}{a} \sin A$ be less than unity, and b greater than a , there are two triangles.

This is called the *ambiguous case*, for we are uncertain which triangle to take.

From the above we gather that when two sides and the angle opposite to one are given, there may be (α) *no* triangle, (β) (γ) *one* triangle, or (δ) *two* triangles.

114. We have hitherto deduced our results from geometrical considerations; we proceed to find the same by the aid of Trigonometry.

We are given a, b, A . To find B , we have

$$\frac{\sin B}{b} = \frac{\sin A}{a}, \text{ or } \sin B = \frac{b}{a} \sin A.$$

(α) If now $b \sin A$ be greater than a , i. e. $\frac{b \sin A}{a}$ greater than unity, $\sin B$ is greater than unity, which (Art. 53) is impossible. Hence if $\frac{b}{a} \sin A$ is greater than unity, no triangle exists.

(β) If $\frac{b}{a} \sin A = 1$, $b \sin A = a$ and B is 90° (Art. 23).

(γ) If $\frac{b}{a} \sin A$ be less than unity and b less than a , we must have B less than A (Euc. I. 18), and $\sin B$ less than $\sin A$.

But since A and B are less than 180° , and B less than A , B must be less than 90° , i. e. acute.

There is therefore *one* triangle in this case.

(δ) If $\frac{b}{a} \sin A$ be less than unity, and b greater than a , we must have B greater than A , and $\sin B$ greater than $\sin A$. In this case there is no such restriction of B , for $\sin B = \sin(180^\circ - B)$, and B may lie on either side of 90°

without violating the condition that $\sin B$ must be greater than $\sin A$. Hence there may be two values of B that will satisfy the conditions, one greater than 90° , the other less; which we saw in the last article was called the *ambiguous case*.

The last two articles have been arranged so as to be easily compared. The results are evidently the same in both.

115. *To solve the triangle, having given all the sides.*

Let $2s = a + b + c,$

$$\tan \frac{A}{2} = \sqrt{\left\{ \frac{(s-b)(s-c)}{s(s-a)} \right\}} \text{ (Art. 104).}$$


Similarly B, C may be found.

CHAPTER XIV.

PROPERTIES OF TRIANGLES.

116. *To find the area of a triangle.*

The area of a triangle is, by Euclid, half the rectangle



on the same base, and between the same parallels; that is, if S be the area of the triangle,

$$\begin{aligned} S &= \frac{1}{2} BC \cdot AD = \frac{1}{2} BC \cdot AC \sin C \\ &= \frac{1}{2} ab \sin C \dots \dots \dots (i); \end{aligned}$$

that is, *half the product of two sides into the sine of the included angle.*

Now, by Art. 105,

$$\sin C = \frac{2}{ab} \sqrt{\{s(s-a)(s-b)(s-c)\}}.$$

Hence $S = \sqrt{\{s(s-a)(s-b)(s-c)\}} \dots \dots \dots (ii).$

Also $a = b \frac{\sin A}{\sin B}.$


Hence, by (i), $S = \frac{1}{2} b^2 \frac{\sin A \sin C}{\sin B} \dots \dots \dots (iii);$

that is, we can find the area of a triangle if a side and two angles are known, for then the third angle is known.

Results (i) and (ii) are the most useful.

117. To find the radius of the circle inscribed in a triangle.

ABC is the given triangle. Construct as in Euc. IV. 4.



Let FED be the circle. $OD = OF = OE = r$.

Then $S = \text{area } AOB + \text{area } BOC + \text{area } COA$

$$= \frac{1}{2} AB \cdot r + \frac{1}{2} BC \cdot r + \frac{1}{2} AC \cdot r$$

$$= r \left(\frac{c + a + b}{2} \right) = rs \text{ (Art. 104).}$$

Hence $r = \frac{S}{s}.$

118. By Euc. III. 36. Since BD , BF are tangents to the circle from B ,

$BF = BD$, so $CE = CD$, and $AF = FE$.

Hence $2(BD + DC + AE) = a + b + c = 2s$,


$$a + AE = s,$$

$$AE = s - a = AF,$$

so $BD = s - b = BF,$

$$CD = s - c = CE.$$

119. To find the radius of the escribed circle, i. e. of the circle which touches one side of a triangle, and the other two produced.



Let FDE be such a circle touching BC , i. e. a in D and the other sides produced in E, F . O its centre. By the geometry OB, OC bisect the angles at B and C .

Let $OF = OD = OE = r_a$,
being the radius of the circle escribed opposite to the angle A .

The figure $ABOC = \text{area } ABO + \text{area } ACO$

$$= \frac{1}{2} \{cr_a + br_a\}$$

$$= r_a \frac{c + b}{2}.$$

But figure $ABOC = \text{area } ABC + \text{area } OBC$

$$= S + \frac{1}{2} ar_a,$$

whence

$$r_a \frac{c + b}{2} = S + \frac{1}{2} ar_a,$$

$$r_a = \frac{\frac{S}{c + b - a}}{\frac{2}{2}} = \frac{S}{s - a},$$

so

$$r_b = \frac{S}{s - b}, \quad r_c = \frac{S}{s - c}.$$

These and the radius of the inscribed circle $r = \frac{S}{s}$ are remarkably symmetrical.

120. Since $BD = BF$ (Euc. III. 36) being both tangents from B , and $CD = CE$ for a similar reason,

$$AF + AE = AB + AC + (BD + DC) = 2s.$$


But $AF = AE$ (Euc. III. 36).

Hence $AF = AE = s$ and $AB + BD = s$.

From this we see that if two tangents be drawn to a circle, and a third tangent be drawn in any position so as to form a triangle with the other two tangents, the sum of the sides of all such triangles will be invariable, since it will always be twice either of the first two tangents. The line AE is therefore that quantity which we have denoted by s , that is $\frac{a+b+c}{2}$.

121. To find the radius of the circle circumscribed about a triangle.

Let O be the centre. Draw OD , OE , OF at right angles to the sides. These bisect the sides, Euc. IV. 5.



Let $R = OB = OC = OA$.

The angle $BOC =$ twice the angle $BAC = 2A$ (Euc. III. 20).

Hence $BOD = A$,

and $BD = OB \sin BOD$,

or $\frac{a}{2} = R \sin A$,


$$R = \frac{a}{2 \sin A} = \frac{a}{2 \frac{2}{bc} \sqrt{\{s(s-a)(s-b)(s-c)\}}} \\ = \frac{abc}{4S} \text{ (by Art. 116).....(ii).}$$

Hence we have

$$\frac{\sin A}{a} = \frac{1}{2R} = \frac{\sin B}{b} = \frac{\sin C}{c} \text{ (by Art. 101).}$$

122. To find the radii of the inscribed and circumscribed circles of a regular polygon of n sides.

Let AB be the side of a regular polygon of n sides, O the centre of the circumscribed circle, OA its radius $= R$. Let $AB = a$, fig. i.



Now the angles at O , of which there are n equal to AOB , together $= 360^\circ = 2\pi$, Euc. I. 32.

$$\text{Therefore } n \times AOB = 2\pi, AOB = \frac{2\pi}{n}, AOD = \frac{\pi}{n}, \\ AD = AO \sin AOD, \text{ or } \frac{a}{2} = R \sin \frac{\pi}{n}, R = \frac{a}{2 \sin \frac{\pi}{n}} \dots(i).$$

If O be the centre of the inscribed circle, $OD = r$ its radius, fig. ii, as before $AOD = \frac{\pi}{n}$,

$$OD = AD \cot \frac{\pi}{n}, r = \frac{a}{2} \cot \frac{\pi}{n} = \frac{a}{2 \tan \frac{\pi}{n}} \dots (ii).$$

123. To find the areas of the polygons in terms of R , r .

Area of polygon, in fig. i,

$$= n \times \triangle AOB = n \times \frac{1}{2} AB \cdot OD$$

$$= n \frac{a}{2} \cdot \frac{a}{2} \cot \frac{\pi}{n} = \frac{na^2}{4} \cot \frac{\pi}{n}$$

$$= nR^2 \sin^2 \frac{\pi}{n} \cot \frac{\pi}{n}, \text{ Art. 22, (i),}$$

$$= nR^2 \sin \frac{\pi}{n} \cos \frac{\pi}{n} \dots\dots\dots \text{(i).}$$

Also area, by fig. ii,

$$= n \times \triangle AOB = n \times \frac{1}{2} a \cdot OD$$

$$= n \times \triangle AOD \cdot OD$$

$$= n \frac{a}{2} \cdot \frac{a}{2} \cot \frac{\pi}{n}$$

$$= n \frac{a^2}{4} \cot \frac{\pi}{n}$$

$$= nr^2 \tan^2 \frac{\pi}{n} \cot \frac{\pi}{n}, \text{ by Art. 122 (ii),}$$


$$= nr^2 \tan \frac{\pi}{n} \dots\dots\dots \text{(ii).}$$

CHAPTER XV.

ON THE CIRCLE.

124. *If θ be the circular measure of an angle less than a right angle, θ is greater than $\sin \theta$ and less than $\tan \theta$. And the limit of $\frac{\sin \theta}{\theta}$ and $\frac{\tan \theta}{\theta}$, when θ is indefinitely decreased, is unity.*

Let $\angle AOB$ be an angle less than a right angle, and θ its circular measure.



Make on the other side of AO the angle $\angle AOB' = \angle AOB$.

With centre O and any radius OA describe the circle BAB' .

Draw BT a tangent at B , meeting OA produced in T .

Join $B'T$. Then since $OB, OT = OB', OT$ each to each and contain equal angles; TB' is also a tangent at B' , and $TB = TB'$. Draw BMB' , cutting OT at right angles, as it evidently will.

We assume, as an axiom, that the arc BAB' is greater than BMB' , and less than $BT + TB'$.

Hence BA being half BAB' is greater than BM and less than BT ; that is, $\frac{BA}{OB}$ is greater than $\frac{BM}{OB}$ and less than $\frac{BT}{OB}$, or θ , is greater than $\sin \theta$ and less than $\tan \theta$.

Therefore $\sin \theta$, θ , $\tan \theta$ are in ascending order of magnitude.

Hence $1, \frac{\theta}{\sin \theta}, \frac{1}{\cos \theta}$ are in ascending order of magnitude. Now when θ is indefinitely diminished $\cos \theta = 1$ (Art. 46).

Consequently, since $\frac{\theta}{\sin \theta}$ lies between 1 and $\frac{1}{\cos \theta}$, *i. e.* between 1 and 1, the limit to which $\frac{\theta}{\sin \theta}$ tends is unity.

Hence $\frac{\sin \theta}{\theta}$ becomes unity when θ is very small and also

$$\frac{\sin \theta}{\theta} \times \frac{1}{\cos \theta} \text{ or } \frac{\tan \theta}{\theta}.$$

125. *To find the area of a circle, radius r .*

The area of a regular polygon of n sides described about a circle, radius r is, by Art. 123, $= nr^2 \tan \frac{\pi}{n}$.

Now as n is indefinitely increased, the area of the polygon approaches nearer and nearer to that of the circle.

$$\begin{aligned} \text{Hence} \quad \text{area of circle} &= \text{limit } nr^2 \tan \frac{\pi}{n} \\ &= \text{limit } \pi r^2 \left(\frac{\tan \frac{\pi}{n}}{\frac{\pi}{n}} \right). \end{aligned}$$

And when n is very large, $\frac{\pi}{n}$ is very small, and therefore, by Art. 124,

$$\text{limit of } \frac{\tan \frac{\pi}{n}}{\frac{\pi}{n}} = 1.$$

$$\text{Hence} \quad \text{area of circle} = \pi r^2.$$

126. *To find the area of a sector.*

Let θ be the circular measure of the angle of the sector.

Then

$$\frac{\text{area of sector}}{\text{area of circle}} = \frac{\theta}{2\pi}.$$

$$\text{Hence area of sector} = \frac{\theta}{2\pi} \times (\text{area of circle})$$

$$= \frac{\theta}{2\pi} \cdot \pi r^2, \text{ by the last article,}$$

$$= \frac{r^2 \theta}{2}.$$

$$\text{Now } \theta = \frac{\text{arc of sector}}{r} \text{ (Art. 10), or arc of sector} = r\theta.$$

Hence the area of a sector = half the product of the length of the arc into the radius.

127. Subjoined is a table of those results obtained in the last chapters which it is useful to remember.

$$\log_a 1 = 0, \log_a a = 1, \log_a(mn) = \log_a m + \log_a n,$$

$$\log_a \frac{m}{n} = \log_a m - \log_a n, \log_a(m^r) = r \log_a m.$$

$$L \sin A = \log \sin A + 10.$$

$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c} = \frac{1}{2R}.$$

$$\cos C = \frac{a^2 + b^2 - c^2}{2ab}, \sin C = \frac{2}{ab} \sqrt{\{s(s-a)(s-b)(s-c)\}},$$

$$\sin \frac{C}{2} = \sqrt{\left\{ \frac{(s-a)(s-b)}{ab} \right\}}, \cos \frac{C}{2} = \sqrt{\left\{ \frac{s(s-c)}{ab} \right\}}.$$

$$\text{Area of triangle} = \frac{1}{2} ac \sin B = \sqrt{\{s(s-a)(s-b)(s-c)\}}.$$

$$\text{Radius of inscribed circle, } r = \frac{S}{s}.$$

$$\text{Radius of escribed circle, } r_a = \frac{S}{s-a}.$$

$$\text{Radius of circumscribed circle, } R = \frac{abc}{4S}.$$

$$\text{Area of polygon about a circle} = nr^2 \tan \frac{\pi}{n}.$$

$$\text{Area of circle} = \pi r^2.$$

$$\text{Area of sector} = \frac{r^2 \theta}{2}.$$

EXAMPLES.

I. Arts. 2—6.

1. Express the angle $15^{\circ} 4' 17''$ in the centesimal method.

By our formula, Art. 6,

$$G = D + \frac{D}{9}.$$

We must first bring $15^{\circ} 4' 17''$ to the decimal of a degree.

By the usual arithmetical process, we have

$$\begin{array}{r} 6,0 \overline{) 17.} \\ 6,0 \overline{) 4.28\dot{3}} \\ \underline{ 15.0713\dot{8}} \end{array}$$

$$D = 15^{\circ}.0713\dot{8},$$

$$\frac{D}{9} = 1.67459.$$

Hence adding, we get

$$G = 16.74597 = 16^{\circ} 74' 59''.7 \text{ nearly (Art. 5).}$$

2. Express (1) $113^{\circ} 0' 35''$, (2) $78^{\circ} 50' 41''.3$,(3) $56^{\circ} 18' 42''$, (4) $0^{\circ} 36' 15''$,

in grades, minutes, &c.

3. Express $73^{\circ} 81' 5''$ in the English mode.

Our formula gives

$$D = G - \frac{G}{10},$$

$$G = 73.8105 \text{ (Art. 5),}$$

$$\frac{G}{10} = \frac{7.38105}{66.42945} \text{ by subtracting}$$

$$\begin{array}{r} 60 \\ 25.76700 \\ 60 \\ \hline 46.020 \end{array}$$

And

$$D = 66^\circ 25' 46''.$$

4. Express (1) $125^\circ 56' 63''.58$, (2) $87^\circ 60' 53''.39$,
(3) $62^\circ 53' 15''$, (4) $0^\circ 60' 4''.16$,

in the English method.

5. The sum of two angles is 80 grades, their difference is $\frac{2}{3}$ of a right angle. Find the angles in degrees.

6. If 18° is the unit, what will represent 81° ?

7. Find the number of grades in the unit of angular measure when an angle of 135° is represented by 15.

If 135° is represented by 15, 9° is represented by 1, i. e. 10 is the number of grades in the unit of angular measurement.

8. How many degrees are there in the unit of angular measure when $11\frac{1}{4}^\circ$ is represented by $\frac{1}{5}$?

9. Divide a right angle into two parts such that the ratio of them may be that of 11 : 7.

II. Arts. 7—15.

1. Find the circular measure of 9° .

We have, Art. 8, since π is the circular measure of 180° .

$$\frac{\theta}{\pi} = \frac{9^\circ}{180^\circ} = \frac{1}{20}, \text{ whence } \theta = \frac{\pi}{20}.$$

2. Find the circular measure of

- (1) 57° , (2) $57^\circ 30'$, (3) 18° , (4) $22^\circ 30'$, (5) 225° .

3. Find the number of degrees, &c. in an angle whose circular measure is $2\frac{1}{2}$.

As in Art. 13, $\frac{x}{180^\circ} = \frac{\theta}{\pi}$, here $\theta = \frac{5}{2}$,

$$x = \frac{5}{2} \cdot \frac{180^\circ}{\pi} = \frac{5}{2} \cdot \frac{180^\circ}{3.14159} = \frac{5}{2} \times 57^\circ.2957 = 143^\circ.2392,$$

which will give $x = 143^\circ 14' 21''.3$.

4. Find the angles whose circular measure are

$$1, \frac{1}{2}, \frac{3}{2}, \frac{1}{3}, \frac{2}{3}, \frac{5}{6}.$$

5. Find the number of grades, &c. in the angles whose circular measure are those in (4).

6. Find the number of degrees in an angle subtended at the centre by an arc 5 feet in length, the radius being 10 yards.

7. The angles of a triangle are in Arithmetical Progression; the circular measure of the difference between the first and second is $\frac{7\pi}{60}$. Find them.

(The three angles of any triangle = 180° , Euc. I. 32).

8. The angles of a triangle are in Geometrical Progression; the circular measure of the smallest is to that of 90° as $1 : 3\frac{1}{2}$. Find them.

III.

1. Find the complement of

$$39^\circ 15' 28'', \quad 74^\circ 16' 3'',$$

and the supplement of

$$16^\circ 3' 27'', \quad 176^\circ 19' 21'', \text{ see Arts. 18, 19.}$$

2. Write down in trigonometrical notation the product of the sine of A into the cosine of B into the square root of the product of the squares of the secant of A and the cosecant of B (Arts. 16, 21, 22). Write the result in its simplest form.

3. Simplify the following and express it as the product of two factors:

$$\sin^2 \theta + \sin \theta (\cos \theta + \tan \theta) - \cos \theta (\sin \theta + \tan \theta) \\ - \tan \theta (\sin \theta + \cos \theta) - \cos^2 \theta - \tan^2 \theta.$$

4. If $\sin^2 \alpha \cos^2 \beta = \frac{\cot^2 \beta}{3 \operatorname{cosec}^2 \alpha}$, what is the value of $\sin \beta$?

5. ABC is a triangle, AD is a perpendicular on BC , the angle $ABC = \phi$, $ACB = \theta$, shew that

$$BD \tan \phi = CD \tan \theta,$$

and $AB \operatorname{cosec} \theta = AC \operatorname{cosec} \phi$ (Art. 23).

IV. By the aid of Arts. 24, 25.

1. Shew $\sin^2 A - \cos^2 B = \sin^2 B - \cos^2 A$.

Taking the left-hand side, we have

$$\sin^2 A - \cos^2 B = (1 - \cos^2 A) - (1 - \sin^2 B) \\ = 1 - \cos^2 A - 1 + \sin^2 B \\ = \sin^2 B - \cos^2 A.$$

2. $\frac{1}{\sin \theta \cos \theta} = \tan \theta + \cot \theta,$

$$\text{for (Art. 24)} \quad \frac{1}{\sin \theta \cos \theta} = \frac{\sin^2 \theta + \cos^2 \theta}{\sin \theta \cos \theta}.$$

Shew also that the following results are true:

3. $\frac{\sin^2 \theta + \tan^2 \theta - \tan^2 \theta \cos^2 \theta}{\cos^2 \theta (1 + \cot^2 \theta)} = \tan^2 \theta.$

4. $\frac{(\cos A + \sin A)^2 + (\cos^2 A - \sin^2 A)(\cos A - \sin A)}{\cos A \sin A} \\ = 2 (\operatorname{cosec} A + \sec A).$

$$5. \cos^4 A - 1 + \sin^4 A - 2 \cos^2 A \sin^2 A = 0.$$

$$6. (\sin a \cos \beta - \cos a \sin \beta) (\sin a \cos \beta + \cos a \sin \beta) \\ = \sin^2 a - \sin^2 \beta.$$

$$7. (\cos a \cos \beta + \sin a \sin \beta) (\cos a \cos \beta - \sin a \sin \beta) \\ = \cos^2 \beta - \sin^2 a = \cos^2 a - \sin^2 \beta.$$

$$8. (\cos A + \sin A) (\cos A - \sin A) = \frac{1 - \tan^2 A}{1 + \tan^2 A}.$$

The denominator on the left being unity use Art. 24.

$$9. \sin \phi (1 + \tan \phi) + \cos \phi (1 + \cot \phi) = \sec \phi + \operatorname{cosec} \phi.$$

$$10. \sin^2 \beta + \operatorname{versin}^2 \beta = 2 \operatorname{versin} \beta.$$

$$11. \sec^2 A \operatorname{cosec}^2 A = \sec^2 A + \operatorname{cosec}^2 A.$$

$$12. \frac{\cos^2 A - \sin^2 B}{\sin^2 A \sin^2 B} + 1 = \cot^2 A \cot^2 B.$$

$$13. \cot^2 A \cos^2 A = \cot^2 A - \cos^2 A.$$

$$14. \frac{\tan A + \tan B}{\cot A + \cot B} = \tan A \tan B.$$

Arts. 26, 27.

Find the other trigonometrical ratios, having given

$$(1) \sin A = \frac{1}{2}. \quad (2) \cos A = \frac{5}{6}. \quad (3) \tan \theta = \frac{3}{4}.$$

$$(4) \cot \phi = \frac{10}{9}. \quad (5) \sec a = \sqrt{2}. \quad (6) \operatorname{cosec} a = 2 \sqrt{3}.$$

$$(7) \operatorname{versin} \beta = \frac{3}{7}. \quad (8) \tan \phi = \frac{n}{m}. \quad (9) \sin^2 \theta - \cos^2 \theta = \frac{1}{2}.$$

V. Arts. 28—30.

Find the value of the angle when

$$1. \tan^2 \theta - 1 = 2 \tan \frac{\pi}{4}.$$

$$\text{By Art. 28} \quad \tan \frac{\pi}{4} = 1.$$

$$\text{Hence} \quad \tan^2 \theta - 1 = 2, \quad \tan^2 \theta = 3, \quad \tan \theta = \sqrt{3},$$

$$\text{and} \quad \theta = 60^\circ \text{ or } \frac{\pi}{3}, \text{ by Art. 30.}$$

$$2. \tan \theta + \cot \theta = 4.$$

$$\tan \theta + \frac{1}{\tan \theta} = 4.$$

$$\tan^2 \theta + 1 = 4 \tan \theta.$$

$$\tan^2 \theta - 4 \tan \theta = -1, \text{ a quadratic in } \tan \theta.$$

$$\tan^2 \theta - 4 \tan \theta + 4 = -1 + 4 = 3.$$

$$\tan \theta = 2 \pm \sqrt{3}.$$

Equations of this sort very often reduce to quadratics.

Sometimes, however, we have one of this kind,

$$3. (1 - 2 \cos^2 a) (3 - \tan^2 a) = 0.$$

This gives either

$$(i) \quad 1 - 2 \cos^2 a = 0 \text{ or } \cos a = \frac{1}{\sqrt{2}}, \quad a = 45^\circ \text{ or } \frac{\pi}{4},$$

$$\text{or } (ii) \quad 3 - \tan^2 a = 0, \quad \tan a = \sqrt{3}, \quad a = 60^\circ \text{ or } \frac{\pi}{3},$$

for any value of a that satisfies (i) or (ii) must evidently satisfy the given equation.4. Shew that the tangents of 30° , 45° , 60° are in Geometrical Progression.

5. Solve the following equations:

(1) $\tan^2 a + 4 \sin^2 a = 6$. (2) $\tan^2 \phi + \cot^2 \phi = 3\frac{1}{2}$.

(3) $\tan^2 \phi + \cot^2 \phi = 2$. (4) $\sin^2 \theta + \cos \theta = \frac{5}{4}$.

(5) $\tan \theta = 2 \sin \theta$. (6) $\cos^2 \theta - 2 \sin \theta + \frac{1}{4} = 0$.

(7) $3 \operatorname{cosec}^4 \theta + 8 = 10 \operatorname{cosec}^2 \theta$.

6. If $\cos 2A = \sin 3A$, find the number of degrees in A ,
see Arts. 18, 29.

7. Also when $\tan 8A = \cot A$.

8. Having given $\sin 36^\circ = .58778$, shew that
 $\cos 36^\circ = .80901$.

9. Having given $\sin 50^\circ = .76604$, shew that
 $\tan 50^\circ = 1.19175$.

10. Having given $\cot 1^\circ = 57.28996$, shew that
 $\sin 1^\circ = .01745$.

11. Find $\sin 18\frac{1}{2}^\circ$, having given
 $\sin 18^\circ = .30901$, $\sin 19^\circ = .32557$, see end of Art. 30.

12. Find $\cos 29^\circ 36' 12''$, having given
 $\sin 61^\circ = .87462$, $\sin 60^\circ = \frac{\sqrt{(3)}}{2}$.

VI., VII.

1. Find all the angles up to 540° , satisfying the relation
 $\sin \theta = \frac{1}{2}$, our first value is $\theta = 30^\circ$.

But, by Arts. 35, 37, 38,

$$\begin{aligned}\sin \theta &= \sin(180^\circ - \theta) \\ &= \sin(360^\circ + \theta) \\ &= \sin(360^\circ + 180^\circ - A) \text{ or } \sin(540^\circ - A).\end{aligned}$$

Hence our angles are 30° , 150° , 390° , 510° .

2. Find all the angles up to 540° , satisfying $\tan^2 A = 1$.

Here $\tan \theta = \pm 1$. Taking the positive sign.

(i) $\tan \theta = +1$, $\theta = 45^\circ$, and the tangent is positive in the first and third quadrants, and the values recur after every complete revolution; our angles are therefore

$$45^\circ, 180^\circ + 45^\circ, 360^\circ + 45^\circ.$$

(ii) $\tan \theta = -1$, the tangent is negative in the second and fourth quadrant. Hence

$$180^\circ - 45^\circ, 360^\circ - 45^\circ, 360^\circ + 180^\circ - 45^\circ \text{ are our angles.}$$

Collecting all, they are $45^\circ, 135^\circ, 225^\circ, 315^\circ, 405^\circ, 495^\circ$.

3. Find all the angles up to 4π , satisfying

$$\cos \theta = 0, \sin \theta = \frac{\sqrt{3}}{2}, \sec^2 \theta = 2, \tan \theta = \infty.$$

4. Determine the trigonometrical ratios for 585° .

This $= 360^\circ + 225^\circ$, and therefore we have only to find them for 225° , Art. 42.

Also for $690^\circ, 930^\circ$.

5. Find the first six values for $\left\{ n\pi + (-1)^n \frac{\pi}{6} \right\}$, where n is zero or a positive integer.

6. Trace the change in sign and magnitude from $\theta = 0$ to $\theta = 2\pi$ of

$$\cos \theta + \sin \theta, \tan \theta + \cot \theta.$$

7. (Art. 53). Solve the equations

$$\sin^2 \theta + 2 \cos^2 \theta = 3, \sec^2 \theta + \operatorname{cosec}^2 \theta = \frac{1}{4}.$$

VIII.

1. Find the general value of θ when

$$2 \cos^2 \theta + 5 \sin \theta - 4 = 0,$$

we have

$$2 - 2 \sin^2 \theta + 5 \sin \theta - 4 = 0,$$

$$\sin^2 \theta - \frac{5}{2} \sin \theta = -1,$$

$$\sin^2 \theta - \frac{5}{2} \sin \theta + \frac{25}{16} = -1 + \frac{25}{16} = \frac{9}{16},$$

$$\sin \theta = \frac{\pm 3 + 5}{4}.$$

By Art. 53. The only admissible value for θ is given by $\sin \theta = \frac{-3 + 5}{4} = \frac{1}{2}$. The least positive angle is therefore $\theta = 30^\circ = \frac{\pi}{6}$, and our general formula is (Art. 56)

$$\theta = n\pi + (-1)^n \frac{\pi}{6}.$$

2. Sometimes in solving we come across such a solution as

$$\sin^2 \theta = \frac{1}{2} \text{ or } \sin \theta = \pm \frac{1}{\sqrt{2}},$$

and taking both *signs* separately we should get two results

$$\theta = n\pi + (-1)^n \frac{\pi}{4}, \quad \theta = n\pi + (-1)^n \left(\pi + \frac{\pi}{4} \right).$$

Since the least positive angle for $\sin \theta = -\frac{1}{\sqrt{2}}$ is $\pi + \frac{\pi}{4}$.

We may, however, in such a case combine the two.

RULE. *In such cases write down all the angles up to $2\pi + \theta$ (i. e. one revolution after the first angle) that suit, observe what signs come before θ , and whether the multiples of π are even or odd, then make a suitable formula.*

Thus in our equation

$$\pi, \pi - \frac{\pi}{4}, \pi + \frac{\pi}{4}, 2\pi - \frac{\pi}{4}, 2\pi + \frac{\pi}{4},$$

all satisfy it. Now looking through these we see that odd multiples of π are followed both by $+\frac{\pi}{4}$ and $-\frac{\pi}{4}$, so also are even multiples. Whatever, therefore, the multiple be, there is always $+$ and $-$ following. Hence $\theta = n\pi \pm \frac{\pi}{4}$ is our general expression.

3. Find the general value of the angle from the following equations:

$$(1) \sin \theta + \operatorname{cosec} \theta = 2.$$

$$(2) 2 \tan \theta = \frac{1}{\sin \theta \cos \theta}, \text{ see Rule above.}$$

$$(3) 3 \sec^4 \theta + 8 = 10 \sec^2 \theta. \quad (4) \cos^2 \theta = \cos^2 \alpha.$$

$$(5) \tan^2 \theta = \tan^2 \alpha. \quad (6) \sin^2 \theta + \cos^2 \theta = 0.$$

$$(7) 5 \sec^4 \theta - 8 \sec^2 \theta - 48 = 0.$$

4. What is the general value of θ when

$$(1) \operatorname{cosec} \theta = \frac{2}{\sqrt{3}}. \quad (2) \tan^2 \theta = \frac{1}{3}.$$

IX.

1. Prove the formula $\cot A + \tan A = 2 \operatorname{cosec} 2A$.

It is best as a general rule to take the more complicated side and transform by the aid of known formulæ into the other.

$$\begin{aligned} \cot A + \tan A &= \frac{\cos A}{\sin A} + \frac{\sin A}{\cos A} = \frac{\sin^2 A + \cos^2 A}{\sin A \cos A} \\ &= \frac{1}{\sin A \cos A} \\ &= \frac{2}{\sin 2A}, \text{ Art. 77 (10),} \\ &= 2 \operatorname{cosec} 2A. \end{aligned}$$

2. Shew that $\tan A + \sec A = \tan \left(45^\circ + \frac{A}{2} \right)$.

$$\text{Now } \tan \left(45^\circ + \frac{A}{2} \right) = \frac{1 + \tan \frac{A}{2}}{1 - \tan \frac{A}{2}}, \text{ Art. 76,}$$

$$= \frac{\sin \frac{A}{2} + \cos \frac{A}{2}}{\cos \frac{A}{2} - \sin \frac{A}{2}} = \frac{\left(\sin \frac{A}{2} + \cos \frac{A}{2} \right)^2}{\cos^2 \frac{A}{2} - \sin^2 \frac{A}{2}},$$

multiplying numerator and denominator by $\cos \frac{A}{2} + \sin \frac{A}{2}$,

$$\begin{aligned} &= \frac{\sin^2 \frac{A}{2} + \cos^2 \frac{A}{2} + 2 \sin \frac{A}{2} \cos \frac{A}{2}}{\cos^2 \frac{A}{2} - \sin^2 \frac{A}{2}} \\ &= \frac{1 + \sin A}{\cos A}, \text{ Art. 77 (10) (11),} \\ &= \sec A + \tan A. \end{aligned}$$

3. Prove the formulæ:

(1) $\operatorname{cosec} 2A + \cot 2A = \cot A.$

(2) $\sec A = 1 + \tan A \tan \frac{A}{2}.$

(3) $\operatorname{cosec} 2A = \frac{1 + \cot^2 A}{2 \cot A}.$ (4) $\cos A = \cos^2 \frac{A}{2} - \sin^2 \frac{A}{2}.$

(5) $2 \operatorname{cosec} 2A = \sec A \operatorname{cosec} A.$

(6) $\frac{2 \sin A + \sin 2A}{2 \sin A - \sin 2A} = \cot^2 \frac{A}{2}.$

(7) $2 \sin^2 A \sin^2 B + 2 \cos^2 A \cos^2 B = 1 + \cos 2A \cos 2B.$

$$(8) \cos^2(A - B) + \cos^2 B - 2 \cos(A - B) \cos A \cos B = \sin^2 A.$$

$$(9) \sin^2(A - B) + \sin^2 B + 2 \sin(A - B) \sin B \cos A = \sin^2 A.$$

$$(10) \frac{1 - \tan^2\left(\frac{\pi}{4} - \theta\right)}{1 + \tan^2\left(\frac{\pi}{4} - \theta\right)} = \sin 2\theta.$$

$$(11) \frac{4 \tan \theta - 4 \tan^3 \theta}{(1 + \tan^2 \theta)^2} = \sin 4\theta.$$

$$4. \text{ Shew } \frac{\cos 2A - \cos 4A}{\cos 2A + \cos 4A} = \tan 3A \tan A,$$

$$\begin{aligned} \frac{\cos 2A - \cos 4A}{\cos 2A + \cos 4A} &= \frac{2 \sin \frac{2A + 4A}{2} \sin \frac{4A - 2A}{2}}{2 \cos \frac{2A + 4A}{2} \cos \frac{4A - 2A}{2}}, \text{ Art. 72 (7)(8),} \\ &= \frac{\sin 3A \sin A}{\cos 3A \cos A} = \tan 3A \tan A. \end{aligned}$$

5. Prove the formulæ :

$$(1) \frac{\sin A + \sin 3A}{\cos A + \cos 3A} = \tan 2A.$$

$$(2) \frac{\sin A + 2 \sin 5A + \sin 9A}{\cos A + 2 \cos 5A + \cos 9A} = \tan 5A.$$

$$(3) \cos A + \cos(A + 2B) - 2 \cos(A + B) \cos B = 0.$$

$$(4) \sin 5A \sin A = \sin^2 3A - \sin^2 2A.$$

$$(5) \sin 7A \sin 3A = \sin^2 5A - \sin^2 2A.$$

$$(6) \sin 3A \sin^2 A + \cos 3A \cos^2 A = \cos^2 2A.$$

$$(7) \tan 2A - \tan A = \frac{2 \sin A}{\cos A + \cos 3A}.$$

$$(8) \sin 3A \operatorname{cosec} A - \cos 3A \sec A = 2.$$

$$(9) \frac{\sin B}{\sin A} = \frac{\sin(2A + B)}{\sin A} - 2 \cos(A + B).$$

$$(10) \cos A + \cos(120^\circ - A) + \cos(120^\circ + A) = 0.$$

$$(11) \frac{\cos 2A \pm \cos 2nA + \cos 2(2n-1)A}{\sin 2A \pm \sin 2nA + \sin 2(2n-1)A} = \cot 2nA.$$

$$(12) \cos^2 2A - \cos^2 3A = \sin A \sin 5A.$$

$$6. \text{ Shew } 4 \sin A \sin(60^\circ - A) \sin(60^\circ + A) = \sin 3A.$$

$$4 \sin A \sin(60^\circ - A) \sin(60^\circ + A)$$

$$= 4 \sin A \cdot \frac{1}{2} \{\cos 2A - \cos 120^\circ\}, \text{ Arts. 72, 73, 74,}$$

$$= 2 \sin A \left\{ 1 - 2 \sin^2 A + \frac{1}{2} \right\}, \text{ Arts. 77 (12), 30,}$$

$$= 3 \sin A - 4 \sin^3 A$$

$$= \sin 3A, \text{ Art. 78.}$$

7. Prove the following :

$$(1) 4 \cos A \cos(120^\circ - A) \cos(120^\circ + A) = \cos 3A.$$

$$(2) \tan\left(15^\circ - \frac{A}{2}\right) \cot\left(15^\circ + \frac{A}{2}\right) = \frac{1 - \sin A}{1 + \sin A}.$$

8. Solve the following equations :

$$(1) \sin 8\theta + \sin \theta = 0. \quad (2) \cos 3\theta + \cos 2\theta + \cos \theta = 0.$$

$$(3) \tan \theta + \tan\left(\frac{\pi}{4} + \theta\right) = 2. \quad (4) \cot\left(\frac{\pi}{4} + \theta\right) = 3 \cot\left(\frac{\pi}{4} - \theta\right).$$

$$(5) \sin \frac{7\theta}{2} - \sin \frac{\theta}{2} = \sin \frac{3\theta}{2}. \quad (6) 4 \sin \theta \sin 3\theta = 1.$$

9. If A, B, C be the angles of a triangle, then

$$\sin A + \sin B + \sin C = 4 \cos \frac{A}{2} \cos \frac{B}{2} \cos \frac{C}{2}.$$

$$\sin A + \sin B + \sin C = 2 \sin \frac{A+B}{2} \cos \frac{A-B}{2} + 2 \sin \frac{C}{2} \cos \frac{C}{2}.$$

Now $A + B + C = 180^\circ$, and $\frac{C}{2} = 90^\circ - \frac{A+B}{2}$,
and the above

$$\begin{aligned} &= 2 \sin \frac{A+B}{2} \cos \frac{A-B}{2} + 2 \sin \frac{A+B}{2} \cos \frac{A+B}{2} \quad (\text{Art. 18}) \\ &= 2 \sin \frac{A+B}{2} \left\{ \cos \frac{A-B}{2} + \cos \frac{A+B}{2} \right\} \\ &= 2 \cos \frac{C}{2} \cdot 2 \cos \frac{A}{2} \cos \frac{B}{2} = 4 \cos \frac{A}{2} \cos \frac{B}{2} \cos \frac{C}{2}. \end{aligned}$$

10. If $A + B + C = 180^\circ$, shew

- (1) $\cos A + \cos B + \cos C = 4 \sin \frac{A}{2} \sin \frac{B}{2} \sin \frac{C}{2} + 1$.
- (2) $\sin 2A + \sin 2B + \sin 2C = 4 \sin A \sin B \sin C$.
- (3) $\sin^2 \frac{A}{2} + \sin^2 \frac{B}{2} + \sin^2 \frac{C}{2} + 2 \sin \frac{A}{2} \sin \frac{B}{2} \sin \frac{C}{2} = 1$.
- (4) $\cos^2 A + \cos^2 B + \cos^2 C + 2 \cos A \cos B \cos C - 1 = 0$.
- (5) $1 + \cos A \cos B \cos C$
 $= \cos A \sin B \sin C + \cos B \sin A \sin C + \cos C \sin A \sin B$.
- (6) $\tan A + \tan B + \tan C = \tan A \tan B \tan C$.
- (7) $\cot A \cot B + \cot A \cot C + \cot B \cot C = 1$.
- (8) $\cos \frac{A}{2} + \cos \frac{B}{2} + \cos \frac{C}{2} = 4 \cos \frac{\pi-A}{4} \cos \frac{\pi-B}{4} \cos \frac{\pi-C}{4}$.
- (9) $\sin \frac{A}{2} + \sin \frac{B}{2} + \sin \frac{C}{2} - 1$
 $= 4 \sin \frac{\pi-A}{4} \sin \frac{\pi-B}{4} \sin \frac{\pi-C}{4}$.

11. If $A + B + C = 90^\circ$.

- (1) $\tan A \tan B + \tan A \tan C + \tan B \tan C = 1$.
- (2) $\cot A + \cot B + \cot C = \cot A \cot B \cot C$.
- (3) $\sin 2A + \sin 2B + \sin 2C = 4 \cos A \cos B \cos C$.

$$(4) \frac{\cos A + \sin C - \sin B}{\cos B + \sin C - \sin A} = \frac{1 + \tan \frac{A}{2}}{1 + \tan \frac{B}{2}}.$$

12. If in any triangle ABC , $\sin A + \sin C = 2 \sin B$.

Shew that $\cot \frac{A}{2}$, $\cot \frac{B}{2}$, $\cot \frac{C}{2}$ are in Arithmetical Progression.

13. $A + B + C = \pi$.

Shew

$$\frac{\tan A + \tan B + \tan C}{(\sin A + \sin B + \sin C)^2} = \frac{\tan \frac{A}{2} \tan \frac{B}{2} \tan \frac{C}{2}}{2 \cos A \cos B \cos C} \text{ (see Ex. 9).}$$

14. Given $\sin 45^\circ = \frac{1}{\sqrt{2}}$, $\cos 30^\circ = \frac{1}{2}$.

Find

$\sin 15^\circ$, $\cos 15^\circ$, $\sin 75^\circ$, $\cos 75^\circ$, $\tan 7\frac{1}{2}^\circ$, $\sin 22\frac{1}{2}^\circ$, $\cos 11\frac{1}{2}^\circ$.

X.

1. Find the characteristic of .6, .593, .80764, .003 to the base 10, Art. 95.

Also of 16, 375, 8974, .64 to the base 7.

2. Given $\log_{10} 36702 = 4.5646897$.

Write down the logarithms of

3670200, 3670.2, 3.6702, .036702, .0036702, Art. 96.

3. Given $\log 2 = .30103$, $\log 7 = .845098$; find $\log 98$.

Now $98 = 7 \times 14 = 7 \times 7 \times 2 = 7^2 \times 2$.

$$\begin{aligned} \text{Hence } \log 98 &= \log(7^2 \times 2) = \log 7^2 + \log 2 \text{ (Art. 87)} \\ &= 2 \log 7 + \log 2 \text{ (Art. 91)} \\ &= 1.690196 + .301030 \\ &= 1.991226. \end{aligned}$$

4. Given $\log 2 = .30103$. Find $\log \sqrt[3]{2}$.

$$\begin{aligned}\log \sqrt[3]{2} &= \log(2)^{\frac{1}{3}} = \frac{1}{3} \log 2 \text{ (Art. 91)} \\ &= .10034\dot{3}.\end{aligned}$$

5. Given $\log 2 = .301030$, $\log 3 = .477121$, $\log 7 = .845098$.
Find logarithms of

$$6, 15, 5.4, 17.5, .875, 6860.$$

6. Find logarithm of 81 to base $\sqrt[3]{3}$.

Let $\log_{\sqrt[3]{3}} 81 = x$. Then $\sqrt[3]{3}^x = 81$ (by Art. 83),

$$\text{or} \quad 3^{\frac{x}{3}} = 81 = 3^4, \text{ whence } \frac{x}{3} = 4, \text{ or } x = 8,$$

$$\text{and} \quad \log_{\sqrt[3]{3}} 81 = 8.$$

7. Find logarithm of 256 to base $2\sqrt[3]{2}$, of 128 to base $\sqrt[3]{4}$, of $243\sqrt[3]{9}$ to base $\sqrt[3]{3}$.

8. Given $\log 2 = .30103$; find logarithms of

$$5, 125, .125, \sqrt[15]{\left(\frac{5^{30}}{2^{30}}\right)}, \sqrt[14]{\left(\frac{2^{30}}{5^{30}}\right)}.$$

$$\text{Also find} \quad \log \cos 45^\circ, \log \tan \frac{5\pi}{4}.$$

9. Given $\log 18 = 1.255272$, $\log 25 = 1.397940$.

Find those of 2, 3, 16, 450, .075, 3.75.

10. Find x when $\left(\frac{1}{2}\right)^x = \frac{2}{3}$.

Given $\log 2 = .301030$, $\log 3 = .477121$.

Taking logarithms of both sides (Art. 98)

$$\log \left(\frac{1}{2}\right)^x = \log \frac{2}{3},$$

$$\text{or } x(\log 1 - \log 2) = \log 2 - \log 3 \text{ (Art. 88)}$$

$$-x \log 2 = \log 2 - \log 3 \text{ (Art. 85),}$$

$$(x+1) \log 2 = \log 3,$$

$$x+1 = \frac{477121}{301030},$$

$$x = \frac{176091}{301030} = .5849.$$

11. Find x when $20^x = 100$.

12. Given $\log 3$ and $\log 2$ (see above). Find x when

$$(4\frac{1}{2})^{(x-1)x} = 1000.$$

13. Find x when $5^{x-4x} = 2^{x+3}$, $\log 2$ being supposed known.

XI. Arts. 101—105.

1. If ABC be a right-angled triangle, $C=90^\circ$, shew that

$$\cos 2A = \frac{b^2 - a^2}{b^2 + a^2}.$$

Construct the figure.

Then $\cos 2A = \cos^2 A - \sin^2 A$

$$= \frac{b^2}{c^2} - \frac{a^2}{c^2} = \frac{b^2 - a^2}{c^2} = \frac{b^2 - a^2}{b^2 + a^2} \text{ (Euc. I. 47).}$$

2. With the same conditions as in (1). Shew that

$$(1) \cos(A - B) = \frac{2ab}{c^2}. \quad (2) \cos(45^\circ \pm A) = \frac{1}{\sqrt{2}} \left(\frac{b \mp a}{c} \right).$$

$$(3) \tan 2A = \frac{2ab}{b^2 - a^2}. \quad (4) \tan \frac{1}{2} A = \left(\frac{c - b}{c + b} \right)^{\frac{1}{2}}.$$

3. In any triangle ABC , shew

$$\tan \frac{1}{2} A \tan \frac{1}{2} B = \frac{a + b - c}{a + b + c}.$$

By Art. 104,

$$\begin{aligned}\tan \frac{1}{2} A \tan \frac{1}{2} B &= \sqrt{\left\{ \frac{(s-b)(s-c)}{s \cdot s-a} \right\}} \cdot \sqrt{\left\{ \frac{(s-a)(s-c)}{s \cdot s-b} \right\}} \\ &= \frac{s-c}{s} = \frac{\frac{a+b-c}{2}}{\frac{a+b+c}{2}} \\ &= \frac{a+b-c}{a+b+c}.\end{aligned}$$

4. In any triangle ABC , prove

$$(1) a = b \cos C + c \cos B. \quad (2) a(b \cos C - c \cos B) = b^2 - c^2.$$

$$(3) \tan B = \frac{b \sin C}{a - b \cos C}. \quad (4) \frac{\tan B}{\tan C} = \frac{a^2 + b^2 - c^2}{a^2 + c^2 - b^2}.$$

$$(5) \frac{\sin(A-B)}{\sin(A+B)} = \frac{a^2 - b^2}{c^2}. \quad (6) \frac{\text{versin } A}{\text{versin } B} = \frac{a(a+c-b)}{b(b+c-a)}.$$

$$(7) 1 - \tan \frac{A}{2} \tan \frac{B}{2} = \frac{2c}{a+b+c}.$$

5. If the sides a, b of a triangle include an angle of 120° .

Shew $c^2 = a^2 + ab + b^2$ (Art. 103).

6. If $2 \cos B = \frac{\sin A}{\sin C}$, the triangle is isosceles.

7. If the sides of a triangle are in Arithmetical Progression, so also are the opposite sides.

8. If $\frac{\tan A}{\tan B} = \frac{\sin^2 A}{\sin^2 B}$, the triangle is isosceles or right angled.

9. If in a triangle $A : B : C :: 2 : 3 : 4$, then will

$$\cos \frac{1}{2} A = \frac{a+c}{2b}.$$

10. In any triangle, if p be the perpendicular from A upon BC ,

$$p = \frac{b^2 \sin C + c^2 \sin B}{b + c}.$$

XII. Arts. 107—110.

1. If $A + B = C$ in a triangle, and $a = \sqrt{(3b)}$. Solve the triangle.

Since $A + B + C = 180^\circ$,
we have $2C = 180^\circ$, $C = 90^\circ$, $A + B = 90^\circ$.

Now $\frac{\sin A}{\sin B} = \frac{a}{b} = \sqrt{(3)}$,

and $\sin B = \sin(90^\circ - A) = \cos A$.

Hence $\tan A = \sqrt{(3)}$, $A = 60^\circ$, $B = 30^\circ$.

2. Solve the triangle, having given

(1) $c = 75$, $A = 30^\circ$, $C = 90^\circ$.

(2) $c = 50$, $a = 25$, $C = 90^\circ$.

(3) $a = 80$, $B = 15^\circ$, $C = 90^\circ$, Ex. IX. 14.

3. Solve the triangle when

$$C = 120^\circ, B = 36^\circ, C = 90^\circ,$$

having given $\sin 36^\circ = .5877853$, $\sin 54^\circ = .8090170$.

4. Three towns A , B , C are equidistant from each other. D is mid-way between A and B . Compare the distances of D from A and C .

5. Determine the altitude of the sun when the length of the shadow of a vertical stick is to the length of the stick as $1 : \sqrt{(3)}$.

6. What is the height of a tower whose top appears at an elevation of 30° to an observer 140 feet from the foot of the tower, his eye being 5 feet from the ground?

7. A ladder is just long enough when vertical to reach to the top of a building 60 feet high. If it be placed against the building so as to reach to a point 30 feet from the top, find the angle of elevation.

8. A ladder 38 feet long reaches to a window 19 feet from the ground. It is turned over and just reaches a window on the opposite side of the street $19\sqrt{2}$ feet high. The foot of the ladder is supposed to remain stationary. Find the width of the street.

9. A man observes that the elevation θ of a hill is such that $\tan \theta = \frac{\sqrt{2}-1}{\sqrt{3}+\sqrt{2}}$. If he be one mile from the foot, what is the height?

10. A, B, C are three vessels. The distance between A and C is always 10 miles, and the lines joining A and B , C and B at any moment form a right angle. If the distance between A and B is five miles, determine C 's position.

XIII. Arts. 111—115.

1. If $a = 80$, $b = 240$, $A = 30^\circ$, is there any ambiguity?

$$\text{Here } \frac{b}{a} \sin A = \sin B = \frac{240}{80} \sin 30^\circ = 3 \times \frac{1}{2} = 1\frac{1}{2},$$

which is impossible. The triangle does not exist, Art. 113(a).

2. Find A having given $\sin B = .5$, $a = 10$, $b = 5$.

3. Having given

$$\sin 18^\circ = \frac{\sqrt{5}-1}{4} = \sin A, \quad a = 4, \quad b = 4 + \sqrt{80},$$

solve the triangle.

4. If B_1, C_1, B_2, C_2 , be the angles of the two triangles in the ambiguous case,

$$\frac{\sin C_1}{\sin B_1} + \frac{\sin C_2}{\sin B_2} = 2 \cos A.$$

5. Solve the triangle when

$$\log a + \log 10 = \log b + L \sin A, \text{ Art. 99.}$$

6. The sides of a triangle are 32, 40, 66; find the greatest angle, having given $\log 207 = 2.3159703$.

$$L \cot 66^\circ 17' 16'' = 9.6426853, \log 1073 = 3.0305997,$$

$$\cot \frac{C}{2} = \sqrt{\left\{ \frac{s(s-c)}{(s-a)(s-b)} \right\}}, \text{ Art. 104,}$$

$$2s = 32 + 40 + 66 = 138, s = 69,$$

$$\cot \frac{C}{2} = \sqrt{\left(\frac{69.3}{37.29} \right)} = \left(\frac{207}{1073} \right)^{\frac{1}{2}},$$

$$L \cot \frac{C}{2} = 10 + \frac{1}{2} \log 207 - \frac{1}{2} \log 1073$$

$$= 10 + 1.1579851 - (1.5152999)$$

$$= 9.6426853$$

$$= L \cot 66^\circ 17' 16'' \text{ by what is given,}$$

$$\frac{C}{2} = 66^\circ 17' 16'', C = 132^\circ 34' 32''.$$

7. In a triangle ABC , when $a = 18, b = 20, c = 22$, find $L \tan \frac{A}{2}$, having given

$$\log 3 = .4771213 \text{ and } \log 5 = .69897.$$

8. Apply the formula for $\cos \frac{A}{2}$ to find the greatest angle in a triangle, whose sides are 5, 6, 7 feet, having given $\log 6 = .7781513, L \cos 39^\circ 13' 53.5'' = 9.8890756$ (Euc. I. 19).

9. Given $a = 18$, $b = 2$, $C = 55^\circ$,

$$L \tan 113^\circ 53' 41'' = 10.1866133, \quad L \cot 27^\circ 30'' = 10.2835233,$$

(Art. 112). Solve the triangle.

10. If $a = 2$, $c = 3$, $L \sin A = 9.5228787$.

Find C , when $\log 3 = .4771213$.

XIV.

1. ABC is a triangle, its sides are 3, 4, 5 feet respectively, find the area.

$$\text{area} = \sqrt{\{s(s-a)(s-b)(s-c)\}}, \text{ Art. 116 (2),}$$

$$2s = 12, \quad s = 6,$$

$$A = \sqrt{(6 \cdot 3 \cdot 2 \cdot 1)} = 6 \text{ square feet.}$$

Or, since $3^2 + 4^2 = 5^2$, the triangle is right angled, and, (Art. 116 (1)),

$$\text{area} = \frac{1}{2} ab \sin C = \frac{1}{2} \cdot 3 \cdot 4 \sin 90^\circ = \frac{12}{2} = 6.$$

2. Two sides of a triangle are as 1 : 4, and the included angle = 30° . Find the area.

3. Find the area when $a = 16$, $b = 20$, $c = 24$.

4. Shew that the sum of the two areas in the *ambiguous case* (Art. 113) = $b^2 \sin A \cos A$.

5. Find the area of the inscribed circle in Ex. (3).

6. Find the area of each of the escribed circles of Ex. (3).

7. Three tobacco pipes, each 14 inches long, are made into a triangular stand. Allowing 2 inches for the overlapping in each pipe, find the radius of the bottom of the smallest circular vessel that can stand on them.

8. A triangular piece of ground, the sides of which are 300, 600, 700 yards long respectively, is enclosed by a circular fence. Find the length of the fence. (Circumference of circle = $2\pi \times$ radius).

9. Find the area of a regular hexagon described about a circle, each side being 6 feet (Art. 123).

10. The sides of a triangle are 3, 5, 6; find the radii of the inscribed and circumscribed circles.

11. Find the ratio between (1) the sides, (2) the areas, of an equilateral triangle, and a square inscribed in the same circle (radius r).

12. If in a regular polygon of n sides, each side is $2a$; the sum of the radii of the circumscribed and inscribed circles is $a \cdot \cot \frac{\pi}{2n}$.

XV. Arts. 125, 126.

1. Find the area of the circle described in an equilateral triangle whose sides each = a , and shew that its circumference = $\frac{\pi a}{\sqrt{3}}$.

2. A man has a square plot of ground 3600 square yards in extent. He turfs the largest circle he can within it. Find the area of what is left for planting.

3. The radius of the earth is about 8000 miles, find the area of the parallels of latitude 30° , 45° , 60° .

4. With the angular points of an equilateral triangle as centres, and a radius equal to half the side, arcs of circles are described touching each other: determine the area of the figure they form (side of triangle = a).

ANSWERS.

I.

2. $125^{\circ} 56' 63''.58$, $87^{\circ} 60' 53''.39$, $62^{\circ} 53' 15''$, $0^{\circ} 60' 41''.6$.
 4. $113^{\circ} 0' 35''$, $78^{\circ} 50' 41''.3$, $56^{\circ} 16' 42''$, $0^{\circ} 36' 15''$.
 5. 63° , 9° . 6. $4\frac{1}{3}$. 8. 90° . 9. 55° , 35° .

II.

2. (1) .99484. (2) 1.0035. (3) $\frac{\pi}{10}$. (4) $\frac{\pi}{8}$. (5) $\pi + \frac{\pi}{4}$.
 4. $57^{\circ} 17' 44''.8$, $28^{\circ} 38' 52''.4$, $85^{\circ} 56' 37''.2$,
 $19^{\circ} 5' 54''.9$, $38^{\circ} 11' 49''.8$, $47^{\circ} 44' 47''.2$.
 5. $57^{\circ} 29' 57''$, $28^{\circ} 64' 79''$, $85^{\circ} 94' 36''$, $19^{\circ} 9' 86''$.
 $38^{\circ} 19' 71''$, $47^{\circ} 74' 64''$.
 6. $9^{\circ} 54' 93''$. 7. 81° , 60° , 39° . 8. $\frac{180^{\circ}}{7}$, $\frac{360^{\circ}}{7}$, $\frac{720^{\circ}}{7}$.

III.

1. $50^{\circ} 44' 32''$, $15^{\circ} 43' 57''$, $163^{\circ} 56' 33''$, $3^{\circ} 40' 39''$.
 2. $\tan A \cot B$.
 3. $(\sin \theta + \cos \theta + \tan \theta) (\sin \theta - \cos \theta - \tan \theta)$
 $= \sin^2 \theta - (\cos \theta + \tan \theta)^2$.
 4. $\sin \beta = \pm \frac{1}{\sqrt{(3)}}$.

IV.

2. (1) $\sin A = \pm \frac{\sqrt{(3)}}{2}$. (2) $\cos A = \frac{\sqrt{(31)}}{6}$.
 (3) $\cos \theta = \frac{4}{5}$. (4) $\sin \phi = \frac{9}{\sqrt{(181)}}$.

$$(5) \cos a = \frac{1}{\sqrt{(2)}}. \quad (6) \sin a = \frac{1}{2\sqrt{(3)}}.$$

$$(7) \cos \beta = \frac{4}{7}. \quad (8) \sin \gamma = \frac{n}{\sqrt{(n^2 + m^2)}}.$$

$$(9) \sin \theta = \frac{\sqrt{(3)}}{2}.$$

V.

$$5. (1) a = \frac{\pi}{3}. \quad (2) \phi = \frac{\pi}{3} \text{ or } \frac{\pi}{6}. \quad (3) \phi = \frac{\pi}{4}. \quad (4) \theta = \frac{\pi}{3}.$$

$$(5) \theta = 0 \text{ or } \frac{\pi}{3}. \quad (6) \theta = \frac{\pi}{6}. \quad (7) \theta = \frac{\pi}{4} \text{ or } \frac{\pi}{3}.$$

$$6. 18^\circ. \quad 7. 10^\circ.$$

VI., VII.

3. $\frac{\pi}{2}, \frac{3\pi}{2}, \frac{5\pi}{2}, \frac{7\pi}{2}$, i. e. $(2n+1)\frac{\pi}{2}$, where n is zero or any integer.

$\frac{\pi}{3}, \frac{2\pi}{3}, \frac{7\pi}{3}, \frac{8\pi}{3}$. All multiples of $\frac{\pi}{4}$ up to and including $\frac{15\pi}{4}$. Same as for $\cos \theta = 0$.

4. Same as for $330^\circ, 210^\circ$.

5. $30^\circ, 150^\circ, 210^\circ, 330^\circ, 420^\circ, 510^\circ$. 7. Both impossible.

VIII.

$$3. (1) \theta = n\pi + (-1)^n \frac{\pi}{2}. \quad (2) \theta = (2n+1)\frac{\pi}{2} \text{ and } n\pi \pm \frac{\pi}{4}.$$

$$(3) \theta = n\pi \pm \frac{\pi}{4}, \quad \theta = n\pi \pm \frac{\pi}{6}. \quad (4) \theta = n\pi \pm a.$$

$$(5) \theta = n\pi \pm a. \quad (6) \theta = n\pi - \frac{\pi}{4}. \quad (7) n\pi \pm \frac{\pi}{3}.$$

$$4. (1) \theta = n\pi + (-1)^n \frac{\pi}{3}. \quad (2) \theta = n\pi \pm \frac{\pi}{6}.$$

IX.

$$8. (1) \frac{9\theta}{2} = n\pi, \quad \frac{7\theta}{2} = \frac{n\pi}{2}.$$

$$(2) 2\theta = \left(n + \frac{1}{2}\right)\pi \text{ or } \theta = 2n\pi \pm \frac{2\pi}{3}.$$

$$(3) 2\theta = n\pi + (-1)^n \frac{\pi}{6}. \quad (4) \frac{\pi}{4} + \theta = n\pi \pm \frac{\pi}{6}.$$

$$(5) \frac{3\theta}{2} = n\pi, \quad 2\theta = 2n\pi \pm \frac{\pi}{3}.$$

$$(6) \theta = \frac{\pi}{10} \text{ or } \frac{3\pi}{10}, \text{ see Art. 81.}$$

$$14. \sin 15^\circ = \frac{\sqrt{(3)} - 1}{2\sqrt{(2)}} = \cos 75^\circ, \quad \cos 15^\circ = \frac{\sqrt{(3)} + 1}{2\sqrt{(2)}} = \sin 75^\circ,$$

$$\tan 7\frac{1}{2}^\circ = \frac{\sqrt{(2)} - 1}{\sqrt{(2)} + \sqrt{(3)}}, \quad \sin 22\frac{1}{2}^\circ = \frac{1}{2} [2 - \sqrt{(2)}]^{\frac{1}{2}},$$

$$\cos 11\frac{1}{4}^\circ = \frac{1}{2} [2 + \{2 + \sqrt{(2)}\}^{\frac{1}{2}}]^{\frac{1}{2}}.$$

X.

$$1. 0, 2, 4, -3, 1, 3, 5, -1.$$

$$2. 6.5646897, 3.5646897, .5646897, \bar{2}.5646897, \bar{3}.5646897.$$

$$5. \log 6 = .778151, \log 15 = 1.176091, \log 5.4 = .732393,$$

$$\log 17.5 = 1.243038, \log .875 = \bar{1}.942008, \log 6860 = 3.836324.$$

$$7. 5.3, \frac{21}{2}, 243 \sqrt[3]{(9)} = \{\sqrt{(3)}\}^{\frac{81}{2}}.$$

$$8. \log 5 = .69897, \log 125 = 2.09691, \log .125 = \bar{1}.09691,$$

$$2.98970, .2916, -\frac{1}{2} \log 2, 0.$$

9. $\log 2 = .30103$, $\log 3 = .4771213$, $\log .16 = \bar{1}.204120$,
 $\log 450 = 2.653212$, $\log .075 = \bar{2}.875061$, $\log 3.75 = .574031$.
 11. 1.537. 12. 1.312. 13. 1.06.

XII.

2. (1) $a = 37\frac{1}{2}$, $b = 75 \times \frac{\sqrt{3}}{2}$, $B = 60^\circ$.
 (2) $B = 60^\circ$, $A = 30^\circ$, $b = 25\sqrt{3}$.
 (3) $c = 80\{\sqrt{6} - \sqrt{2}\}$, $b = 80\{2 - \sqrt{3}\}$.
 3. $a = 97.082040$, $b = 70.534236$. 4. $1 : \sqrt{3}$.
 5. 60° . 6. $\frac{140 + 5\sqrt{3}}{\sqrt{3}}$ feet. 7. 30° .
 8. $19\{\sqrt{3} + \sqrt{2}\}$ feet.
 9. .1312 of a mile = 692 feet nearly.
 10. $5\sqrt{3}$ miles from B .

XIII.

2. 90° . 3. $B = 90^\circ$, $C = 72^\circ$, $c = 4\sqrt{[5 + 2\sqrt{5}]}$.
 5. $A = 90^\circ$. 7. 9.6733937. 8. $78^\circ 27' 47''$.
 9. $119^\circ 26' 51''$, $5^\circ 33' 9''$. 10. 30° or 150° .

XIV.

2. 1. 3. $60\sqrt{7}$. 5. $2\sqrt{7}$.
 6. $\frac{30}{\sqrt{7}}$, $6\sqrt{7}$, $10\sqrt{7}$. 7. $2\sqrt{3}$ inches.
 8. $R = \frac{315\sqrt{5}}{2}$ yards circumference = $\pi\{315\sqrt{5}\}$.
 9. $6\sqrt{3}$ square yards.
 10. $r = \frac{16}{56}\sqrt{14}$, $R = \frac{45}{56}\sqrt{14}$.
 11. $\sqrt{3} : \sqrt{2}$ or $3^{\frac{3}{2}} : 8$.

XV.

2. 772.65 square yards.

3. 48000000, 32000000, 16000000 square miles.

4. $\frac{\pi a^3}{8}$.**THE END.**

[JANUARY 1868.]

GENERAL LIST OF WORKS

PUBLISHED BY

MESSRS. LONGMANS, GREEN, AND CO.

PATERNOSTER ROW, LONDON.

Historical Works.

LORD MACAULAY'S WORKS. Complete and Uniform Library Edition. Edited by his Sister, Lady TREVELYAN. 8 vols. 8vo. with Portrait, price £5 5s. cloth, or £8 8s. bound in tree-calf by Rivière.

The HISTORY of ENGLAND from the Fall of Wolsey to the Death of Elizabeth. By JAMES ANTHONY FROUDE, M.A. late Fellow of Exeter College, Oxford. VOLS. I. to X. in 8vo. price £7 2s. cloth.

VOLS. I. to IV. the Reign of Henry VIII. Third Edition, 54s.

VOLS. V. and VI. the Reigns of Edward VI. and Mary. Third Edition, 28s.

VOLS. VII. and VIII. the Reign of Elizabeth, VOLS. I. and II. Fourth Edition, 28s.

VOLS. IX. and X. the Reign of Elizabeth, VOLS. III. and IV. 32s.

The HISTORY of ENGLAND from the Accession of James II. By Lord MACAULAY.

LIBRARY EDITION, 5 vols. 8vo. £4.

CABINET EDITION, 8 vols. post 8vo. 48s.

PEOPLE'S EDITION, 4 vols. crown 8vo. 16s.

REVOLUTIONS in ENGLISH HISTORY. By ROBERT VAUGHAN, D.D. 3 vols. 8vo. 30s.

The GOVERNMENT of ENGLAND: its Structure and its Development. By WILLIAM EDWARD HEARN, LL.D. Professor of History and Political Economy in the University of Melbourne. 8vo. 14s.

PLUTOLOGY; or, the Theory of the Efforts to Satisfy Human Wants. By the same Author. 8vo. 14s.

An ESSAY on the HISTORY of the ENGLISH GOVERNMENT and Constitution, from the Reign of Henry VII. to the Present Time. By JOHN EARL RUSSELL. Fourth Edition, revised. Crown 8vo. 6s.

On PARLIAMENTARY GOVERNMENT in ENGLAND: Its Origin, Development, and Practical Operation. By ALPHEUS TODD, Librarian of the Legislative Assembly of Canada. In Two Volumes. VOL. I. 8vo. 16s.

- The HISTORY of ENGLAND** during the Reign of George the Third. By the Right Hon. W. N. MASSEY. Cabinet Edition. 4 vols. post 8vo. 24s.
- The CONSTITUTIONAL HISTORY of ENGLAND**, since the Accession of George III. 1760—1860. By Sir THOMAS ERSKINE MAY, C.B. Second Edition. 2 vols. 8vo. 33s.
- CONSTITUTIONAL HISTORY of the BRITISH EMPIRE** from the Accession of Charles I. to the Restoration. By G. BRODIE, Esq. Historiographer-Royal of Scotland. Second Edition. 3 vols. 8vo. 36s.
- HISTORICAL STUDIES.** By HENRY MERIVALE, M.A. 8vo. price 12. 6d.
- The OXFORD REFORMERS of 1498**; being a History of the Fellowship of John Colet, Erasmus, and Thomas More. By FREDERIC SEEBOHM. 8vo. 12s.
- LECTURES on the HISTORY of ENGLAND.** By WILLIAM LONGMAN. VOL. I. from the Earliest Times to the Death of King Edward II. with 6 Maps, a coloured Plate, and 53 Woodcuts. 8vo. 15s.
- HISTORY of CIVILISATION** in England and France, Spain and Scotland. By HENRY THOMAS BUCKLE. Fifth Edition of the entire Work, with a complete INDEX. 3 vols. crown 8vo. 24s.
- DEMOCRACY in AMERICA.** By ALEXIS DE TOCQUEVILLE. Translated by HENRY REEVE, with an Introductory Notice by the Translator. 2 vols. 8vo. 21s.
- The SPANISH CONQUEST in AMERICA**, and its Relation to the History of Slavery and to the Government of Colonies. By ARTHUR HELPS. 4 vols. 8vo. £3. VOLS. I. and II. 28s. VOLS. III. and IV. 16s. each.
- HISTORY of the REFORMATION in EUROPE** in the Time of Calvin. By J. H. MERLE D'AUBIGNÉ, D.D. VOLS. I. and II. 8vo. 28s. and VOL. III. 12s. VOL. IV. 16s.
- LIBRARY HISTORY of FRANCE**, a New Work, complete in FIVE VOLUMES. By EYRE EVANS CROWE. VOL. I. 14s. VOL. II. 15s. VOL. III. 18s. VOL. IV. 18s.—VOL. V. *just ready*.
- LECTURES on the HISTORY of FRANCE.** By the late Sir JAMES STEPHEN, LL.D. 2 vols. 8vo. 24s.
- The HISTORY of GREECE.** By C. THIRLWALL, D.D. Lord Bishop of St. David's. 8 vols. fcp. 8vo. price 28s.
- The TALE of the GREAT PERSIAN WAR**, from the Histories of Herodotus. By GEORGE W. COX, M.A. Fcp. 7s. 6d.
- GREEK HISTORY** from Themistocles to Alexander, in a Series of Lives from Plutarch. Revised and arranged by A. H. CLOUGH. Fcp. with 44 Woodcuts, 6s.
- CRITICAL HISTORY of the LANGUAGE and LITERATURE of Ancient Greece.** By WILLIAM MURE, of Caldwell. 5 vols. 8vo. £3 9s.
- HISTORY of the LITERATURE of ANCIENT GREECE.** By Professor K. O. MÜLLER. Translated by the Right Hon. Sir GEORGE CORNEWALL LEWIS, Bart. and by J. W. DONALDSON, D.D. 3 vols. 8vo. 36s.
- HISTORY of the CITY of ROME** from its Foundation to the Sixteenth Century of the Christian Era. By THOMAS H. DYER, LL.D. 8vo. with 2 Maps, 15s.

HISTORY of the ROMANS under the EMPIRE. By the Rev. C. MERVILLE, LL.D. 8 vols. post 8vo. 48s.

The FALL of the ROMAN REPUBLIC: a Short History of the Last Century of the Commonwealth. By the same Author. 12mo. 7s. 6d.

The HISTORY of INDIA, from the Earliest Period to the close of Lord Dalhousie's Administration. By JOHN CLARK MARSHMAN. 3 vols. crown 8vo. 22s. 6d.

HISTORY of the FRENCH in INDIA, from the Founding of Pondichery in 1674 to its Capture in 1761. By Major G. B. MALLESON, Bengal Staff Corps. 8vo. 16s.

CRITICAL and HISTORICAL ESSAYS contributed to the *Edinburgh Review*. By the Right Hon. LORD MACAULAY.

LIBRARY EDITION, 3 vols. 8vo. 36s.

CABINET EDITION, 4 vols. post 8vo. 24s.

TRAVELLER'S EDITION, in One Volume, square crown 8vo. 21s.

POCKET EDITION, 3 vols. fcp. 21s.

PEOPLE'S EDITION, 2 vols. crown 8vo. 5s.

The PAPAL DRAMA: an Historical Essay, wherein the Story of the Popedom of Rome is narrated from its Origin to the Present Time. By THOMAS H. GILL. 8vo. 12s.

GOD in HISTORY; or, the Progress of Man's Faith in a Moral Order of the World. By the late Baron BUNSEN. Translated from the German by SUSANNA WINKWORTH; with a Preface by ARTHUR PENRHYN STANLEY, D.D. Dean of Westminster. VOLS. I. and II. 8vo. [*Nearly ready.*]

HISTORY of the RISE and INFLUENCE of the SPIRIT of RATIONALISM in EUROPE. By W. E. H. LECKY, M.A. Third Edition, revised. 2 vols. 8vo. 25s.

The HISTORY of PHILOSOPHY, from Thales to Comte. By GEORGE HENRY LEWES. Third Edition. 2 vols. 8vo. 30s.

EGYPT'S PLACE in UNIVERSAL HISTORY; an Historical Investigation. By Baron BUNSEN, D.C.L. Translated by O. H. COTTRELL, M.A. With Additions by S. BIRCH, LL.D. VOL. I. New Edition, revised and enlarged, price 31s. 6d. VOLS. II. 30s. VOLS. III. and IV. 25s. each: VOL. V. just published, 63s. The Set complete, in 5 vols. 8vo. price £3 14s. 6d.

MAUNDER'S HISTORICAL TREASURY; comprising a General Introductory Outline of Universal History, and a series of Separate Histories. Fcp. 10s.

HISTORY of the CHRISTIAN CHURCH, from the Ascension of Christ to the Conversion of Constantine. By E. BURTON, D.D. late Prof. of Divinity in the Univ. of Oxford. Eighth Edition. Fcp. 5s. 6d.

SKETCH of the HISTORY of the CHURCH of ENGLAND to the Revolution of 1688. By the Right Rev. T. V. SHORT, D.D. Lord Bishop of St. Asaph. Seventh Edition. Crown 8vo. 10s. 6d.

HISTORY of the EARLY CHURCH, from the First Preaching of the Gospel to the Council of Nicæa, A.D. 325. By ELIZABETH M. SEWELL, Author of 'Amy Herbert.' Fcp. 4s. 6d.

THE ENGLISH REFORMATION. By F. C. MASSINGBERD, M.A.
Chancellor of Lincoln and Rector of South Ormsby. Fourth Edition, revised.
Fcp. 8vo. 7s. 6d.

HISTORY of WESLEYAN METHODISM. By GEORGE SMITH,
F.A.S. Fourth Edition, with numerous Portraits. 3 vols. cr. 8vo. 7s. each.

Biography and Memoirs.

DICTIONARY of GENERAL BIOGRAPHY; containing Concise
Memoirs and Notices of the most Eminent Persons of all Countries, from
the Earliest Ages to the Present Time. Edited by W. L. R. CATES. 8vo. 21s.

MEMOIRS of Sir PHILIP FRANCIS, K.C.B. with Correspondence
and Journals. Commenced by the late JOSEPH PARKES; completed and
edited by HERMAN MERIVALE, M.A. 2 vols. 8vo. with Portrait and Fac-
similes, 30s.

LIFE of BARON BUNSEN. By Baroness BUNSEN. Drawn chiefly
from Family Papers. With Two Portraits taken at different periods of the
Baron's life, and several Lithographic Views. 2 vols. 8vo. [*Nearly ready.*]

LIFE and CORRESPONDENCE of RICHARD WHATELY, D.D. late
Archbishop of Dublin. By E. JANE WHATELY, Author of 'English
Synonymes.' With Two Portraits. 2 vols. 8vo. 28s.

**EXTRACTS of the JOURNALS and CORRESPONDENCE of MISS
BERRY,** from the Year 1783 to 1852. Edited by Lady THERESA LEWIS.
Second Edition, with 3 Portraits. 3 vols. 8vo. 42s.

LIFE of the DUKE of WELLINGTON. By the Rev. G. R. GLEIG,
M.A. Popular Edition, carefully revised; with copious Additions. Crown
8vo. with Portrait, 5s.

HISTORY of MY RELIGIOUS OPINIONS. By J. H. NEWMAN, D.D.
Being the Substance of Apologia pro Vita Sua. Post 8vo. 6s.

FATHER MATHEW: a Biography. By JOHN FRANCIS MAGUIRE,
M.P. for Cork. Popular Edition, with Portrait. Crown 8vo. 3s. 6d.

Rome; its Rulers and its Institutions. By the same Author. New
Edition nearly ready.

LETTERS of DISTINGUISHED MUSICIANS, viz. Gluck, Haydn, P. E.
Bach, Weber, and Mendelssohn. Translated from the German by Lady
WALLACE. With Three Portraits. Post 8vo. 14s.

FELIX MENDELSSOHN'S LETTERS from *Italy and Switzerland*,
and *Letters from 1833 to 1847*, translated by Lady WALLACE. New Edition,
with Portrait. 2 vols. crown 8vo. 5s. each.

MOZART'S LETTERS (1769-1791), translated from the Collection of
Dr. LUDWIG NOHL by Lady WALLACE. 2 vols. post 8vo. with Portrait and
Facsimile, 18s.

BEETHOVEN'S LETTERS (1790-1826), Translated from the Collec-
tion of Dr. NOHL by Lady WALLACE. 2 vols. post 8vo. with Portrait, 18s.

FARADAY as a DISCOVERER: a Memoir. By JOHN TYNDALL, LL.D. F.R.S. Professor of Natural Philosophy in the Royal Institution of Great Britain, and in the Royal School of Mines. Crown 8vo. [*Nearly ready.*]

MEMOIRS of SIR HENRY HAVELOCK, K.C.B. By JOHN CLARK MARSHMAN. Cabinet Edition, with Portrait. Crown 8vo. price 5s.

LIFE of PASTOR FLIEDNER, Founder of the Deaconesses' Institution at Kaiserswerth. Translated from the German by CATHERINE WINK-WORTH. Fcp. 8vo. with Portrait, 3s. 6d.

LIFE of FRANZ SCHUBERT, translated from the German of KEITZLE VON HELLBORN by ARTHUR DUKE COLERIDGE, M.A. late Fellow of King's College, Cambridge. [*Nearly ready.*]

WITH MAXIMILIAN in MEXICO. From the Note-Book of a Mexican Officer. By MAX. BARON VON ALVENSLEBEN, late Lieutenant in the Imperial Mexican Army. Post 8vo. 7s. 6d.

VICISSITUDES of FAMILIES. By Sir BERNARD BURKE, Ulster King of Arms. FIRST, SECOND, and THIRD SERIES. 3 vols. crown 8vo. 12s. 6d. each.

ESSAYS in ECCLESIASTICAL BIOGRAPHY. By the Right Hon. Sir J. STEPHEN, LL.D. Cabinet Edition (being the Fifth). Crown 8vo. 7s. 6d.

MAUNDER'S BIOGRAPHICAL TREASURY. Thirteenth Edition, reconstructed, thoroughly revised, and in great part rewritten; with about 1,000 additional Memoirs and Notices, by W. L. E. CATES. Fcp. 10s. 6d.

LETTERS and LIFE of FRANCIS BACON, including all his Occasional Works. Collected and edited, with a Commentary, by J. SPEDDING, Trin. Coll. Cantab. Vols. I. and II. 8vo. 24s.

Criticism, Philosophy, Polity, &c.

The INSTITUTES of JUSTINIAN; with English Introduction, Translation, and Notes. By T. C. SANDARS, M.A. Barrister, late Fellow of Oriel Coll. Oxon. Third Edition. 8vo. 15s.

The ETHICS of ARISTOTLE, illustrated with Essays and Notes. By Sir A. GRANT, Bart. M.A. LL.D. Second Edition, revised and completed. 2 vols. 8vo. price 28s.

ELEMENTS of LOGIC. By R. WHATELY, D.D. late Archbishop of Dublin. Ninth Edition. 8vo. 10s. 6d. crown 8vo. 4s. 6d.

Elements of Rhetoric. By the same Author. Seventh Edition. 8vo. 10s. 6d. crown 8vo. 4s. 6d.

English Synonymes. Edited by Archbishop WHATELY. 5th Edition. Fcp. 3s.

BACON'S ESSAYS with ANNOTATIONS. By R. WHATELY, D.D. late Archbishop of Dublin. Sixth Edition. 8vo. 10s. 6d.

LORD BACON'S WORKS, collected and edited by R. L. ELLIS, M.A. J. SPEDDING, M.A. and D. D. HEATH. Vols. I. to V. *Philosophical Works*, 5 vols. 8vo. £4 6s. Vols. VI. and VII. *Literary and Professional Works*, 2 vols. £1 16s.

On REPRESENTATIVE GOVERNMENT. By JOHN STUART MILL, M.P. for Westminster. Third Edition, 8vo. 9s. crown 8vo. 2s.

On LIBERTY. By JOHN STUART MILL, M.P. for Westminster. Third Edition. Post 8vo. 7s. 6d. crown 8vo. 1s. 4d.

Principles of Political Economy. By the same Author. Sixth Edition. 2 vols. 8vo. 80s. or in 1 vol. crown 8vo. 5s.

A System of Logic, Ratiocinative and Inductive. By the same Author. Sixth Edition. Two vols. 8vo. 25s.

Utilitarianism. By the same Author. Second Edition. 8vo. 5s.

Dissertations and Discussions, Political, Philosophical, and Historical. By the same Author. Second Edition, revised. 3 vols. 8vo. 36s.

Examination of Sir W. Hamilton's Philosophy, and of the Principal Philosophical Questions discussed in his Writings. By the same Author. Third Edition. 8vo. 16s.

WORKMEN and WAGES at HOME and ABROAD; or, the Effects of Strikes, Combinations, and Trade Unions. By J. WARD, Author of 'The World in its Workshops,' &c. Post 8vo. 7s. 6d.

The ELEMENTS of POLITICAL ECONOMY. By HENRY DUNNING MACLEOD, M.A. Barrister-at-Law. 8vo. 16s.

A Dictionary of Political Economy; Biographical, Bibliographical, Historical, and Practical. By the same Author. VOL. I. royal 8vo. 30s.

An OUTLINE of the NECESSARY LAWS of THOUGHT: a Treatise on Pure and Applied Logic. By the Most Rev. W. THOMSON, D.D. Archbishop of York. Crown 8vo. 5s. 6d.

ANALYSIS of Mr. MILL'S SYSTEM of LOGIC. By W. STEBBING, M.A. Fellow of Worcester College, Oxford. Second Edition. 12mo. 3s. 6d.

The ELECTION of REPRESENTATIVES, Parliamentary and Municipal; a Treatise. By THOMAS HARE, Barrister-at-Law. Third Edition, with Additions. Crown 8vo. 6s.

SPEECHES of the RIGHT HON. LORD MACAULAY, corrected by Himself. Library Edition, 8vo. 12s. People's Edition, crown 8vo. 3s. 6d.

LORD MACAULAY'S SPEECHES on PARLIAMENTARY REFORM in 1831 and 1832. 16mo. 1s.

SPEECHES on PARLIAMENTARY REFORM, delivered in the House of Commons by the Right Hon. B. DISRAELI (1848-1866). Edited by MONTAGU CORRY, B.A. Second Edition. 8vo. 12s.

INAUGURAL ADDRESS delivered to the University of St. Andrews. By JOHN STUART MILL. 8vo. 5s. People's Edition, crown 8vo. 1s.

- A DICTIONARY of the ENGLISH LANGUAGE.** By R. G. LATHAM, M.A. M.D. F.R.S. Founded on the Dictionary of Dr. S. JOHNSON, as edited by the Rev. H. J. TODD, with numerous Emendations and Additions. In Two Volumes. VOL. I. 4to. in Two Parts, price £3 10s. In course of publication, also, in 36 Parts, price 3s. 6d. each.
- THESAURUS of ENGLISH WORDS and PHRASES**, classified and arranged so as to facilitate the Expression of Ideas, and assist in Literary Composition. By P. M. ROGET, M.D. New Edition. Crown 8vo. 10s. 6d.
- LECTURES on the SCIENCE of LANGUAGE**, delivered at the Royal Institution. By MAX MÜLLER, M.A. Taylorian Professor in the University of Oxford. FIRST SERIES, Fifth Edition, 12s. SECOND SERIES, 18s.
- CHAPTERS on LANGUAGE.** By FREDERIC W. FARRAR, F.R.S. late Fellow of Trin. Coll. Cambridge. Crown 8vo. 8s. 6d.
- The DEBATER**; a Series of Complete Debates, Outlines of Debates, and Questions for Discussion. By F. ROWTON. Fcp. 6s.
- A COURSE of ENGLISH READING**, adapted to every taste and capacity; or, How and What to Read. By the Rev. J. PYCROFT, B.A. Fourth Edition. Fcp. 5s.
- MANUAL of ENGLISH LITERATURE**, Historical and Critical. By THOMAS ARNOLD, M.A. Second Edition. Crown 8vo. price 7s. 6d.
- SOUTHEY'S DOCTOR**, complete in One Volume. Edited by the Rev. J. W. WARTER, B.D. Square crown 8vo. 12s. 6d.
- HISTORICAL and CRITICAL COMMENTARY on the OLD TESTAMENT**; with a New Translation. By M. M. KALISCH, Ph.D. VOL. I. *Genesis*, 8vo. 18s. or adapted for the General Reader, 12s. VOL. II. *Exodus*, 15s. or adapted for the General Reader, 12s. VOL. III. *Leviticus*, PART I. 15s. or adapted for the General Reader, 8s.
- A Hebrew Grammar, with Exercises.** By the same Author. PART I. *Outlines with Exercises*, 8vo. 12s. 6d. KEY, 5s. PART II. *Exceptional Forms and Constructions*, 12s. 6d.
- A LATIN-ENGLISH DICTIONARY.** By J. T. WHITE, D.D. of Corpus Christi College, and J. E. RIDDLE, M.A. of St. Edmund Hall, Oxford. Imperial 8vo. pp. 2,123, price 42s. cloth.
- A New Latin-English Dictionary**, abridged from the larger work of *White and Riddle* (as above), by J. T. WHITE, D.D. Joint-Author. Medium 8vo. pp. 1,048, price 18s. cloth.
- The Junior Scholar's Latin-English Dictionary**, abridged from the larger works of *White and Riddle* (as above), by J. T. White, D.D. surviving Joint-Author. Square 12mo. pp. 662, price 7s. 6d. cloth.
- An ENGLISH-GREEK LEXICON**, containing all the Greek Words used by Writers of good authority. By C. D. YONGE, B.A. Fifth Edition. 4to. 21s.
- Mr. YONGE'S NEW LEXICON**, English and Greek, abridged from his larger work (as above). Revised Edition. Square 12mo. 8s. 6d.
- A GREEK-ENGLISH LEXICON.** Compiled by H. G. LIDDELL, D.D. Dean of Christ Church, and R. SCOTT, D.D. Master of Balliol. Fifth Edition. Crown 4to. 31s. 6d.
- A Lexicon, Greek and English**, abridged from LIDDELL and SCOTT'S *Greek-English Lexicon*. Eleventh Edition. Square 12mo. 7s. 6d.

- A SANSKRIT-ENGLISH DICTIONARY**, the Sanskrit words printed both in the original Devanagari and in Roman letters. Compiled by T. BENFLEY, Prof. in the Univ. of Göttingen. 8vo. 52s. 6d.
- A PRACTICAL DICTIONARY of the FRENCH and ENGLISH LANGUAGES.** By L. CONTANSEAU. Thirteenth Edition. Post 8vo. 10s. 6d.
- Contanseau's Pocket Dictionary**, French and English, abridged from the above by the Author. New and Cheaper Edition, 18mo. 3s. 6d.
- NEW PRACTICAL DICTIONARY of the GERMAN LANGUAGE;** German-English and English-German. By the Rev. W. L. BLACKLEY, M.A. and Dr. CARL MARTIN FRIEDLÄNDER. Cheaper Issue, post 8vo. 7s. 6d.

Miscellaneous Works and Popular Metaphysics.

- LESSONS of MIDDLE AGE**, with some Account of various Cities and Men. By A. K. H. B. Author of 'The Recreations of a Country Parson.' Post 8vo. 9s.
- RECREATIONS of a COUNTRY PARSON.** By A. K. H. B. A New and carefully revised Edition of the SECOND SERIES. Crown 8vo. 3s. 6d.
- The Common-place Philosopher in Town and Country.** By the same Author. Crown 8vo. 3s. 6d.
- Leisure Hours in Town; Essays Consolatory, Æsthetical, Moral, Social, and Domestic.** By the same Author. Crown 8vo. 3s. 6d.
- The Autumn Holidays of a Country Parson; Essays contributed to Fraser's Magazine and to Good Words.** By the same. Crown 8vo. 3s. 6d.
- The Graver Thoughts of a Country Parson. SECOND SERIES.** By the same Author. Crown 8vo. 3s. 6d.
- Critical Essays of a Country Parson.** Selected from Essays contributed to *Fraser's Magazine*. By the same Author. Crown 8vo. 3s. 6d.
- Sunday Afternoons at the Parish Church of a Scottish University City.** By the same Author. Crown 8vo. 3s. 6d.
- SHORT STUDIES on GREAT SUBJECTS.** By JAMES ANTHONY FROUDE, M.A. late Fellow of Exeter Coll. Oxford. Second Edition. 8vo. 12s.
- STUDIES in PARLIAMENT.** A Series of Sketches of Leading Politicians. By R. H. HUTTON. Crown 8vo. 4s. 6d.
- LORD MACAULAY'S MISCELLANEOUS WRITINGS.**
- LIBRARY EDITION. 2 vols. 8vo. Portrait, 21s.
- PEOPLE'S EDITION. 1 vol. crown 8vo. 4s. 6d.
- The REV. SYDNEY SMITH'S MISCELLANEOUS WORKS;** including his Contributions to the *Edinburgh Review*. 2 vols. crown 8vo. 8s.
- Elementary Sketches of Moral Philosophy**, delivered at the Royal Institution. By the Rev. SYDNEY SMITH, M.A. Fourth Edition. Fcp. 6s.

The Wit and Wisdom of the Rev. Sydney Smith: a Selection of the most memorable Passages in his Writings and Conversation. 16mo. 5s.

EPIGRAMS, Ancient and Modern; Humorous, Witty, Satirical, Moral, and Panegyrical. Edited by Rev. JOHN BOOTH, B.A. Cambridge. Second Edition, revised and enlarged. Fcp. 7s. 6d.

From MATTER to SPIRIT: the Result of Ten Years' Experience in Spirit Manifestations. By SOPHIA E. DE MORGAN. With a PREFACE by her Husband, Professor DE MORGAN. Post 8vo. 8s. 6d.

The PEDIGREE of the ENGLISH PEOPLE; an Argument, Historical and Scientific, on the *Ethnology* of the English. By THOMAS NICHOLAS, M.A. Ph.D. 8vo. 18s.

The ENGLISH and THEIR ORIGIN: a Prologue to authentic English History. By LUKE OWEN PIKE, M.A. Barrister-at-Law. 8vo. 9s.

ESSAYS selected from **CONTRIBUTIONS** to the *Edinburgh Review*. By HENRY ROGERS. Second Edition. 3 vols. fcp. 21s.

Reason and Faith, their Claims and Conflicts. By the same Author. New Edition, accompanied by several other Essays. Crown 8vo. 6s. 6d.

The Eclipse of Faith; or, a Visit to a Religious Sceptic. By the same Author. Eleventh Edition. Fcp. 5s.

Defence of the Eclipse of Faith, by its Author; a rejoinder to Dr. Newman's *Reply*. Third Edition. Fcp. 3s. 6d.

Selections from the Correspondence of R. E. H. Greyson. By the same Author. Third Edition. Crown 8vo. 7s. 6d.

OCCASIONAL ESSAYS. By CHANDOS WREN HOSKYNs, Author of 'Talpa, or the Chronicles of a Clay Farm,' &c. 16mo. 5s. 6d.

CHIPS from a GERMAN WORKSHOP; being Essays on the Science of Religion, and on Mythology, Traditions, and Customs. By MAX MÜLLER, M.A. Fellow of All Souls College, Oxford. 2 vols. 8vo. 21s.

An INTRODUCTION to MENTAL PHILOSOPHY, on the Inductive Method. By J. D. MORELL, M.A. LL.D. 8vo. 12s.

Elements of Psychology, containing the Analysis of the Intellectual Powers. By the same Author. Post 8vo. 7s. 6d.

The SECRET of HEGEL: being the Hegelian System in Origin, Principle, Form, and Matter. By J. H. STIRLING. 2 vols. 8vo. 28s.

The SENSES and the INTELLECT. By ALEXANDER BAIN, M.A. Professor of Logic in the University of Aberdeen. Second Edition. 8vo. 15s.

The EMOTIONS and the WILL. By ALEXANDER BAIN, M.A. Professor of Logic in the University of Aberdeen. Second Edition. 8vo. 15s.

On the Study of Character, including an Estimate of Phrenology. By the same Author. 8vo. 9s.

TIME and SPACE: a Metaphysical Essay. By SHADWORTH H. HODGSON. 8vo. price 16s.

CHRISTIAN SCHOOLS and SCHOLARS; or, Sketches of Education from the Christian Era to the Council of Trent. By the Author of 'The Three Chancellors,' &c. 2 vols. 8vo. 30s.

THE WAY to REST: Results from a Life-search after Religious Truth. By R. VAUGHAN, D.D. Crown 8vo. 7s. 6d.

THE PHILOSOPHY of NECESSITY; or, Natural Law as applicable to Mental, Moral, and Social Science. By CHARLES BRAY. Second Edition. 8vo. 9s.

The Education of the Feelings and Affections. By the same Author. Third Edition. 8vo. 3s. 6d.

On Force, its Mental and Moral Correlates. By the same Author. 8vo. 5s.

The FOLK-LORE of the NORTHERN COUNTIES of ENGLAND and the Borders. By WILLIAM HENDERSON. With an Appendix on Household Stories by the Rev. S. BARING-GOULD, M.A. Post 8vo. 9s. 6d.

Astronomy, Meteorology, Popular Geography, &c.

OUTLINES of ASTRONOMY. By Sir J. F. W. HERSCHEL, Bart. M.A. Ninth Edition, revised; with Plates and Woodcuts. 8vo. 18s.

SATURN and its SYSTEM. By RICHARD A. PROCTOR, B.A. late Scholar of St John's Coll. Camb. 8vo. with 14 Plates, 14s.

Handbook of the Stars. By the same Author. With 3 Maps. Square fcp. 5s.

CELESTIAL OBJECTS for COMMON TELESCOPES. By the Rev. T. W. WEBB, M.A. F.R.A.S. Revised Edition. [*Nearly ready.*]

DOVE'S LAW of STORMS, considered in connection with the Ordinary Movements of the Atmosphere. Translated by R. H. SCOTT, M.A. T.C.D. 8vo. 10s. 6d.

PHYSICAL GEOGRAPHY for SCHOOLS and GENERAL READERS. By M. F. MAURY, LL.D. Fcp. with 2 Charts, 2s. 6d.

M'CULLOCH'S DICTIONARY, Geographical, Statistical, and Historical, of the various Countries, Places, and Principal Natural Objects in the World. New Edition, with the Statistical Information brought up to the latest returns by F. MARTIN. 4 vols. 8vo. with coloured Maps, £4 4s.

A GENERAL DICTIONARY of GEOGRAPHY, Descriptive, Physical, Statistical, and Historical: forming a complete Gazetteer of the World. By A. KEITH JOHNSTON, LL.D. F.R.G.S. Revised to July 1867. 8vo. 31s. 6d.

A MANUAL of GEOGRAPHY, Physical, Industrial, and Political. By W. HUGHES, F.R.G.S. With 6 Maps. Fcp. 7s. 6d.

The STATES of the RIVER PLATE: their Industries and Commerce. By WILFRID LATHAM, Buenos Ayres. Second Edition, revised. 8vo. 12s.

HAWAII; the Past, Present, and Future of its Island-Kingdom: an Historical Account of the Sandwich Islands. By MANLEY HOPKINS, Second Edition, with Portrait, Map, &c. Post 8vo. 12s. 6d.

MAUNDER'S TREASURY of GEOGRAPHY, Physical, Historical, Descriptive, and Political. Edited by W. HUGHES, F.R.G.S. With 7 Maps and 16 Plates. Fcp. 10s. 6d.

Natural History and Popular Science.

ELEMENTARY TREATISE on PHYSICS, Experimental and Applied. Translated and edited from GANOT's *Éléments de Physique* (with the Author's sanction) by E. ATKINSON, Ph. D. F.C.S. New Edition, revised and enlarged; with a Coloured Plate and 620 Woodcuts. Post 8vo. 15s.

The ELEMENTS of PHYSICS or NATURAL PHILOSOPHY. By NEIL ARNOTT, M.D. F.R.S. Physician Extraordinary to the Queen. Sixth Edition, rewritten and completed. Two Parts, 8vo. 21s.

SOUND: a Course of Eight Lectures delivered at the Royal Institution of Great Britain. By JOHN TYNDALL, LL.D. F.R.S. Crown 8vo. with Portrait of *M. Chladni* and 169 Woodcuts, price 9s.

HEAT CONSIDERED as a MODE of MOTION. By Professor JOHN TYNDALL, LL.D. F.R.S. Third Edition. Crown 8vo. with Woodcuts, 10s. 6d.

LIGHT: Its Influence on Life and Health. By FORBES WINSLOW, M.D. D.C.L. Oxon. (Hon.). Fcp. 8vo. 6s.

An ESSAY on DEW, and several Appearancecs connected with it. By W. C. WELLS. Edited, with Annotations, by L. P. CASELLA, F.R.A.S. and an Appendix by R. STRACHAN, F.M.S. 8vo. 5s.

ROCKS CLASSIFIED and DESCRIBED. By BERNHARD VON COTTA. An English Edition, by P. H. LAWRENCE (with English, German, and French Synonymes), revised by the Author. Post 8vo. 14s.

A TREATISE on ELECTRICITY, in Theory and Practice. By A. DE LA RIVE, Prof. in the Academy of Geneva. Translated by C. V. WALKER, F.R.S. 3 vols. 8vo. with Woodcuts, 23 13s.

The CORRELATION of PHYSICAL FORCES. By W. R. GROVE, Q.C. V.P.R.S. Fifth Edition, revised, and followed by a Discourse on Continuity. 8vo. 10s. 6d. *The Discourses on Continuity*, separately, 2s. 6d.

MANUAL of GEOLOGY. By S. HAUGHTON, M.D. F.R.S. Revised Edition, with 66 Woodcuts. Fcp. 7s. 6d.

A GUIDE to GEOLOGY. By J. PHILLIPS, M.A. Professor of Geology in the University of Oxford. Fifth Edition, with Plates. Fcp. 4s.

A GLOSSARY of MINERALOGY. By H. W. BRISTOW, F.G.S. of the Geological Survey of Great Britain. With 486 Figures. Crown 8vo. 6s.

VAN DER HOEVEN'S HANDBOOK of ZOOLOGY. Translated from the Second Dutch Edition by the Rev. W. CLARK, M.D. F.R.S. 2 vols. 8vo. with 24 Plates of Figures, 60s.

Professor OWEN'S LECTURES on the COMPARATIVE ANATOMY and Physiology of the Invertebrate Animals. Second Edition, with 235 Woodcuts. 8vo. 21s.

The COMPARATIVE ANATOMY and PHYSIOLOGY of the VERTEBRATE Animals. By RICHARD OWEN, F.R.S. D.C.L. 3 vols. 8vo. with above 1,200 Woodcuts. Vols. I. and II. price 21s. each. VOL. III. just ready.

The FIRST MAN and HIS PLACE in CREATION, considered on the Principles of Common Sense from a Christian Point of View, By GEORGE MOORE, M.D. Post 8vo. 8s. 6d.

The PRIMITIVE INHABITANTS of SCANDINAVIA: an Essay on Comparative Ethnography, and a Contribution to the History of the Development of Mankind. Containing a description of the Implements, Dwellings, Tombs, and Mode of Living of the Savages in the North of Europe during the Stone Age. By SVEN NILSSON. Translated from the Third Edition; with an Introduction by Sir J. LUBBOCK. 8vo. with Plates. [*Nearly ready.*]

The LAKE DWELLINGS of SWITZERLAND and other parts of Europe. By Dr. F. KELLER. Translated and arranged by J. E. LEE, F.S.A. F.G.S. With Woodcuts and nearly 100 Plates of Figures. Royal 8vo. 31s. 6d.

BIBLE ANIMALS; being an Account of the various Birds, Beasts, Fishes, and other Animals mentioned in the Holy Scriptures. By the Rev. J. G. WOOD, M.A. F.L.S. Copiously illustrated with Original Designs, made under the Author's superintendence and engraved on Wood. In course of publication monthly, to be completed in 20 Parts, price 1s. each, forming One Volume, uniform with 'Homes without Hands.'

HOMES WITHOUT HANDS: a Description of the Habitations of Animals, classed according to their Principle of Construction. By Rev. J. G. WOOD, M.A. F.L.S. With about 140 Vignettes on Wood (20 full size of page). Second Edition. 8vo. 21s.

MANUAL of CORALS and SEA JELLIES. By J. R. GREENE, B.A. Edited by the Rev. J. A. GALBRAITH, M.A. and the Rev. S. HAUGHTON, M.D. Fcp. with 39 Woodcuts, 5s.

Manual of Sponges and Animalculæ; with a General Introduction on the Principles of Zoology. By the same Author and Editors. Fcp. with 16 Woodcuts, 2s.

Manual of the Metalloids. By J. APJOHN, M.D. F.R.S. and the same Editors. Revised Edition. Fcp. with 38 Woodcuts, 7s. 6d.

The HARMONIES of NATURE and UNITY of CREATION. By Dr. GEORGE HARTWIG. 8vo. with numerous Illustrations, 18s.

The Sea and its Living Wonders. By the same Author. Third (English) Edition. 8vo. with many Illustrations, 21s.

The Tropical World. By the same Author. With 8 Chromoxylographs and 172 Woodcuts. 8vo. 21s.

The POLAR WORLD; a Popular Account of Nature and Man in the Arctic and Antarctic Regions. By the same Author. 8vo. with numerous Illustrations. [*Nearly ready.*]

A FAMILIAR HISTORY of BIRDS By E. STANLEY, D.D. F.R.S. late Lord Bishop of Norwich. Seventh Edition, with Woodcuts. Fcp. 3s. 6d.

- CEYLON.** By Sir J. EMERSON TENNENT, K.C.S. LL.D. Fifth Edition; with Maps, &c. and 90 Wood Engravings. 2 vols. 8vo. £2 10s.
- The Wild Elephant, its Structure and Habits, with the Method of Taking and Training it in Ceylon.** By the same Author. Fcp. 8vo. with 22 Woodcuts, 3s. 6d.
- KIRBY and SPENCE'S INTRODUCTION to ENTOMOLOGY, or Elements of the Natural History of Insects.** 7th Edition. Crown 8vo. 5s.
- MAUNDER'S TREASURY of NATURAL HISTORY, or Popular Dictionary of Zoology.** Revised and corrected by T. S. COBBOLD, M.D. Fcp. with 900 Woodcuts, 10s.
- The TREASURY of BOTANY, or Popular Dictionary of the Vegetable Kingdom; including a Glossary of Botanical Terms.** Edited by J. LINDLEY, F.R.S. and T. MOORE, F.L.S. assisted by eminent Contributors. Pp. 1,274, with 274 Woodcuts and 20 Steel Plates. 2 Parts, fcp. 20s.
- The ELEMENTS of BOTANY for FAMILIES and SCHOOLS.** Tenth Edition, revised by THOMAS MOORE, F.L.S. Fcp. with 154 Woodcuts, 2s. 6d.
- The ROSE AMATEUR'S GUIDE.** By THOMAS RIVERS. Twelfth Edition. Fcp. 4s. ;
- The BRITISH FLORA; comprising the Phanogamous or Flowering Plants and the Ferns.** By Sir W. J. HOOKER, K.H. and G. A. WALKER-ARNOTT, LL.D. 12mo. with 12 Plates, 14s. or coloured, 21s.
- LOUDON'S ENCYCLOPÆDIA of PLANTS; comprising the Specific Character, Description, Culture, History, &c. of all the Plants found in Great Britain.** With upwards of 12,000 Woodcuts. 8vo. 42s.
- Loudon's Encyclopædia of Trees and Shrubs; containing the Hardy Trees and Shrubs of Great Britain scientifically and popularly described.** With 2,000 Woodcuts. 8vo. 50s.
- MAUNDER'S SCIENTIFIC and LITERARY TREASURY.** New Edition, thoroughly revised and in great part re-written, with above 1,000 new Articles, by J. Y. JOHNSON, Corr. M.Z.S. Fcp. 10s. 6d.
- A DICTIONARY of SCIENCE, LITERATURE, and ART.** Fourth Edition, re-edited by W. T. BRANDE (the Author), and GEORGE W. COX, M.A. assisted by contributors of eminent Scientific and Literary Acquirements. 3 vols. medium 8vo. price 63s. cloth.
- ESSAYS from the EDINBURGH and QUARTERLY REVIEWS.** By Sir J. F. W. HERSCHEL, Bart. M.A. 8vo. 18s.

*Chemistry, Medicine, Surgery, and the
Allied Sciences.*

- A DICTIONARY of CHEMISTRY and the Allied Branches of other Sciences; founded on that of the late Dr. Ure.** By HENRY WATTS, F.C.S. assisted by eminent Contributors. 5 vols. medium 8vo. in course of publication in Parts. VOL. I. 31s. 6d. VOL. II. 28s. VOL. III. 31s. 6d. VOL. IV. 24s. are now ready

- ELEMENTS of CHEMISTRY**, Theoretical and Practical. By WILLIAM A. MILLER, M.D. LL.D. F.R.S. F.G.S. Prof. of Chemistry, King's Coll. London. 3 vols. 8vo. £3. PART I. CHEMICAL PHYSICS, 15s. PART II. INORGANIC CHEMISTRY, 21s. PART III. ORGANIC CHEMISTRY, 24s.
- A MANUAL of CHEMISTRY**, Descriptive and Theoretical. By WILLIAM ODLING, M.B. F.R.S. PART I. 8vo. 9s. PART II. *just ready*.
- A Course of Practical Chemistry**, for the use of Medical Students. By the same Author. New Edition, with 70 Woodcuts. Crown 8vo. 7s. 6d.
- Lectures on Animal Chemistry**, delivered at the Royal College of Physicians in 1865. By the same Author. Crown 8vo. 4s. 6d.
- HANDBOOK of CHEMICAL ANALYSIS**, adapted to the UNITARY System of Notation. By F. T. CONINGTON, M.A. F.C.S. Post 8vo. 7s. 6d. —CONINGTON'S *Tables of Qualitative Analysis*, price 2s. 6d.
- The DIAGNOSIS, PATHOLOGY, and TREATMENT of DISEASES of Women**; including the Diagnosis of Pregnancy. By GRAILY HEWITT, M.D. Second Edition, enlarged; with 116 Woodcut Illustrations. 8vo. 24s.
- LECTURES on the DISEASES of INFANCY and CHILDHOOD**. By CHARLES WEST, M.D. &c. Fifth Edition, revised and enlarged. 8vo. 18s.
- EXPOSITION of the SIGNS and SYMPTOMS of PREGNANCY**: with other Papers on subjects connected with Midwifery. By W. F. MONTEOMERY, M.A. M.D. M.R.I.A. 8vo. with Illustrations, 25s.
- A SYSTEM of SURGERY**, Theoretical and Practical. In Treatises by Various Authors. Edited by T. HOLMES, M.A. Cantab. Assistant-Surgeon to St. George's Hospital. 4 vols. 8vo. £4 13s.
- Vol. I. General Pathology**. 21s.
- Vol. II. Local Injuries**: Gunshot Wounds, Injuries of the Head, Back, Face, Neck, Chest, Abdomen, Pelvis, of the Upper and Lower Extremities, and Diseases of the Eye. 21s.
- Vol. III. Operative Surgery**. Diseases of the Organs of Circulation, Locomotion, &c. 21s.
- Vol. IV. Diseases of the Organs of Digestion, of the Genito-Urinary System, and of the Breast, Thyroid Gland, and Skin**; with APPENDIX and GENERAL INDEX. 30s.
- LECTURES on the PRINCIPLES and PRACTICE of PHYSIC**. By THOMAS WATSON, M.D. New Edition in preparation.
- LECTURES on SURGICAL PATHOLOGY**. By J. PAGET, F.R.S. Edited by W. TURNER, M.B. New Edition in preparation.
- A TREATISE on the CONTINUED FEVERS of GREAT BRITAIN**. By C. MURCHISON, M.D. 8vo. with coloured Plates, 18s.
- ANATOMY, DESCRIPTIVE and SURGICAL**. By HENRY GRAY, F.R.S. With 410 Wood Engravings from Dissections. Fourth Edition, by T. HOLMES, M.A. Cantab. Royal 8vo. 28s.
- OUTLINES of PHYSIOLOGY**, Human and Comparative. By JOHN MARSHALL, F.R.C.S. Surgeon to the University College Hospital. 2 vols. crown 8vo. with 122 Woodcuts, 32s.
- The CYCLOPÆDIA of ANATOMY and PHYSIOLOGY**. Edited by the late R. B. TODD, M.D. F.R.S. 5 vols. 8vo. with 2,853 Woodcuts, £6 6s.

PHYSIOLOGICAL ANATOMY and PHYSIOLOGY of MAN. By the late R. B. TODD, M.D. F.R.S. and W. BOWMAN, F.R.S. of King's College. With numerous Illustrations. VOL. II. 8vo. 25s.

VOL. I. New Edition by Dr. LIONEL S. BEALE, F.R.S. in course of publication; PART I. with 8 Plates, 7s. 6d.

HISTOLOGICAL DEMONSTRATIONS; a Guide to the Microscopical Examination of the Animal Tissues in Health and Disease, for the use of the Medical and Veterinary Professions. By G. HARLEY, M.D. and G. T. BROWN, M.R.C.V.S. Post 8vo. with 223 Woodcuts, price 12s.

COPLAND'S DICTIONARY of PRACTICAL MEDICINE, abridged from the larger work and throughout brought down to the present State of Medical Science. 8vo. 36s.

The WORKS of SIR B. C. BRODIE, Bart. collected and arranged by CHARLES HAWKINS, F.R.C.S.E. 3 vols. 8vo. with Medallion and Facsimile, 48s.

THE TOXICOLOGIST'S GUIDE: a New Manual on Poisons, giving the Best Methods to be pursued for the Detection of Poisons (post-mortem or otherwise). By JOHN HORSLEY, F.C.S. Analytical Chemist. Post 8vo. 3s. 6d.

A MANUAL of MATERIA MEDICA and THERAPEUTICS, abridged from Dr. PERRIRA's *Elements* by F. J. FARRE, M.D. assisted by R. BENTLEY, M.R.C.S. and by R. WARINGTON, F.R.S. 8vo. with 90 Woodcuts, 21s.

THOMSON'S CONSPECTUS of the BRITISH PHARMACOPEIA, Corrected by E. LLOYD BIRKETT, M.D. 18mo. price 5s. 6d.

MANUAL of the DOMESTIC PRACTICE of MEDICINE. By W. B. KESTEVEN, F.R.C.S.E. Third Edition, revised, with Additions. Fcp. 5s.

GYMNASTS and GYMNASTICS. By JOHN H. HOWARD, late Professor of Gymnastics, Comm. Coll. Ripponden. Second Edition, revised and enlarged, with 135 Woodcuts. Crown 8vo. 10s. 6d.

The Fine Arts, and Illustrated Editions.

HALF-HOUR LECTURES on the HISTORY and PRACTICE of the Fine and Ornamental Arts. By WILLIAM B. SCOTT. New Edition, revised by the Author; with 50 Woodcuts. Crown 8vo. 8s. 6d.

An INTRODUCTION to the STUDY of NATIONAL MUSIC; comprising Researches into Popular Songs, Traditions, and Customs. By CARL ENGEL. With numerous Musical Specimens. 8vo. 16s.

LECTURES on the HISTORY of MODERN MUSIC, delivered at the Royal Institution. By JOHN HULLAH. FIRST COURSE, with Chronological Tables, post 8vo. 6s. 6d. SECOND COURSE, on the Transition Period, with 40 Specimens, 8vo. 16s.

SIX LECTURES on HARMONY, delivered at the Royal Institution of Great Britain before Easter 1867. By G. A. MACFARREN. With numerous engraved Musical Examples and Specimens. 8vo. 10s. 6d.

The CHORALE BOOK for ENGLAND: the Hymns translated by Miss C. WINKWORTH; the tunes arranged by Prof. W. S. BENNETT and OTTO GOLDSCHMIDT. Fcp. 4to. 12s. 6d.

Congregational Edition. Fcp. 2s.

SACRED MUSIC for FAMILY USE; a Selection of Pieces for One, Two, or more Voices, from the best Composers, Foreign and English. Edited by JOHN HULLAH. 1 vol. music folio, price 21s.

The NEW TESTAMENT, illustrated with Wood Engravings after the Early Masters, chiefly of the Italian School. Crown 4to. 63s. cloth, gilt top; or 25 5s. elegantly bound in morocco.

LYRA GERMANICA; the Christian Year. Translated by CATHERINE WINKWORTH; with 125 Illustrations on Wood drawn by J. LEIGHTON, F.S.A. 4to. 21s.

LYRA GERMANICA; the Christian Life. Translated by CATHERINE WINKWORTH; with about 200 Woodcut Illustrations by J. LEIGHTON, F.S.A. and other Artists. 4to. 21s.

The LIFE of MAN SYMBOLISED by the MONTHS of the YEAR. Text selected by R. PRIGOT; Illustrations on Wood from Original Designs by J. LEIGHTON, F.S.A. 4to. 42s.

CATS' and FARLIE'S MORAL EMBLEMS; with Aphorisms, Adages, and Proverbs of all Nations. 121 Illustrations on Wood by J. LEIGHTON, F.S.A. Text selected by R. PRIGOT. Imperial 8vo. 31s. 6d.

SHAKESPEARE'S SENTIMENTS and SIMILES, printed in Black and Gold, and Illuminated in the Missal Style by HENRY NOEL HUMPHREYS. Square post 8vo. 21s.

SACRED and LEGENDARY ART. By Mrs. JAMESON.

Legends of the Saints and Martyrs. Fifth Edition, with 19 Etchings and 187 Woodcuts. 2 vols. square crown 8vo. 31s. 6d.

Legends of the Monastic Orders. Third Edition, with 11 Etchings and 88 Woodcuts. 1 vol. square crown 8vo. 21s.

Legends of the Madonna. Third Edition, with 27 Etchings and 165 Woodcuts. 1 vol. square crown 8vo. 21s.

The History of Our Lord, with that of his Types and Precursors. Completed by Lady EASTLAKE. Revised Edition, with 31 Etchings and 281 Woodcuts. 2 vols. square crown 8vo. 42s.

Arts, Manufactures, &c.

DRAWING from NATURE. By GEORGE BARNARD, Professor of Drawing at Rugby School. With 18 Lithographic Plates, and 108 Wood Engravings. Imperial 8vo. price 25s. Or in Three Parts, royal 8vo. Part I. *Trees and Foliage*, 7s. 6d. Part II. *Foreground Studies*, 7s. 6d. Part III. *Tour in Switzerland and the Pyrenees*, 7s. 6d.

GWILT'S ENCYCLOPÆDIA of ARCHITECTURE, with above 1,100 Engravings on Wood. Fifth Edition, revised and enlarged by WYATT PAPWORTH. Additionally illustrated with nearly 400 Wood Engravings by O. Jewitt, and more than 100 other new Woodcuts. 8vo. 52s. 6d.

TUSCAN SCULPTORS, their Lives, Works, and Times. With 45 Etchings and 28 Woodcuts from Original Drawings and Photographs. By CHARLES C. PERKINS. 2 vols. imperial 8vo. 63s.

ORIGINAL DESIGNS for WOOD-CARVING, with PRACTICAL INSTRUCTIONS in the Art. By A. P. B. With 20 Plates of Illustrations engraved on Wood. 4to. 18s.

HINTS on HOUSEHOLD TASTE in FURNITURE and DECORATION. By CHARLES L. EASTLAKE, Architect. With numerous Illustrations engraved on Wood. [Nearly ready.]

The ENGINEER'S HANDBOOK; explaining the Principles which should guide the Young Engineer in the Construction of Machinery. By C. S. LOWNDES. Post 8vo. 5s.

The ELEMENTS of MECHANISM. By T. M. GOODEVE, M.A. Professor of Mechanics at the R. M. Acad. Woolwich. Second Edition, with 217 Woodcuts. Post 8vo. 6s. 6d.

URE'S DICTIONARY of ARTS, MANUFACTURES, and MINES. Sixth Edition, chiefly rewritten and greatly enlarged by ROBERT HUNT, F.R.S. assisted by numerous Contributors eminent in Science and the Arts, and familiar with Manufactures. With above 2,000 Woodcuts. 3 vols. medium 8vo. price £4 14s. 6d.

ENCYCLOPEDIA of CIVIL ENGINEERING, Historical, Theoretical, and Practical. By E. CRESEY, C.E. With above 3,000 Woodcuts. 8vo. 42s.

TREATISE on MILLS and MILLWORK. By W. FAIRBAIRN, C.E. Second Edition, with 18 Plates and 322 Woodcuts. 2 vols. 8vo. 32s.

Useful Information for Engineers. By the same Author. FIRST, SECOND, and THIRD SERIES, with many Plates and Woodcuts. 3 vols. crown 8vo. 10s. 6d. each.

The Application of Cast and Wrought Iron to Building Purposes. By the same Author. Third Edition, with 6 Plates and 118 Woodcuts. 8vo. 16s.

IRON SHIP BUILDING, its History and Progress, as comprised in a Series of Experimental Researches. By the same Author. With 4 Plates and 130 Woodcuts. 8vo. 18s.

A TREATISE on the STEAM ENGINE, in its various Applications to Mines, Mills, Steam Navigation, Railways and Agriculture. By J. BOUENE, C.E. New Edition; with 37 Plates and 546 Woodcuts. 4to. 42s.

Catechism of the Steam Engine, in its various Applications to Mines, Mills, Steam Navigation, Railways, and Agriculture. By the same Author. With 199 Woodcuts. Fcp. 6s.

Handbook of the Steam Engine. By the same Author, forming a KEY to the Catechism of the Steam Engine, with 67 Woodcuts. Fcp. 9s.

A TREATISE on the SCREW PROPELLER, SCREW VESSELS, and Screw Engines, as adapted for purposes of Peace and War; with Notices of other Methods of Propulsion, Tables of the Dimensions and Performance of Screw Steamers, and detailed Specifications of Ships and Engines. By J. BOUENE, C.E. 3rd Edition, with 54 Plates and 287 Woodcuts. 4to. 63s.

A HISTORY of the MACHINE-WROUGHT HOSIERY and LACE Manufactures. By WILLIAM FELKIN, F.L.S. F.S.S. Royal 8vo. 21s

- MANUAL of PRACTICAL ASSAYING**, for the use of Metallurgists, Captains of Mines, and Assayers in general. By JOHN MITCHELL, F.C.S. Second Edition, with 360 Woodcuts. 8vo. 21s.
- The ART of PERFUMERY**; the History and Theory of Odours, and the Methods of Extracting the Aromas of Plants. By Dr. PISSAR, F.C.S. Third Edition, with 53 Woodcuts. Crown 8vo. 10s. 6d.
- Chemical, Natural, and Physical Magic**, for Juveniles during the Holidays. By the same Author. Third Edition, with 38 Woodcuts. Fcp. 6s.
- LOUDON'S ENCYCLOPÆDIA of AGRICULTURE**: comprising the Laying-out, Improvement, and Management of Landed Property, and the Cultivation and Economy of the Productions of Agriculture. With 1,100 Woodcuts. 8vo. 31s. 6d.
- Loudon's Encyclopædia of Gardening**: comprising the Theory and Practice of Horticulture, Floriculture, Arboriculture, and Landscape Gardening. With 1,000 Woodcuts. 8vo. 31s. 6d.
- Loudon's Encyclopædia of Cottage, Farm, and Villa Architecture and Furniture**. With more than 2,000 Woodcuts. 8vo. 42s.
- BAYLDON'S ART of VALUING RENTS and TILLAGES**, and Claims of Tenants upon Quitting Farms, both at Michaelmas and Lady-Day. Eighth Edition, revised by J. C. MORTON. 8vo. 10s. 6d.

Religious and Moral Works.

- An EXPOSITION of the 39 ARTICLES**, Historical and Doctrinal. By E. HAROLD BROWNE, D.D. Lord Bishop of Ely. Seventh Edit. 8vo. 16s.
- The ACTS of the APOSTLES**; with a Commentary, and Practical and Devotional Suggestions for Readers and Students of the English Bible. By the Rev. F. C. COOK, M.A. Canon of Exeter, &c. New Edition. 8vo. 12s. 6d.
- The LIFE and EPISTLES of ST. PAUL**. By W. J. CONYBEARE, M.A. late Fellow of Trin. Coll. Cantab. and the Very Rev. J. S. HOWSON, D.D. Dean of Chester.
- LIBRARY EDITION**, with all the Original Illustrations, Maps, Landscapes on Steel, Woodcuts, &c. 2 vols. 4to. 48s.
- INTERMEDIATE EDITION**, with a Selection of Maps, Plates, and Woodcuts. 2 vols. square crown 8vo. 31s. 6d.
- PEOPLE'S EDITION**, revised and condensed, with 46 Illustrations and Maps. 2 vols. crown 8vo. 12s.
- The VOYAGE and SHIPWRECK of ST. PAUL**; with Dissertations on the Life and Writings of St. Luke and the Ships and Navigation of the Ancients. By JAMES SMITH, F.R.S. Third Edition. Crown 8vo. 10s. 6d.
- EVIDENCE of the TRUTH of the CHRISTIAN RELIGION** derived from the Literal Fulfilment of Prophecy. By ALEXANDER KEITH, D.D. 37th Edition, with numerous Plates, in square 8vo. 12s. 6d.; also the 39th Edition, in post 8vo. with 5 Plates, 6s.
- The HISTORY and DESTINY of the WORLD and of the CHURCH**, according to Scripture. By the same Author. Square 8vo. with 40 Illustrations, 10s.

A CRITICAL and GRAMMATICAL COMMENTARY on ST. PAUL'S Epistles. By C. J. ELLICOTT, D.D. Lord Bishop of Gloucester and Bristol. 8vo.

Galatians, Third Edition, 8s. 6d.

Ephesians, Fourth Edition, 8s. 6d.

Pastoral Epistles, Third Edition, 10s. 6d.

Philippians, Colossians, and Philemon, Third Edition, 10s. 6d.

Thessalonians, Third Edition, 7s. 6d.

Historical Lectures on the Life of our Lord Jesus Christ: being the Hulsean Lectures for 1859. By the same Author. Fourth Edition. 8vo. price 10s. 6d.

An INTRODUCTION to the STUDY of the NEW TESTAMENT, Critical, Exegetical, and Theological. By the Rev. S. DAVIDSON, D.D. LL.D. 2 vols. 8vo. [In the press.]

Rev. T. H. HORNE'S INTRODUCTION to the CRITICAL STUDY and Knowledge of the Holy Scriptures. Eleventh Edition, corrected and extended under careful Editorial revision. With 4 Maps and 22 Woodcuts and Facsimiles. 4 vols. 8vo. £3 13s. 6d.

Rev. T. H. Horne's Compendious Introduction to the Study of the Bible, being an Analysis of the larger work by the same Author. Re-edited by the Rev. JOHN AYRE, M.A. With Maps, &c. Post 8vo. 9s.

EWALD'S HISTORY of ISRAEL to the DEATH of MOSES. Translated from the German. Edited, with a Preface, by RUSSELL MARTINEAU, M.A. Prof. of Hebrew in Manchester New Coll. London. 8vo. 18s.

The TREASURY of BIBLE KNOWLEDGE; being a Dictionary of the Books, Persons, Places, Events, and other matters of which mention is made in Holy Scripture. By Rev. J. AYRE, M.A. With Maps, 16 Plates, and numerous Woodcuts. Fep. 10s. 6d.

The LIFE and REIGN of DAVID KING of ISRAEL. By GEORGE SMITH, LL.D. F.A.S. Crown 8vo. 7s. 6d.

The GREEK TESTAMENT; with Notes, Grammatical and Exegetical. By the Rev. W. WEBSTER, M.A. and the Rev. W. F. WILKINSON, M.A. 2 vols. 8vo. £2 4s.

VOL. I. the Gospels and Acts, 20s.

VOL. II. the Epistles and Apocalypse, 24s.

EVERY-DAY SCRIPTURE DIFFICULTIES explained and illustrated. By J. E. PRESCOTT, M.A. VOL. I. *Matthew and Mark*; VOL. II. *Luke and John*. 2 vols. 8vo. 9s. each.

The PENTATEUCH and BOOK of JOSHUA CRITICALLY EXAMINED. By the Right Rev. J. W. COLENSO, D.D. Lord Bishop of Natal. People's Edition, in 1 vol. crown 8vo. 6s. or in 5 Parts, 1s. each.

The CHURCH and the WORLD: Essays on Questions of the Day. By Various Writers. Edited by the Rev. ORBY SHIPLEY, M.A. FIRST SERIES, Third Edition, 8vo. 15s. SECOND SERIES, 8vo. 15s. THIRD SERIES preparing for publication.

TRACTS for the DAY ; a Series of Essays on Theological Subjects. By various Authors. Edited by the Rev. ORBY SHIPLEY, M.A. I. *Priestly Absolution Scriptural*, 9d. II. *Purgatory*, 9d. III. *The Seven Sacraments*, 1s. 6d. IV. *Miracles and Prayer*, 6d. V. *The Real Presence*, 1s. 3d. VI. *Casistry*, 1s. VII. *Unction of the Sick*, 9d. VIII. *The Rule of Worship*, 9d. IX. *Popular Rationalism*, 9d.

The FORMATION of CHRISTENDOM. PART I. By T. W. ALLIES, 8vo. 12s.

CHRISTENDOM'S DIVISIONS, PART I., a Philosophical Sketch of the Divisions of the Christian Family in East and West. By EDMUND S. FOULKES. Post 8vo. price 7s. 6d.

Christendom's Divisions, PART II. Greeks and Latins, being a History of their Dissensions and Overtures for Peace down to the Reformation. By the same Author. Post 8vo. 15s.

The HIDDEN WISDOM of CHRIST and the KEY of KNOWLEDGE ; or, History of the Apocrypha. By ERNEST DE BUNSEN. 2 vols. 8vo. 28s.

The KEYS of ST. PETER ; or, the House of Rechab, connected with the History of Symbolism and Idolatry. By the same Author. 8vo. 14s.

ESSAYS on RELIGION and LITERATURE. Edited by Archbishop MANNING, D.D. 8vo. 10s. 6d. SECOND SERIES, price 14s.

The TEMPORAL MISSION of the HOLY GHOST ; or, Reason and Revelation. By Archbishop MANNING, D.D. Second Edit. Cr. 8vo. 8s. 6d.

ENGLAND and CHRISTENDOM. By the same Author. Post 8vo. price 10s. 6d.

ESSAYS and REVIEWS. By the Rev. W. TEMPLE, D.D. the Rev. R. WILLIAMS, B.D. the Rev. B. POWELL, M.A. the Rev. H. B. WILSON, B.D. O. W. GOODWIN, M.A. the Rev. M. PATTISON, B.D. and the Rev. B. JOWETT, M.A. Twelfth Edition. Fcp. 8vo. 5s.

The CATHOLIC DOCTRINE of the ATONEMENT : an Historical Inquiry into its Development in the Church. By H. N. OXENHAM, M.A. 8vo. 8s. 6d.

PASSING THOUGHTS on RELIGION. By ELIZABETH M. SEWELL, Author of 'Amy Herbert.' New Edition. Fcp. 8vo. 5s.

Self-Examination before Confirmation. By the same Author. 32mo. price 1s. 6d.

Readings for a Month Preparatory to Confirmation, from Writers of the Early and English Church. By the same Author. Fcp. 4s.

Readings for Every Day in Lent, compiled from the Writings of Bishop JEREMY TAYLOR. By the same Author. Fcp. 5s.

Preparation for the Holy Communion ; the Devotions chiefly from the works of JEREMY TAYLOR. By the same. 32mo. 3s.

PRINCIPLES of EDUCATION Drawn from Nature and Revelation, and applied to Female Education in the Upper Classes. By the Author of 'Amy Herbert.' 2 vols. fcp. 12s. 6d.

- The WIFE'S MANUAL**; or, Prayers, Thoughts, and Songs on Several Occasions of a Matron's Life. By the Rev. W. CALVERT, M.A. Crown 8vo. price 10s. 6d.
- 'SPIRITUAL SONGS'** for the SUNDAYS and HOLIDAYS throughout the Year. By J. S. B. MONSELL, LL.D. Vicar of Egham and Rural Dean. Sixth Thousand. Fcp. 4s. 6d.
- The Beatitudes**: Abasement before God; Sorrow for Sin; Meekness of Spirit; Desire for Holiness; Gentleness; Purity of Heart; the Peacemakers; Sufferings for Christ. By the same. Third Edition. Fcp. 3s. 6d.
- His PRESENCE—not his MEMORY, 1855.** By the same Author, in Memory of his SON. Fifth Edition. 16mo. 1s.
- LYRA DOMESTICA**; Christian Songs for Domestic Edification. Translated from the *Psalter and Harp* of C. J. P. SPITTA, and from other sources, by RICHARD MASSIE. FIRST and SECOND SERIES, fcp. 4s. 6d. each.
- LYRA SACRA**; Hymns, Ancient and Modern, Odes and Fragments of Sacred Poetry. Edited by the Rev. B. W. SAVILE, M.A. Third Edition, enlarged and improved. Fcp. 5s.
- LYRA GERMANICA**, translated from the German by Miss C. WINKWORTH. FIRST SERIES, Hymns for the Sundays and Chief Festivals; SECOND SERIES, the Christian Life. Fcp. 3s. 6d. each SERIES.
- LYRA EUCHARISTICA**; Hymns and Verses on the Holy Communion, Ancient and Modern: with other Poems. Edited by the Rev. ORBY SHIRLEY, M.A. Second Edition. Fcp. 7s. 6d.
- Lyra Messianica**; Hymns and Verses on the Life of Christ, Ancient and Modern; with other Poems. By the same Editor. Second Edition, altered and enlarged. Fcp. 7s. 6d.
- Lyra Mystica**; Hymns and Verses on Sacred Subjects, Ancient and Modern. By the same Editor. Fcp. 7s. 6d.
- ENDEAVOURS after the CHRISTIAN LIFE**: Discourses. By JAMES MARTINEAU. Fourth and cheaper Edition, carefully revised; the Two Series complete in One Volume. Post 8vo. 7s. 6d.
- WHATELY'S** Introductory Lessons on the Christian Evidences. 18mo. 6d.
- INTRODUCTORY LESSONS on the HISTORY of RELIGIOUS Worship**; being a Sequel to the 'Lessons on Christian Evidences.' By RICHARD WHATELY, D.D. New Edition. 18mo. 2s. 6d.
- MOSHEIM'S ECCLESIASTICAL HISTORY.** MURDOCK and SOAMES's Translation and Notes, re-edited by the Rev. W. STUBBS, M.A. 3 vols. 8vo. 45s.
- BISHOP JEREMY TAYLOR'S ENTIRE WORKS**: With Life by BISHOP HEBBER. Revised and corrected by the Rev. C. P. EDER, 10 vols. price £5 5s.

Travels, Voyages, &c.

THE NORTH-WEST PENINSULA of ICELAND; being the Journal of a Tour in Iceland in the Summer of 1862. By C. W. SHEPHERD, M.A. F.Z.S. With a Map and Two Illustrations. Fcp. 8vo. 7s. 6d.

PICTURES in TYROL and Elsewhere. From a Family Sketch-Book. By the Authoress of 'A Voyage en Zigzag,' &c. 4to. with numerous Illustrations, 21s.

HOW WE SPENT the SUMMER; or, a Voyage en Zigzag in Switzerland and Tyrol with some Members of the ALPINE CLUB. From the Sketch-Book of one of the Party. In oblong 4to. with 300 Illustrations, 15s.

BEATEN TRACKS; or, Pen and Pencil Sketches in Italy. By the Authoress of 'A Voyage en Zigzag.' With 42 Plates, containing about 200 Sketches from Drawings made on the Spot. 8vo. 16s.

MAP of the CHAIN of MONT BLANC, from an actual Survey in 1863-1864. By A. ADAMS-BRILLY, F.R.G.S. M.A.C. Published under the Authority of the Alpine Club. In Chromolithography on extra stout drawing-paper 28in. x 17in. price 10s. or mounted on canvas in a folding case, 12s. 6d.

HISTORY of DISCOVERY in our AUSTRALASIAN COLONIES, Australia, Tasmania, and New Zealand, from the Earliest Date to the Present Day. By WILLIAM HOWITT. 2 vols. 8vo. with 3 Maps, 20s.

The CAPITAL of the TYCOON; a Narrative of a Three Years' Residence in Japan. By Sir RUTHERFORD ALCOCK, K.C.B. 2 vols. 8vo. with numerous Illustrations, 42s.

FLORENCE, the NEW CAPITAL of ITALY. By C. R. WELD. With several Woodcuts from Drawings by the Author. Post 8vo. 12s. 6d.

The DOLOMITE MOUNTAINS; Excursions through Tyrol, Carinthia, Carniola, and Friuli, 1861-1863. By J. GILBERT and G. C. CHURCHILL, F.R.G.S. With numerous Illustrations. Square crown 8vo. 21s.

A LADY'S TOUR ROUND MONTE ROSA; including Visits to the Italian Valleys. With Map and Illustrations. Post 8vo. 14s.

GUIDE to the PYRENEES, for the use of Mountaineers. By CHARLES PACKER. 2d Edition, with Map and Illustrations. Cr. 8vo. 7s. 6d.

The ALPINE GUIDE. By JOHN BALL, M.R.I.A. late President of the Alpine Club. Post 8vo. with Maps and other Illustrations.

Guide to the Eastern Alps, *nearly ready.*

Guide to the Western Alps, including Mont Blanc, Monte Rosa, Zermatt, &c. 7s. 6d.

Guide to the Oberland and all Switzerland, excepting the Neighbourhood of Monte Rosa and the Great St. Bernard; with Lombardy and the adjoining portion of Tyrol. 7s. 6d.

NARRATIVES of SHIPWRECKS of the ROYAL NAVY between 1793 and 1867, compiled from Official Documents in the Admiralty by W. O. S. GILLY; with a Preface by W. S. GILLY, D.D. Third Edition. Fcp. 6s.

- The **ARCH of TITUS** and the **SPOILS of the TEMPLE**; an Historical and Critical Lecture, with Authentic Illustrations. By **WILLIAM KNIGHT, M.A.** With 10 Woodcuts from Ancient Remains. 4to. 10s.
- A **WEEK at the LAND'S END.** By **J. T. BLIGHT**; assisted by **E. H. RODD, R. Q. COUCH, and J. RALFS.** With Map and 96 Woodcuts. Fcp. price 6s. 6d.
- CURIOSITIES of LONDON**; exhibiting the most Rare and Remarkable Objects of Interest in the Metropolis; with nearly Sixty Years' Personal Recollections. By **JOHN TIMBS, F.S.A.** New Edition, corrected and enlarged. 8vo. with Portrait, 21s.
- VISITS to REMARKABLE PLACES**: Old Halls, Battle-Fields, and Scenes Illustrative of Striking Passages in English History and Poetry. By **WILLIAM HOWITT.** 2 vols. square crown 8vo. with Woodcuts, 25s.
- The **RURAL LIFE of ENGLAND.** By the same Author. With Woodcuts by Bewick and Williams. Medium 8vo. 12s. 6d.
- The **ENGLISHMAN in INDIA.** By **CHARLES RAIKES, Esq. C.S.I.** formerly Commissioner of Lahore. Post 8vo. 7s. 6d.
- The **IRISH in AMERICA.** By **JOHN FRANCIS MAGUIRE, M.P.** for Cork. Post 8vo. 12s. 6d.

Works of Fiction.

- The **WARDEN**: a Novel. By **ANTHONY TROLLOPE.** Crown 8vo. 2s. 6d.
- Barchester Towers**: a Sequel to 'The Warden.' By the same Author. Crown 8vo. 3s. 6d.
- SPRINGDALE ABBEY**: Extracts from the Letters of an **ENGLISH PREACHER.** 8vo. 12s.
- TALES and STORIES** by **ELIZABETH M. SEWELL, Author of 'Amy Herbert,'** uniform Edition, each Story or Tale complete in a single Volume.
- | | |
|------------------------------------|----------------------------------|
| AMY HERBERT, 2s. 6d. | IVORS, 3s. 6d. |
| GERTRUDE, 2s. 6d. | KATHARINE ASHTON, 3s. 6d. |
| EARL'S DAUGHTER, 2s. 6d. | MARGARET PERCIVAL, 5s. |
| EXPERIENCE OF LIFE, 2s. 6d. | LANTON PARSONAGE, 4s. 6d. |
| CLEVE HALL, 8s. 6d. | URSULA, 4s. 6d. |
- A Glimpse of the World. By the Author of 'Amy Herbert.' Fcp. 7s. 6d.
- The Journal of a Home Life. By the same Author. Post 8vo. 9s. 6d.
- After Life; a Sequel to 'The Journal of a Home Life.' By the same Author. Post 8vo. [Nearly ready.]
- BECKER'S GALLUS**; or, Roman Scenes of the Time of Augustus: with Notes and Excursuses. New Edition. Post 8vo. 7s. 6d.
- BECKER'S CHARICLES**; a Tale illustrative of Private Life among the Ancient Greeks: with Notes and Excursuses. New Edition. Post 8vo. 7s. 6d.

NOVELS and TALES by G. J. WHYTE MELVILLE:—

The Gladiators: A Tale of Rome and Judæa. Crown 8vo. 5s.

Digby Grand, an Autobiography. Crown 8vo. 5s.

Kate Coventry, an Autobiography. Crown 8vo. 5s.

General Bounce, or the Lady and the Locusts. Crown 8vo. 5s.

Holmby House, a Tale of Old Northamptonshire. Crown 8vo. 5s.

Good for Nothing, or All Down Hill. Crown 8vo. 6s.

The Queen's Maries, a Romance of Holyrood. Crown 8vo. 6s.

The Interpreter, a Tale of the War. Crown 8vo. 5s.

THE SIX SISTERS of the VALLEYS: an Historical Romance. By W. BRAMLEY-MOORE, M.A. Fourth Edition, with 14 Illustrations. Crown 8vo. 5s.

TALES from GREEK MYTHOLOGY. By GEORGE W. COX, M.A. late Scholar of Trin. Coll. Oxon. Second Edition. Square 16mo. 3s. 6d.

Tales of the Gods and Heroes. By the same Author. Second Edition. Fcp. 5s.

Tales of Thebes and Argos. By the same Author. Fcp. 4s. 6d.

A MANUAL of MYTHOLOGY, in the form of Question and Answer. By the same Author. Fcp. 3s.

Poetry and The Drama.

MOORE'S POETICAL WORKS, Cheapest Editions complete in 1 vol. including the Autobiographical Prefaces and Author's last Notes. Crown 8vo. ruby type, with Portrait, 6s.: People's Edition, larger type, 12s. 6d.

Moore's Poetical Works, as above, Library Edition, medium 8vo. with Portrait and Vignette, 14s. or in 10 vols. fcp. 3s. 6d. each.

MOORE'S IRISH MELODIES, MacLise's Edition, with 161 Steel Plates from Original Drawings. Super-royal 8vo. 31s. 6d.

Miniature Edition of Moore's Irish Melodies with MacLise's Designs (as above) reduced in Lithography. Imp. 16mo. 10s. 6d.

MOORE'S LALLA ROOKH. Tenniel's Edition, with 68 Wood Engravings from original Drawings and other Illustrations. Fcp. 4to. 21s.

SOUTHEY'S POETICAL WORKS, with the Author's last Corrections and copyright Additions. Library Edition, in 1 vol. medium 8vo. with Portrait and Vignette, 14s. or in 10 vols. fcp. 3s. 6d. each.

LAYS of ANCIENT ROME; with *Ivry* and the *Armada*. By the Right Hon. LORD MACAULAY. 16mo. 4s. 6d.

Lord Macaulay's Lays of Ancient Rome. With 90 Illustrations on Wood, from the Antique, from Drawings by G. SCHARF. Fcp. 4to. 21s.

Miniature Edition of Lord Macaulay's Lays of Ancient Rome, with the Illustrations (as above) reduced in Lithography. Imp. 16mo. 10s. 6d.

- MEMORIES of some CONTEMPORARY POETS**; with Selections from their Writings. By EMILY TAYLOR. Royal 18mo. 5s.
- POEMS**. By JEAN INGELOW. Thirteenth Edition. Fcp. 8vo. 5s.
- POEMS** by Jean Ingelow. A New Edition, with nearly 100 Illustrations by Eminent Artists, engraved on Wood by the Brothers DALZIEL. Fcp. 4to. 21s.
- A STORY of DOOM**, and other Poems. By JEAN INGELOW. Fcp. 5s.
- POETICAL WORKS of LETITIA ELIZABETH LANDON (L.E.L.)**
2 vols. 16mo. 10s.
- BOWDLER'S FAMILY SHAKSPEARE**, cheaper Genuine Edition, complete in 1 vol. large type, with 36 Woodcut Illustrations, price 14s. or with the same ILLUSTRATIONS, in 6 pocket vols. 3s. 6d. each.
- SHAKSPEARE'S SONNETS NEVER BEFORE INTERPRETED**; his Private Friends identified; together with a recovered Likeness of Himself. By GERALD MASSEY. 8vo. 18s.
- HORATI OPERA**. Library Edition, with Marginal References and English Notes. Edited by the Rev. J. E. YONGE. 8vo. 21s.
- The **ÆNEID of VIRGIL** Translated into English Verse. By JOHN CONINGTON, M.A. Crown 8vo. 9s.
- ARUNDINES CAMI**, sive Musarum Cantabrigiensium Lusus canori. Collegit atque edidit H. DRURY, M.A. Editio Sexta, curavit H. J. HODGSON, M.A. Crown 8vo. 7s. 6d.
- EIGHT COMEDIES of ARISTOPHANES**, viz. the Acharnians, Knights, Clouds, Wasps, Peace, Birds, Frogs, and Plutus. Translated into Rhymed Metres by LEONARD HAMPSON RUDD, M.A. 8vo. 15s.
- PLAYTIME with the POETS**: a Selection of the best English Poetry for the use of Children. By a LADY. Revised Edition. Crown 8vo. 5s.
- The **HOLY CHILD**: a Poem in Four Cantos; also an Ode to Silence, and other Poems. By STEPHEN JENNER, M.A. Fcp. 8vo. 5s.
- POETICAL WORKS of JOHN EDMUND READE**; with final Revision and Additions. 3 vols. fcp. 18s. or each vol. separately, 6s.
- The **ILIAD of HOMER TRANSLATED into BLANK VERSE**. By ICHABOD CHARLES WRIGHT, M.A. 2 vols. crown 8vo. 21s.
- The **ILIAD of HOMER in ENGLISH HEXAMETER VERSE**. By J. HENRY DART, M.A. of Exeter Coll. Oxford. Square crown 8vo. 21s.
- DANTE'S DIVINE COMEDY**, translated in English Terza Rima by JOHN DAYMAN, M.A. [With the Italian Text, after Brunetti, interpaged.] 8vo. 21s.

Rural Sports, &c.

- BLAINE'S ENCYCLOPÆDIA of RURAL SPORTS**; Hunting, Shooting, Fishing, Racing, &c. With above 600 Woodcuts (30 from Designs by JOHN LEECH). 8vo. 42s.

- Col. HAWKER'S INSTRUCTIONS to YOUNG SPORTSMEN** in all that relates to Guns and Shooting. Revised by the Author's SON. Square crown 8vo. with Illustrations, 18s.
- The RIFLE, its THEORY and PRACTICE.** By ARTHUR WALKER (79th Highlanders), Staff. Hythe and Fleetwood Schools of Musketry. Second Edition. Crown 8vo. with 125 Woodcuts, 5s.
- The DEAD SHOT, or Sportsman's Complete Guide; a Treatise on the Use of the Gun, Dog-breaking, Pigeon-shooting, &c.** By MARKSMAN. Revised Edition. Fcp. 8vo. with Plates, 5s.
- The FLY-FISHER'S ENTOMOLOGY.** By ALFRED RONALDS. With coloured Representations of the Natural and Artificial Insect. Sixth Edition; with 20 coloured Plates. 8vo. 14s.
- A BOOK on ANGLING; a complete Treatise on the Art of Angling in every branch.** By FRANCIS FRANCIS. Second Edition, with Portrait and 15 other Plates, plain and coloured. Post 8vo. 15s.
- HANDBOOK of ANGLING:** Teaching Fly-fishing, Trolling, Bottom-fishing, Salmon-fishing; with the Natural History of River Fish, and the best modes of Catching them. By EPHEMERA. Fcp. Woodcuts, 5s.
- The BILLIARD BOOK.** By Captain CRAWLEY. With about 100 Diagrams on Steel and Wood. 8vo. 21s.
- The CRICKET FIELD; or, the History and the Science of the Game of Cricket.** By JAMES PYCROFT, B.A. Fourth Edition. Fcp. 5s.
- The HORSE-TRAINER'S and SPORTSMAN'S GUIDE:** with Considerations on the Duties of Grooms, on Purchasing Blood Stock, and on Veterinary Examination. By DIGBY COLLINS. Post 8vo. 6s.
- The HORSE'S FOOT, and HOW to KEEP IT SOUND.** By W. MILES, Esq. Ninth Edition, with Illustrations. Imperial 8vo. 12s. 6d.
- A Plain Treatise on Horse-Shoeing.** By the same Author. Post 8vo. with Illustrations, 2s. 6d.
- Stables and Stable-Fittings.** By the same. Imp. 8vo. with 13 Plates, 15s.
- Remarks on Horses' Teeth, addressed to Purchasers.** By the same. Post 8vo. 1s. 8d.
- On DRILL and MANŒUVRES of CAVALRY, combined with Horse Artillery.** By Major-Gen. MICHAEL W. SMITH, C.B. 8vo. 12s. 6d.
- BLAINE'S VETERINARY ART; a Treatise on the Anatomy, Physiology, and Curative Treatment of the Diseases of the Horse, Neat Cattle and Sheep.** Seventh Edition, revised and enlarged by C. STEEL, M.B.C.V.S.L. 8vo. with Plates and Woodcuts, 18s.
- The HORSE:** with a Treatise on Draught. By WILLIAM YOUATT. New Edition, revised and enlarged. 8vo. with numerous Woodcuts, 12s. 6d.
- The Dog.** By the same Author. 8vo. with numerous Woodcuts, 6s.
- The DOG in HEALTH and DISEASE.** By STONEHENGE. With 70 Wood Engravings. Square crown 8vo. 10s. 6d.

The GREYHOUND. By **STONEHENGE.** Revised Edition, with 24 Portraits of Greyhounds. Square crown 8vo. 21s.

The OX ; his Diseases and their Treatment : with an Essay on Parturition in the Cow. By **J. R. DOBSON.** Crown 8vo. with Illustrations. 7s. 6d.

Commerce, Navigation, and Mercantile Affairs.

BANKING, CURRENCY, and the EXCHANGES ; a Practical Treatise. By **ARTHUR CRUMP.** Post 8vo. 6s.

The ELEMENTS of BANKING. By **HENRY DUNNING MACLEOD, M.A.** Barrister-at-Law. Post 8vo. [Nearly ready.]

The THEORY and PRACTICE of BANKING. By the same Author. Second Edition, entirely remodelled. 2 vols. 8vo. 30s.

ELEMENTS of MARITIME INTERNATIONAL LAW. By **WILLIAM DE BURGH, B.A.** of the Inner Temple, Barrister-at-Law. 8vo. 10s. 6d.

PAPERS on MARITIME LEGISLATION ; with a Translation of the German Mercantile Law relating to Maritime Commerce. By **ERNST EMIL WENDT.** 8vo. 10s. 6d.

PRACTICAL GUIDE for BRITISH SHIPMASTERS to UNITED States Ports. By **PIERREPONT EDWARDS.** Post 8vo. 8s. 6d.

A NAUTICAL DICTIONARY, defining the Technical Language relative to the Building and Equipment of Sailing Vessels and Steamers, &c. By **ARTHUR YOUNG.** Second Edition ; with Plates and 150 Woodcuts. 8vo. 18s.

A DICTIONARY, Practical, Theoretical, and Historical, of Commerce and Commercial Navigation. By **J. R. M'CULLOCH, Esq.** New and thoroughly revised Edition, in the press.

A MANUAL for NAVAL CADETS. By **J. M'NEIL BOYD,** late Captain R.N. Third Edition ; with 240 Woodcuts and 11 coloured Plates. Post 8vo. 12s. 6d.

The LAW of NATIONS Considered as Independent Political Communities. By **TRAVERS TWISS, D.C.L.** Regius Professor of Civil Law in the University of Oxford. 2 vols. 8vo. 30s. or separately, **PART I. Peace, 12s. PART II. War, 18s.**

Works of Utility and General Information.

MODERN COOKERY for PRIVATE FAMILIES, reduced to a System of Easy Practice in a Series of carefully-tested Receipts. By **ELIZA ACTON.** Newly revised and enlarged Edition ; with 8 Plates of Figures and 150 Woodcuts. Fcp. 6s.

On FOOD and its DIGESTION ; an Introduction to Dietetics. By **W. BRINTON, M.D.** With 48 Woodcuts. Post 8vo. 12s.

WINE, the VINE, and the CELLAR. By THOMAS G. SHAW. Second Edition, revised and enlarged, with 32 Illustrations. 8vo. 16s.

HOW TO BREW GOOD BEER: a complete Guide to the Art of Brewing Ale, Bitter Ale, Table Ale, Brown Stout, Porter, and Table Beer. By JOHN PITT. Revised Edition. Fcp. 4s. 6d.

A PRACTICAL TREATISE on BREWING ; with Formulæ for Public Brewers, and Instructions for Private Families. By W. BLACK. 8vo. 10s. 6d.

SHORT WHIST. By MAJOR A. Sixteenth Edition, revised, with an Essay on the Theory of the Modern Scientific Game by PROF. P. Fcp. 3s. 6d.

WHIST, WHAT TO LEAD. By CAM. Fourth Edition. 32mo. 1s.

A HANDBOOK for READERS at the BRITISH MUSEUM. By THOMAS NICHOLS. Post 8vo. 6s.

The EXECUTOR'S GUIDE. By J. C. HUDSON. Enlarged Edition, revised by the Author, with reference to the latest reported Cases and Acts of Parliament. Fcp. 6s.

The CABINET LAWYER ; a Popular Digest of the Laws of England, Civil, Criminal, and Constitutional. Twenty-third Edition, brought down to the close of the Parliamentary Session of 1867. Fcp. 10s. 6d.

The PHILOSOPHY of HEALTH ; or, an Exposition of the Physiological and Sanitary Conditions conducive to Human Longevity and Happiness. By SOUTHWOOD SMITH, M.D. Eleventh Edition, revised and enlarged ; with 118 Woodcuts. 8vo. 7s. 6d.

HINTS to MOTHERS on the MANAGEMENT of their HEALTH during the Period of Pregnancy and in the Lying-in Room. By T. BULL, M.D. Fcp. 5s.

The Maternal Management of Children in Health and Disease. By the same Author. Fcp. 5s.

The LAW RELATING to BENEFIT BUILDING SOCIETIES ; with Practical Observations on the Act and all the Cases decided thereon ; also a Form of Rules and Forms of Mortgages. By W. TIDD PRATT, Barrister. Second Edition. Fcp. 3s. 6d.

NOTES on HOSPITALS. By FLORENCE NIGHTINGALE. Third Edition, enlarged ; with 13 Plans. Post 4to. 18s.

COULTHART'S DECIMAL INTEREST TABLES at 24 Different Rates not exceeding 5 per Cent. Calculated for the use of Bankers. To which are added Commission Tables at One-Eighth and One-Fourth per Cent. 8vo. 15s.

MAUNDER'S TREASURY of KNOWLEDGE and LIBRARY of Reference ; comprising an English Dictionary and Grammar, Universal Gazetteer, Classical Dictionary, Chronology, Law Dictionary, a Synopsis of the Peerage, useful Tables, &c. Revised Edition. Fcp. 10s. 6d.

INDEX.

ACCOCK'S Modern Cookery	27	BUNSEN'S (Baron) God in History	3
ALCOCK'S Residence in Japan	22	Memoirs	4
ALLIES on Formation of Christendom	20	BUNSEN (E. DE) on Apocrypha	20
ALPINE Guide (The)	22	Keys of St. Peter	20
ARVENBERGEN'S Maximilian in Mexico	5	BOAKE'S Vicissitudes of Families	5
ARNOLD'S Manual of the Metalloids	12	BURTON'S Christian Church	3
ARNOLD'S Manual of English Literature	7		
ARNOTT'S Elements of Physics	11		
ARUNDINES Cami	25		
AUTUMN holidays of a Country Parson ..	8	Cabinet Lawyer	28
AYRES'S Treasury of Bible Knowledge	19	CALVERT'S Wife's Manual	21
		CATES'S Biographical Dictionary	4
BACON'S Essays, by WHEATLEY	5	CATS' and FARLIS'S Moral Emblems	16
Life and Letters, by SPREDDING	5	CHORATE Book for England	16
Works	6	Christian Schools and Scholars	10
BAIN ON the Emotions and Will	9	CLOUGH'S Lives from Plutarch	2
on the Senses and Intellect	9	COLERIDGE (Bishop) on Pentateuch and Book	
on the Study of Character	9	of Joshua	19
BALL'S Alpine Guide	52	COLLINS'S Horse-Trainer's Guide	26
BARNARD'S Drawing from Nature	16	Commonplace Philosopher in Town and	
BAYLON'S Rents and Tillages	18	Country	8
BEAUFORT'S Tracks	23	CONINGTON'S Chemical Analysis	14
BECKER'S Charicles and Gallus	4	Translation of VIRGIL'S <i>Æneid</i>	25
BERTHOVEN'S Letters	4	CONTANNEAU'S Pocket French and English	
BENNETT'S Sanskrit Dictionary	8	Dictionary	8
BERRY'S Journals and Correspondence ..	4	Practical ditto	8
BILLIARD Book (The)	26	CONVERSE and HOWSON'S Life and Epistles	
BLACK'S Treatise on Brewing	28	of St. Paul	18
BLACKLEY and FRIEDLANDER'S German and		COOK on the Acts	18
English Dictionary	8	COPLAND'S Dictionary of Practical Medicine ..	15
BLAINE'S Rural Sports	25	COULTHART'S Decimal Interest Tables	28
Veterinary Art	25	COX'S Manual of Mythology	24
BLOUNT'S Week at the Land's End	23	Tales of the Great Persian War	2
BOOTH'S Epigrams	9	Tales from Greek Mythology	24
BOURNE on Screw Propeller	17	Tales of the Gods and Heroes	24
BOURNE'S Catechism of the Steam Engine ..	17	Tales of Thebes and Argos	24
Handbook of Steam Engine	17	CREST'S Encyclopædia of Civil Engineering ..	17
Treatise on the Steam Engine	17	Critical Essays of a Country Parson	8
BOWDLER'S Family SHAKESPEARE	25	CROWE'S History of France	2
BOYD'S Manual for Naval Cadets	27	CRUMP on Banking, Currency, & Exchanges ..	27
BRAMLEY-MOORE'S Six Sisters of the Valleys			
BRAND'S Dictionary of Science, Literature,		DART'S Iliad of Homer	25
and Art	18	D'AUBIGNON'S History of the Reformation in	
BRAY'S (C.) Education of the Feelings	10	the time of CALVIN	2
Philosophy of Necessity	10	DAVIDSON'S Introduction to New Testament ..	19
on Force	10	DAYMAN'S Dante's Divina Commedia	25
BRIGHTON on Food and Digestion	27	Dead Shot (The), by MARSHMAN	26
BRIGHTON'S Glossary of Mineralogy	11	DE BURGH'S Maritime International Law	27
BRODIE'S (Sir C. B.) Works	15	DE LA RIVE'S Treatise on Electricity	11
Constitutional History	2	DE MORGAN on Matter and Spirit	9
BROWN'S Exposition 39 Articles	18	DE TOUCHEVILLE'S Democracy in America ..	2
BECK'S History of Civilization	2	DEWEARLY'S Speeches on Parliamentary Re-	
BOLL'S Hints to Mothers	28	form	6
Maternal Management of Children	28	DOSSETT on the OX	27
BUNSEN'S (Baron) Ancient Egypt	3	DOVE on Storms	10
		DYER'S City of Rome	"

EASTLARK's Hints on Household Taste	17	MORLEY's Manual of Poisons	15
EDWARDS' Shipmaster's Guide	27	MORLEY's Occasional Essays	9
Elements of Botany	13	HOW we Spent the Summer	22
ELLICOTT's Commentary on Ephesians	19	HOWARD's Gymnastic Exercises	15
Lectures on Life of Christ	19	HOWITT's Australian Discovery	22
Commentary on Galatians	19	Rural Life of England	23
Pastoral Epist.	19	Visits to Remarkable Places	23
Philippians, &c.	19	HUDSON's Executor's Guide	28
Thessalonians	19	HUGHES' (W.) Manual of Geography	10
ENGEL's Introduction to National Music	15	HULLAR's Collection of Sacred Music	16
Essays and Reviews	20	Lectures on Modern Music	15
on Religion and Literature, edited		Transition Musical Lectures	15
by MANNING, First and Second Series	20	HUMPHREY's Sentiments of Shakespeare	16
Ewald's History of Israel	19	HUTTON's Studies in Parliament	8
FAIRBAIRN on Iron Shipbuilding	17	Inglow's Poems	25
FAIRBAIRN's Application of Cast and		Story of Doom	25
Wrought Iron to Building	17		
Information for Engineers	17	JAMIESON's Legends of the Saints and Mar-	
Treatise on Mills & Millwork	17	tyrs	16
FARRAR's Chapters on Language	7	Legends of the Madonnas	16
FELKIN on Hosiery and Lace Manufactures		Legends of the Monastic Orders	16
FPOOLKES's Christendom's Divisions	5	JAMIESON and EASTLARK's History of Our	
FRIEDNER's (Pastor) Life	5	Lord	16
FRANCIS's Fishing Book	26	JAWHAR's Holy Child	25
(Sir P.) Memoir and Journal	4	JOHNSON's Gazetteer, or Geographical Dic-	
Friends in Council	9	tionary	10
FROUDE's History of England	1		
Short Studies on Great Subjects	8	KALISCH's Commentary on the Bible	7
GANOT's Elementary Physics	11	Hebrew Grammar	7
GILBERT and CHEESCHILL's Dolomite Moun-		KNIGHT on Fulfilment of Prophecy	18
tains	23	Destiny of the World	18
GILL's Papal Drama	2	KRIEGER's Lake Dwellings of Switzerland	12
GILL's Shipwrecks of the Navy	23	KRIEGER's Domestic Medicine	16
GOODEY's Elements of Mechanism	17	KIRBY and SPENCER's Entomology	12
GOULE's Questions on BROWN's Exposition		KNIGHT's Arch of Titus	23
of the 36 Articles	18		
GRANT's Ethics of Aristotle	5	Lady's Tour Round Monte Rosa	22
Graver Thoughts of a Country Parson, the		LANDON's (L. E. L.) Poetical Works	25
Second Series	8	LATHAM's English Dictionary	7
GRAY's Anatomy	14	River Plate	10
GREENE's Corals and Sea Jellies	12	LAWRENCE on Rocks	11
Sponges and Animalcules	12	LEACH's History of Rationalism	3
GROVE on Correlation of Physical Forces	11	Leisure Hours in Town	8
GWILT's Encyclopedia of Architecture	16	Lessons of Middle Age	8
		Lewis's History of Philosophy	3
Handbook of Angling, by EFFEMERA	26	Letters of Distinguished Musicians	4
HARR on Election of Representatives	6	LIDDELL and SCOTT's Greek-English Lexicon	
HARLEY and BROWN's Histological Demon-		Abridged ditto	7
strations	15	Life of Man Symbolised	16
HARTWIG's Harmonies of Nature	12	LINDLEY and MOORE's Treasury of Botany	
Polar World	12	LONGMAN's Lectures on the History of Eng-	
Sea and its Living Wonders	12	land	2
Tropical World	12	LOUDON's Agriculture	18
HAUGHTON's Manual of Geology	11	Cottage, Farm, Villa Architecture	18
HAWKER's Instructions to Young Sportsmen		Gardening	18
HEARN's Plutology	1	Plants	12
on English Government	1	Trees and Shrubs	12
HELPS's Spanish Conquest in America	3	LOWNDER's Engineer's Handbook	17
HENDERSON's Folk-Lore of the Northern		Lyra Domestica	21
Counties	10	Eucharistica	21
HERSCHEL's Essays from the Edinburgh		Germanica	16
and Quarterly Reviews	13	Mecanica	21
Outlines of Astronomy	10	Mystica	21
HEWITT on Diseases of Women	14	Sacra	21
HODGSON's Time and Space	9		
HOLMES's System of Surgery	14	MACAULAY's (Lord) Essays	3
HOOKER and WALKER-ARNOTT's British		History of England	1
Flora	13	Lays of Ancient Rome	24
HOOKER's Hawaii	11	Miscellaneous Writings	6
HORN's Introduction to the Scriptures	19	Speeches	6
Compendium of ditto	19		

MACHUATZ's (Lord) Works	1	NICHOLAS's Pedigree of the English People	9
MACHUATZ's Lectures on Harmony	15	NICHOLAS's Handbook to the British Museum	28
MACHUATZ's Elements of Political Economy	6	NIGHTINGALE's Notes on Hospitals	28
Dictionary of Political Economy	6	NILSSON's Scandinavia	12
Elements of Banking	27		
Theory and Practice of Banking	27	ODLING's Animal Chemistry	14
McCULLOUGH's Dictionary of Commerce	10	Course of Practical Chemistry	14
MACQUIE's Irish in America	23	Manual of Chemistry	14
Life of Father Mathew	4	Original Designs for Wood Carving	17
Rome and its Rulers	4	OWEN's Lectures on the Invertebrate Animals	12
MALLESBON's French in India	3	Comparative Anatomy and Physiology of Vertebrate Animals	12
MANNING on Holy Ghost	20	OXENHAM on Atonement	20
England and Christendom	20		
MARSHALL's Physiology	14		
MARSHMAN's Life of Havelock	5	PACKER's Guide to the Pyrenees	22
History of India	3	PAGET's Lectures on Surgical Pathology	14
MARTINHAU's Endeavours after the Christian Life	21	PARRINA's Manual of Materia Medica	22
MARNEY's History of England	2	PARRINA's Tuscan Sculptors	15
(G.) on Shakespeare's Sonnets	25	PHILLIPS's Guide to Geology	17
MARSHBURN's History of the Reformation	4	Pictures in Tyrol	22
MAUNDER's Biographical Treasury	5	PIERCE's Art of Perfumery	18
Geographical Treasury	11	Chemical, Natural, and Physical Magic	18
Historical Treasury	3	PIKE's English and their Origin	9
Scientific and Literary Treasury	13	PITT on Brewing	28
Treasury of Knowledge	26	Playtime with the Poets	25
MARTIN's Physical Geography	10	PRATT's Law of Building Societies	26
MAT's Constitutional History of England	2	PRASCOFF's Scripture Difficulties	10
MELVILLE's Digby Grand	24	Handbook of the Stars	18
General Bounce	24	PRASCOFF's Course of English Reading	7
Gladiators	24	Cricket Field	26
Good for Nothing	24		
Holmby House	24	RAJESHI's Englishman in India	23
Interpreter	24	RAJESHI's Poetical Works	23
Kate Coventry	24	Recreations of a Country Parson	9
Queen's Maries	4	REILLY's Map of Mont Blanc	23
MENDENHALL's Letters	2	RIVERS's Rose Amateur's Guide	13
MERVALL's (H.) Historical Studies	2	ROGERS's Correspondence of Greyson	9
(O.) Fall of the Roman Republic	3	Eclipse of Faith	9
Romans under the Empire	3	Defence of ditto	9
MILNE on Horse's Foot and Horseshoeing	26	Essays from the Edinburgh Review	9
on Horses' Teeth and Stables	26	Reason and Faith	9
MILL on Liberty	6	ROBERT's Thesaurus of English Words and Phrases	7
on Representative Government	6	ROWLAND's Fly-Fisher's Entomology	26
on Utilitarianism	6	ROWTON's Debater	7
MILL's Dissertations and Discussions	6	RUDD's Aristophanes	25
Political Economy	6	RUSSELL on Government and Constitution	1
System of Logic	6		
Hamilton's Philosophy	6	SARDANA's Justinian's Institutes	5
St. Andrews' Inaugural Address	6	SCHUBERT's Life, translated by COLERIDGE	5
MILLER's Elements of Chemistry	14	SCOTT's Lectures on the Fine Arts	15
MITCHELL's Manual of Assaying	18	SEEBORN's Oxford Reformers of 1498	7
MONTELL's Beatitudes	21	SEWELL's After Life	22
His Presence—not his Memory	21	Amy Herbert	22
Spiritual Songs	21	Cleve Hall	22
MONTGOMERY on Pregnancy	14	Earl's Daughter	22
MOORE's Irish Melodies	24	Examination for Confirmation	20
Lalla Rookh	24	Experience of Life	20
Poetical Works	24	Gertrude	23
(Dr. G.) First Man	12	Glimpses of the World	23
MOORELL's Elements of Psychology	9	History of the Early Church	3
Mental Philosophy	9	Ivory	23
MOOREM's Ecclesiastical History	21	Journal of a Home Life	23
MORANT's Letters	4	Katharine Ashton	23
MÜLLER's (Max) Chips from a German Workshop	9	Laneton Parsonage	23
Lectures on the Science of Language	7	Margaret Perleval	23
(K. O.) Literature of Ancient Greece	3	Passing Thoughts on Religion	20
MURCHISON on Continued Fevers	14	Preparation for Communion	20
MURK's Language and Literature of Greece	2	Principles of Education	20
New Testament, illustrated with Wood Engravings from the Old Masters	16		
NEWMAN's History of his Religious Opinions	4		

SEWELL's Readings for Confirmation.....	20	TYNDALL's Lectures on Heat.....	11
Readings for Lent.....	20	Sound.....	11
Tales and Stories.....	22	Memoir of FARADAY.....	5
Urgula.....	22		
SEAW'S Work on Wine.....	26	UAR's Dictionary of Arts, Manufactures, and Mines.....	17
SIMPSON'S Iceland.....	22		
SHIPLEY'S Church and the World.....	19		
Tracts for the Day.....	20		
Short Whist.....	26		
SMOOTH'S Church History.....	3		
SMITH'S (SOUTHWOOD) Philosophy of Health.....	26	VAN DER HORST'S Handbook of Zoology..	11
(J.) Paul's Voyage and Shipwreck..	18	VAUGHAN'S (R.) Revolutions in English History.....	1
(G.) King David.....	19	Way to Rest.....	10
Weeleyan Methodism.....	4		
(SYDNEY) Miscellaneous Works.....	8		
Moral Philosophy.....	8		
Wit and Wisdom.....	9		
SMITH on Cavalry Drill and Manœuvres.....	26	WALKER on the Rifle.....	26
SOUTHERN'S (Doctor).....	7	WARD'S Workmen and Wages.....	6
Poetical Works.....	24	WATSON'S Principles and Practice of Physic	14
Springdale Abbey.....	23	WATTS'S Dictionary of Chemistry.....	13
STANLEY'S History of British Birds.....	12	WERNER'S Objects for Common Telescopes...	10
STERNBERG'S Analysis of MILL'S Logic.....	6	WHESTER & WILKINSON'S Greek Testament	19
STEPHEN'S Essay in Ecclesiastical Bio- graphy.....	5	WELD'S Florence.....	22
Lectures on History of France.....	2	WELLINGTON'S Life, by the Rev G. R. GLEIG.....	4
STIRLING'S Secret of Hegel.....	9	WELLS on Dew.....	11
STONEHENGE on the Dog.....	26	WENDT'S Papers on Maritime Law.....	27
on the Greyhound.....	27	WEST on Children's Diseases.....	14
Sunday Afternoons at the Parish Church of a Scottish University City (Aberdeen)....	8	WHEATLY'S English Synonyms.....	5
		Logic.....	5
		Rhetoric.....	5
		Life and Correspondence.....	4
		WHEATLY on the Truth of Christianity...	21
		Religious Worship.....	21
TAYLOR'S (Jeremy) Works, edited by EDEN	21	Whist, what to lead, by CAM.....	28
(E.) Selections from some Contem- porary Poets.....	25	WHITE and RIBBLE'S Latin-English Dic- tionaries.....	7
TENNENT'S Ceylon.....	13	WINSLOW on Light.....	11
Wild Elephant.....	13	WOOD'S Bible Animals.....	12
THIRLWALL'S History of Greece.....	2	Homes without Hands.....	12
THOMSON'S (Archbishop) Laws of Thought	6	WRIGHT'S Homer's Iliad.....	25
(A. T.) Conspectus.....	15		
TIMES'S Curiosities of London.....	23		
TODD (A.) on Parliamentary Government..	1		
TODD'S Cyclopædia of Anatomy and Phy- siology.....	14	YONGE'S English-Greek Lexicon.....	7
and BOWMAN'S Anatomy and Phy- siology of Man.....	15	Abridged ditto.....	7
TROLOPE'S Barchester Towers.....	23	Horace.....	25
Warden.....	23	YOUNG'S Nautical Dictionary.....	27
TWINE'S Law of Nations.....	27	YOCATT on the Dog.....	26
		on the Horse.....	26

LONDON

PRINTED BY SPOTTISWOODE AND CO.

NEW-STREET SQUARE

